



Certificate of Analysis

Patient COA

Client Information:

Trulieve - Midway Flower
Compliance
6749 Ben Bostic Rd
Quincy, FL 32351

Batch # 64813_0007485370
Batch Date: 2025-06-25

Seed to Sale # 0222 1048 5717 4209
Lot ID: 7264 0732 8321 2125

Cultivation Facility: Quincy, FL
Production Facility: Midway, FL
Production Date: 2025-06-25

Order # TRU250626-130001
Order Date: 2025-06-26
Sample # AAGW090

Sampling Date: 2025-06-26
Lab Batch Date: 2025-06-26
Completion Date: 2025-07-01

Initial Gross Weight: 1019.600 g

Number of Units: 31
Net Weight per Unit: 3500.000 mg
Sampling Method: MSP 7.3.1



Product Image



Potency
Tested



Terpenes
Tested



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Not Tested



Moisture
Passed



Water Activity
Passed



Pathogenic
Passed



Microbiology
(qPCR)
Passed



Filtration and Foreign
Passed



Total Contaminant
Load
Passed

Potency - 11

Specimen Weight: 204.460 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	150.000	3.20E-5	0.015	244	24.4
CBGA	15.000	8.00E-5	0.015	5.25	0.525
Delta-9 THC	15.000	1.30E-5	0.015	2.40	0.240
CBG	15.000	2.48E-4	0.015	0.877	0.0880
CBDA	15.000	1.00E-5	0.015	0.635	0.0640
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ
Delta-8 THC	15.000	2.60E-5	0.015	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	15.000			0.557	0.0560
Total Active THC	15.000			216	21.6

Prep. By: 1024

Date: 2025-06-27 12:49:51

Analyzed By: 1282

Date: 2025-06-27 12:12:56

Reviewed By: 1010

Date: 2025-06-30 14:57:01

Lab Batch #: AAGW090-450

Date: 2025-06-30 14:57:01



Moisture

Specimen Weight: N/A Dilution Factor: 1.000

Passed

SOP13.015
(Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	11.5

Prep. By: 1282

Date: 2025-06-27 15:39:25

Analyzed By: 1282

Date: 2025-06-27 15:39:25

Reviewed By: 1282

Date: 2025-06-27 18:26:10

Lab Batch #: AAGW090-10

Date: 2025-06-27 18:26:10

This product is tested at this moisture level, not at dry weight.

Potency Summary

Total Active THC 21.6% 756 mg	Total Active CBD 0.0560% 1.95 mg
Total CBG 0.549% 19.2 mg	Total CBN None Detected
Total Cannabinoids 25.3% 885 mg	

Terpenes Summary

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	7.576	0.758%
(R)-(+)-Limonene	4.475	0.448%
Linalool	2.267	0.227%
alpha-Humulene	1.759	0.176%
beta-Myrcene	1.546	0.155%
trans-Nerolidol	1.24	0.124%
alpha-Bisabolol	0.674	0.067%
beta-Pinene	0.5	0.05%
Fenchyl Alcohol	0.5	0.05%
alpha-Pinene	0.371	0.037%

Total Terpenes: 2.092%

Detailed Terpenes Analysis is on the following page

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.