



## Certificate of Analysis

Patient COA

### Client Information:

**Trulieve - Midway Flower**  
**Compliance**  
6749 Ben Bostic Rd  
Quincy, FL 32351

Batch # 68683\_0007173428  
Batch Date: 2025-07-17

Seed to Sale # 5609 9297 7234 6685  
Lot ID: 5544 0619 6879 9792

Cultivation Facility: Quincy, FL  
Production Facility: Midway, FL  
Production Date: 2025-07-17

Order # TRU250718-070001  
Order Date: 2025-07-18  
Sample # AAGX775

Sampling Date: 2025-07-18  
Lab Batch Date: 2025-07-18  
Completion Date: 2025-07-23

Initial Gross Weight: 1260.400 g

Number of Units: 38  
Net Weight per Unit: 3500.000 mg  
Sampling Method: MSP 7.3.1



Product Image



**Potency**  
Tested



**Terpenes**  
Tested



**Heavy Metals**  
Passed



**Mycotoxins**  
Passed



**Pesticides**  
Passed



**Residual Solvents**  
Not Tested



**Moisture**  
Passed



**Water Activity**  
Passed



**Pathogenic**  
Passed



**Microbiology**  
(qPCR)  
Passed



**Filtration and Foreign**  
Passed



**Total Contaminant**  
Load  
Passed

### Potency - 11

Specimen Weight: 201.660 mg

### Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	150.000	3.20E-5	0.015	297	29.7
Delta-9 THC	15.000	1.30E-5	0.015	10.9	1.09
CBGA	15.000	8.00E-5	0.015	9.87	0.987
CBG	15.000	2.48E-4	0.015	1.80	0.180
CBDA	15.000	1.00E-5	0.015	0.949	0.0950
THCV	15.000	7.00E-6	0.015	0.788	0.0790
Delta-8 THC	15.000	2.60E-5	0.015	0.285	0.0290
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ
Total Active CBD	15.000			0.832	0.0830
Total Active THC	15.000			271	27.1

Prep. By: 1282 Date: 2025-07-19 14:52:22 Analyzed By: 1263 Date: 2025-07-19 14:54:15  
Reviewed By: 1150 Date: 2025-07-21 19:54:39 Lab Batch #: AAGX775-450 Date: 2025-07-21 19:54:39

### Moisture

Specimen Weight: N/A Dilution Factor: 1.000

### Passed

SOP13.015  
(Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	11.9

Prep. By: 1204 Date: 2025-07-20 17:24:14 Analyzed By: 1204 Date: 2025-07-20 17:24:14  
Reviewed By: 1204 Date: 2025-07-20 17:28:17 Lab Batch #: AAGX775-10 Date: 2025-07-20 17:28:17

This product is tested at this moisture level, not at dry weight.

### Potency Summary

<b>Total Active THC</b> 27.1% 950 mg	<b>Total Active CBD</b> 0.0830% 2.91 mg
<b>Total CBG</b> 1.05% 36.6 mg	<b>Total CBN</b> None Detected
<b>Total Cannabinoids</b> 32.2% 1130 mg	

### Terpenes Summary

Analyte	Result (mg/g)	(%)
beta-Myrcene	8.574	0.857%
trans-Caryophyllene	7.005	0.7%
Linalool	5.672	0.567%
(R)-(+)-Limonene	2.793	0.279%
alpha-Humulene	2.152	0.215%
alpha-Bisabolol	1.371	0.137%
Fenchyl Alcohol	0.337	0.034%
beta-Pinene	0.311	0.031%

**Total Terpenes: 2.820%**

Detailed Terpenes Analysis is on the following page

Aixia Sun  
Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.