



Certificate of Analysis

Patient COA

Client Information:

Trulieve - Midway Flower
Compliance
6749 Ben Bostic Rd
Quincy, FL 32351

Order # TRU250919-040001
Order Date: 2025-09-19
Sample # AAHC404

Batch # 59765_0007826464
Batch Date: 2025-09-19


Seed to Sale # 5884 8609 9942 9940
Lot ID: 2672 4098 3538 9756

Cultivation Facility: Quincy, FL
Production Facility: Midway, FL
Production Date: 2025-09-19

Sampling Date: 2025-09-19
Lab Batch Date: 2025-09-19
Completion Date: 2025-09-23

Cultivars: Space Age Cake
Test Reg State: Florida

Initial Gross Weight: 1083.300 g
Number of Units: 33
Net Weight per Unit: 3500.000 mg
Sampling Method: MSP 7.3.1



Product Image

Potency - 11
Specimen Weight: 205.510 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Tested SOP13.001 (LCUV)	
					Result (%)	Pass/Fail
THCA-A	150.000	3.20E-5	0.015	302	30.2	Pass
Delta-9 THC	15.000	1.30E-5	0.015	10.0	1.00	Pass
CBGA	15.000	8.00E-5	0.015	5.37	0.537	Pass
CBG	15.000	2.48E-4	0.015	1.04	0.104	Pass
CBDA	15.000	1.00E-5	0.015	0.679	0.0680	Pass
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ	Pass
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ	Pass
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ	Pass
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ	Pass
Delta-8 THC	15.000	2.60E-5	0.015	<LOQ	<LOQ	Pass
THCV	15.000	7.00E-6	0.015	<LOQ	<LOQ	Pass
Total Active CBD	15.000			0.595	0.0595	Pass
Total Active THC	15.000			275	27.5	Pass

Prep. By: 1282 Date: 2025-09-20 14:06:13 Analyzed By: 1263 Date: 2025-09-20 14:25:09

Reviewed By: 1040 Date: 2025-09-22 11:55:33 Lab Batch #: AAHC404-450 Date: 2025-09-22 11:55:33

Moisture
Specimen Weight: N/A Dilution Factor: 1.000

Passed SOP13.015 (Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	11.7
Prep. By: 1035	Date: 2025-09-21 15:10:12	Analyzed By: 1035 Date: 2025-09-21 15:10:12
Reviewed By: 1035	Date: 2025-09-21 16:06:01	Lab Batch #: AAHC404-10 Date: 2025-09-21 16:06:01

This product is tested at this moisture level, not at dry weight.

Axia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Potency Summary

Total Active THC	963 mg	Total Active CBD	2.08 mg
27.5%	0.0600%		
Total CBG	20.1 mg	Total CBN	-
0.575%		None Detected	
Total Cannabinoids			1120 mg
31.9%			

Terpenes Summary

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	10.638	1.064%
Linalool	4.994	0.499%
(R)(+)-Limonene	3.427	0.343%
alpha-Humulene	3.313	0.331%
alpha-Terpinene	2.142	0.214%
trans-Nerolidol	1.742	0.174%
beta-Myrcene	1.68	0.168%
alpha-Bisabolol	0.76	0.076%
Fenchyl Alcohol	0.752	0.075%

Total Terpenes: 2.944%

Detailed Terpenes Analysis is on the following page

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-C-O-Acetate + Delta 9 THC-C-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

