



Certificate of Analysis

Patient COA

Client Information:

Trulieve - Midway Flower
Compliance
6749 Ben Bostic Rd
Quincy, FL 32351

Batch # 83669_0007685990
Batch Date: 2025-07-29

Seed to Sale # 7581 9293 6131 9668
Lot ID: 9473 3209 3357 4030

Cultivation Facility: Quincy, FL
Production Facility: Midway, FL
Production Date: 2025-07-29

Order # TRU250729-030001
Order Date: 2025-07-29
Sample # AAGY445

Sampling Date: 2025-07-29
Lab Batch Date: 2025-07-29
Completion Date: 2025-08-04

Initial Gross Weight: 1422.300 g

Number of Units: 43
Net Weight per Unit: 3500.000 mg
Sampling Method: MSP 7.3.1



Product Image



Potency
Tested



Terpenes
Tested



Heavy Metals
Passed



Mycotoxins
Passed



Pesticides
Passed



Residual Solvents
Not Tested



Moisture
Passed



Water Activity
Passed



Pathogenic
Passed



Microbiology
(qPCR)
Passed



Filtration and Foreign
Passed



Total Contaminant
Load
Passed

Potency - 11

Specimen Weight: 202.800 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	150.000	3.20E-5	0.015	267	26.7
Delta-9 THC	15.000	1.30E-5	0.015	10.8	1.08
CBGA	15.000	8.00E-5	0.015	9.77	0.977
CBG	15.000	2.48E-4	0.015	1.56	0.156
CBDA	15.000	1.00E-5	0.015	0.844	0.0844
THCV	15.000	7.00E-6	0.015	0.695	0.0695
Delta-8 THC	15.000	2.60E-5	0.015	0.229	0.0230
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ
Total Active CBD	15.000			0.740	0.0740
Total Active THC	15.000			245	24.5

Prep. By: 1276 Date: 2025-07-30 12:45:57 Analyzed By: 1142 Date: 2025-07-30 13:01:20
Reviewed By: 1150 Date: 2025-08-02 08:36:33 Lab Batch #: AAGY445-450 Date: 2025-08-02 08:36:33

Potency Summary

Total Active THC 24.5% 857 mg	Total Active CBD 0.0740% 2.59 mg
Total CBG 1.01% 35.5 mg	Total CBN None Detected
Total Cannabinoids 29.1% 1020 mg	

Terpenes Summary

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	6.736	0.674%
beta-Myrcene	4.434	0.443%
Linalool	3.762	0.376%
trans-Nerolidol	2.43	0.243%
alpha-Humulene	1.844	0.184%
(R)-(+)-Limonene	1.49	0.149%
alpha-Bisabolol	0.86	0.086%



Total Terpenes: 2.155%

Detailed Terpenes Analysis is on the following page

Moisture

Specimen Weight: N/A Dilution Factor: 1.000

Passed

SOP13.015
(Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	11.8

Prep. By: 1282 Date: 2025-07-31 16:14:57 Analyzed By: 1282 Date: 2025-07-31 16:14:57
Reviewed By: 1282 Date: 2025-07-31 18:25:43 Lab Batch #: AAGY445-10 Date: 2025-07-31 18:25:43

This product is tested at this moisture level, not at dry weight.

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.