



## Certificate of Analysis

Patient COA

## Client Information:

Trulieve - Midway Flower  
Compliance6749 Ben Bostic Rd  
Quincy, FL 32351

Order # TRU250912-060001

Order Date: 2025-09-12

Sample # AAHB973

Batch # 67988-0007815114

Batch Date: 2025-09-11

Seed to Sale # 7905 4581 1265 4143

Lot ID: 8800 8804 9491 6495

Cultivars: Cold Snap

Test Reg State: Florida

Cultivation Facility: Quincy, FL

Production Facility: Midway, FL

Production Date: 2025-09-11

Initial Gross Weight: 1370.200 g

Number of Units: 42

Net Weight per Unit: 3500.000 mg

Sampling Method: MSP 7.3.1



Product Image

Potency  
TestedTerpenes  
TestedHeavy Metals  
PassedMycotoxins  
PassedPesticides  
PassedResidual Solvents  
Not TestedMoisture  
PassedWater Activity  
PassedPathogenic  
Microbiology  
PassedMicrobiology  
(qPCR)  
PassedFiltration and Foreign  
PassedTotal Contaminant  
Load  
Passed

## Potency - 11

Specimen Weight: 207.610 mg

## Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
THCA-A	150.000	3.20E-5	0.015	272	27.2
CBGA	15.000	8.00E-5	0.015	6.81	0.681
Delta-9 THC	15.000	1.30E-5	0.015	3.57	0.357
CBG	15.000	2.48E-4	0.015	1.49	0.149
CBDA	15.000	1.00E-5	0.015	0.635	0.0635
Delta-8 THC	15.000	2.60E-5	0.015	0.197	0.0200
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD	15.000			0.556	0.0556
Total Active THC	15.000			242	24.2

Prep. By: 1282

Date: 2025-09-13 14:26:44

Analyzed By: 1282

Date: 2025-09-13 13:46:29

Reviewed By: 1150

Date: 2025-09-16 20:08:40

Lab Batch #: AAHB973-450

Date: 2025-09-16 20:08:40



## Potency Summary

Total Active THC	24.2%	847 mg	Total Active CBD	0.0560%	1.95 mg
Total CBG	0.747%	26.1 mg	Total CBN	-	None Detected
Total Cannabinoids	28.5%	996 mg			



## Terpenes Summary

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	3.16	0.316%
beta-Myrcene	2.539	0.254%
Linalool	1.254	0.125%
alpha-Humulene	1.168	0.117%
alpha-Bisabolol	1.05	0.105%
trans-Nerolidol	0.421	0.042%
(R)-(+)-Limonene	0.389	0.039%
Ocimene	0.119	0.012%



## Moisture

Specimen Weight: N/A Dilution Factor: 1.000

## Passed

SOP13.015

(Moisture Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	10.4

Prep. By: 1035

Date: 2025-09-14 19:55:17

Analyzed By: 1035

Date: 2025-09-14 19:55:17

Reviewed By: 1035

Date: 2025-09-14 20:23:20

Lab Batch #: AAHB973-10

Date: 2025-09-14 20:23:20

This product is tested at this moisture level, not at dry weight.

## Total Terpenes: 1.010%

Detailed Terpenes Analysis is on the following page

  
Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.