



MF-Minis-3.5g-CitrusBliss-H-FL

Sample Matrix:  
CANNABIS (MMTC's)  
Flower & Plants  
(Inhalation - Heated)



## Certificate of Analysis

Patient COA

**Client Information:**

**Trulieve - Midway Flower  
Compliance**  
6749 Ben Bostic Rd  
Quincy, FL 32351

Order # TRU250814-080001  
Order Date: 2025-08-14  
Sample # AAGZ936

Batch # 84601\_0007733248

Batch Date: 2025-08-13

Seed to Sale # 7765 4804 4057 1174

Lot ID: 9797 4089 8573 3223

Cultivation Facility: Quincy, FL

Production Facility: Midway, FL


Production Date: 2025-08-13

Cultivars: Citrus Bliss  
Test Reg State: Florida

Sampling Date: 2025-08-14  
Lab Batch Date: 2025-08-14  
Completion Date: 2025-08-19

Initial Gross Weight: 1384.300 g

Number of Units: 42  
Net Weight per Unit: 3500.000 mg  
Sampling Method: MSP 7.3.1



Product Image

**Potency - 11**  
Specimen Weight: 208.710 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Tested	
					SOP13.001 (LCUV)	(%)
THCA-A	150.000	3.20E-5	0.015	258	25.8	
CBGA	15.000	8.00E-5	0.015	10.6	1.06	
Delta-9 THC	15.000	1.30E-5	0.015	9.27	0.927	
CBG	15.000	2.48E-4	0.015	1.43	0.143	
CBDA	15.000	1.00E-5	0.015	0.822	0.0820	
THCV	15.000	7.00E-6	0.015	0.540	0.0540	
Delta-8 THC	15.000	2.60E-5	0.015	0.241	0.0240	
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ	
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ	
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ	
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ	
Total Active CBD	15.000			0.720	0.0720	
Total Active THC	15.000			236	23.6	

Prep. By: 1276 Date: 2025-08-15 12:19:48 Analyzed By: 1263 Date: 2025-08-15 13:00:55

Reviewed By: 1150 Date: 2025-08-18 13:00:09 Lab Batch #: AAGZ936-450 Date: 2025-08-18 13:00:09

**Potency Summary**

Total Active THC	826 mg	Total Active CBD	2.52 mg
23.6%		0.0720%	
Total CBG	37.4 mg	Total CBN	-
1.07%		None Detected	
<b>Total Cannabinoids</b>			984 mg
28.1%			

**Terpenes Summary**

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	6.241	0.624%
Linalool	3.403	0.34%
beta-Myrcene	2.86	0.286%
trans-Nerolidol	2.202	0.22%
(R)(+)-Limonene	1.747	0.175%
alpha-Humulene	1.71	0.171%
alpha-Bisabolol	0.762	0.076%
Fenchyl Alcohol	0.307	0.031%

**Total Terpenes: 1.923%**

Detailed Terpenes Analysis is on the following page

**Moisture**  
Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	Passed	
		SOP13.015	(Moisture Meter)
Moisture	15		11.9
Prep. By: 1282	Date: 2025-08-15 13:41:31	Analyzed By: 1282	Date: 2025-08-15 13:41:31
Reviewed By: 1282	Date: 2025-08-15 17:15:21	Lab Batch #: AAGZ936-10	Date: 2025-08-15 17:15:21

This product is tested at this moisture level, not at dry weight.

Axia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.