



MF-Flower-3.5g-Peachtree-I-FL

Sample Matrix:

CANNABIS (MMTC's)

Flower & Plants

(Inhalation - Heated)



Certificate of Analysis

Patient COA

Client Information:

**Trulieve - Midway Flower
Compliance**
6749 Ben Bostic Rd
Quincy, FL 32351

Order # TRU250502-110001
Order Date: 2025-05-02
Sample # AAGR119

Batch # 69881_0007208736
Batch Date: 2025-05-01


Seed to Sale # 5389 0600 2523 9489
Lot ID: 3936 7914 6442 4124

Cultivation Facility: Tallahassee, FL
Cultivation Date: 2025-05-01
Production Facility: Tallahassee, FL
Production Date: 2025-05-01

Sampling Date: 2025-05-02
Lab Batch Date: 2025-05-02
Completion Date: 2025-05-06

Initial Gross Weight: 923.000 g

Number of Units: 28
Net Weight per Unit: 3500.000 mg
Sampling Method: MSP 7.3.1



Product Image

Potency - 11
Specimen Weight: 209.520 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Tested	
					SOP13.001 (LCUV)	
THCA-A	150.000	3.20E-5	0.015	317	31.7	
CBGA	15.000	8.00E-5	0.015	17.1	1.71	
Delta-9 THC	15.000	1.30E-5	0.015	3.38	0.338	
CBG	15.000	2.48E-4	0.015	2.01	0.201	
CBDA	15.000	1.00E-5	0.015	0.866	0.0870	
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ	
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ	
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ	
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ	
Delta-8 THC	15.000	2.60E-5	0.015	<LOQ	<LOQ	
THCV	15.000	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD	15.000			0.760	0.0760	
Total Active THC	15.000			282	28.2	

Prep. By: 1282 Date: 2025-05-03 15:00:58 Analyzed By: 1263 Date: 2025-05-03 13:38:12

Reviewed By: 1010 Date: 2025-05-05 16:48:27 Lab Batch #: AAGR119-450 Date: 2025-05-05 16:48:27

Moisture

Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	Result (%)	Passed	
			SOP13.015	(Moisture Meter)
Moisture	15	9.9		
Prep. By: 1035	Date: 2025-05-04 15:19:39	Analyzed By: 1035	Date: 2025-05-04 15:19:39	
Reviewed By: 1035	Date: 2025-05-04 15:24:06	Lab Batch #: AAGR119-10	Date: 2025-05-04 15:24:06	

This product is tested at this moisture level, not at dry weight.

Axia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Potency Summary

Total Active THC	986 mg	Total Active CBD	2.66 mg
28.2%	0.0760%		
Total CBG	59.7 mg	Total CBN	-
1.71%		None Detected	
Total Cannabinoids			1190 mg
34.1%			

Terpenes Summary

Analyte	Result (mg/g)	(%)
trans-Caryophyllene	6.328	0.633%
(R)(+)-Limonene	4.939	0.494%
Linalool	1.617	0.162%
trans-Nerolidol	1.489	0.149%
alpha-Humulene	1.447	0.145%
beta-Myrcene	1.174	0.117%
Fenchyl Alcohol	0.888	0.089%
beta-Pinene	0.712	0.071%
alpha-Bisabolol	0.629	0.063%
alpha-Pinene	0.513	0.051%

Total Terpenes: 1.974%

Detailed Terpenes Analysis is on the following page

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-CO-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta 8-THCP + Delta 9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

