



RO-Flower-3.5g-GrapeGob-H-FL

Sample Matrix:

CANNABIS (MMTC's)  
Flower & Plants  
(Inhalation - Heated)



## Certificate of Analysis

Patient COA

**Client Information:**

**Trulieve - Midway Flower  
Compliance**  
6749 Ben Bostic Rd  
Quincy, FL 32351

Batch # 80205\_0007813108

Batch Date: 2025-09-10

Seed to Sale # 5630 2505 9451 4137

Lot ID: 5972 7408 3664 6016

Cultivation Facility: Quincy, FL

Production Facility: Midway, FL

Production Date: 2025-09-10

Order # TRU250910-110001

Order Date: 2025-09-10

Sample # AAHB774

Sampling Date: 2025-09-10

Lab Batch Date: 2025-09-10

Orig. Completion Date: 2025-09-15

Cultivars: Grape Gob

Test Reg State: Florida

Number of Units: 40

Net Weight per Unit: 3500.000 mg

Sampling Method: MSP 7.3.1

**Statement of Amendment: Updated Description**



Product Image

**Potency - 11**  
Specimen Weight: 201.560 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	SOP13.001 (LCUV)	
					Tested	Passed
THCA-A	150.000	3.20E-5	0.015	285	28.5	
Delta-9 THC	15.000	1.30E-5	0.015	16.9	1.69	
CBGA	15.000	8.00E-5	0.015	2.99	0.299	
CBG	15.000	2.48E-4	0.015	2.66	0.266	
CBDA	15.000	1.00E-5	0.015	0.712	0.0710	
CBC	15.000	1.80E-5	0.015	0.345	0.0340	
Delta-8 THC	15.000	2.60E-5	0.015	0.258	0.0260	
CBD	15.000	5.40E-5	0.015	<LOQ	<LOQ	
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ	
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ	
THCV	15.000	7.00E-6	0.015	<LOQ	<LOQ	
Total Active CBD	15.000			0.624	0.0624	
Total Active THC	15.000			267	26.7	

Prep. By: 1024 Date: 2025-09-11 11:24:52 Analyzed By: 1142 Date: 2025-09-11 12:14:52  
Reviewed By: 1010 Date: 2025-09-12 15:55:48 Lab Batch #: AAHB774-450 Date: 2025-09-12 15:55:48

**Potency Summary**

<b>Total Active THC</b>	26.7%	934 mg	<b>Total Active CBD</b>	0.0620%	2.19 mg
<b>Total CBG</b>	0.528%	18.5 mg	<b>Total CBN</b>	-	None Detected
<b>Total Cannabinoids</b>	30.9%	1080 mg			

**Terpenes Summary**

Analyte	Result (mg/g)	(%)
beta-Myrcene	4.673	0.467%
Linalool	4.27	0.427%
(R)(+)-Limonene	3.779	0.378%
trans-Caryophyllene	3.575	0.357%
alpha-Humulene	1.058	0.106%
trans-Nerolidol	1.05	0.105%
Fenchyl Alcohol	0.684	0.068%
beta-Pinene	0.405	0.04%

**Total Terpenes: 1.948%**

Detailed Terpenes Analysis is on the following page

**Moisture**  
Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	SOP13.015 (Moisture Meter)	
		Result (%)	Passed
Moisture	15	9.30	
Prep. By: 1282	Date: 2025-09-11 17:14:58	Analyzed By: 1282	Date: 2025-09-11 17:14:58
Reviewed By: 1282	Date: 2025-09-11 18:28:14	Lab Batch #: AAHB774-10	Date: 2025-09-11 18:28:14

This product is tested at this moisture level, not at dry weight.

Axia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA \* 0.877), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Revised report- see statement of amendment above.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.