



Certificate of Analysis

Patient COA

Client Information:

**Trulieve - Midway Flower
Compliance**
6749 Ben Bostic Rd
Quincy, FL 32351

Order # TRU250527-090001
Order Date: 2025-05-27
Sample # AAGT373

Batch # 60421_0007161154

Batch Date: 2025-05-23

Seed to Sale # 2940 2218 8380 2368

Lot ID: 4694 9983 4021 7601

Cultivation Facility: Quincy, FL

Cultivation Date: 2025-05-23

Production Facility: Midway, FL

Production Date: 2025-05-23

Cultivars: Banana Power
Test Reg State: Florida


Sampling Date: 2025-05-27
Lab Batch Date: 2025-05-27
Completion Date: 2025-06-02

Initial Gross Weight: 563.300 g

Number of Units: 17

Net Weight per Unit: 3500.000 mg

Sampling Method: MSP 7.3.1



Product Image

Potency - 11
Specimen Weight: 208.990 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	Tested SOP13.001 (LCUV)	
					Pass	Fail
THCA-A	150.000	3.20E-5	0.015	309	30.9	Pass
CBGA	15.000	8.00E-5	0.015	13.4	1.34	Pass
Delta-9 THC	15.000	1.30E-5	0.015	12.3	1.23	Pass
CBG	15.000	2.48E-4	0.015	1.87	0.187	Pass
CBDA	15.000	1.00E-5	0.015	0.868	0.0870	Pass
CBD	15.000	5.40E-5	0.015	0.175	0.0170	Pass
CBC	15.000	1.80E-5	0.015	<LOQ	<LOQ	Pass
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ	Pass
CBN	15.000	1.40E-5	0.015	<LOQ	<LOQ	Pass
Delta-8 THC	15.000	2.60E-5	0.015	<LOQ	<LOQ	Pass
THCV	15.000	7.00E-6	0.015	<LOQ	<LOQ	Pass
Total Active CBD	15.000			0.936	0.0940	Pass
Total Active THC	15.000			283	28.3	Pass

Prep. By: 1040 Date: 2025-05-28 11:41:34 Analyzed By: 1263 Date: 2025-05-28 14:17:21

Reviewed By: 1010 Date: 2025-05-29 10:28:05 Lab Batch #: AAGT373-450 Date: 2025-05-29 10:28:05

Potency Summary

Total Active THC	990 mg	Total Active CBD	3.28 mg
28.3%	0.0940%		
Total CBG	47.7 mg	Total CBN	- None Detected
Total Cannabinoids			1180 mg

Terpenes Summary

Analyte	Result (mg/g)	(%)
beta-Myrcene	5.405	0.541%
trans-Caryophyllene	4.543	0.454%
Linalool	2.849	0.285%
(R)(+)-Limonene	2.343	0.234%
alpha-Humulene	1.41	0.141%
alpha-Bisabolol	1.325	0.132%
Guaiol	0.936	0.094%
Fenchyl Alcohol	0.385	0.038%
beta-Pinene	0.325	0.032%

Total Terpenes: 1.951%

Detailed Terpenes Analysis is on the following page

Moisture

Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	Result (%)	Passed SOP13.015 (Moisture Meter)	
			Pass	Fail
Moisture	15	11.9	Pass	Fail
Prep. By: 1282	Date: 2025-05-29 13:37:16	Analyzed By: 1282	Date: 2025-05-29 13:37:16	
Reviewed By: 1282	Date: 2025-05-29 18:18:22	Lab Batch #: AAGT373-10	Date: 2025-05-29 18:18:22	

This product is tested at this moisture level, not at dry weight.

Axia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (ug/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034.

Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

