



00000000	457f	464c	0102	0001	0000	0000	0000	0000
00000010	0003	003e	0001	0000	1040	0000	0000	0000
00000020	0040	0000	0000	0000	34b8	0000	0000	0000
00000030	0000	0000	0040	0038	0000	0040	001e	001d
00000040	0006	0000	0004	0000	0040	0000	0000	0000
00000050	0040	0000	0000	0000	0040	0000	0000	0000
00000060	02d8	0000	0000	0000	02d8	0000	0000	0000
00000070	0008	0000	0000	0000	0003	0000	0004	0000
00000080	0318	0000	0000	0000	0318	0000	0000	0000
00000090	0318	0000	0000	0000	001c	0000	0000	0000
000000a0	001c	0000	0000	0000	0001	0000	0000	0000
000000b0	0001	0000	0004	0000	0000	0000	0000	0000
000000c0	0000	0000	0000	0000	0000	0000	0000	0000
000000d0	0030	0000	0000	0000	0030	0000	0000	0000
000000e0	1000	0000	0000	0000	0001	0000	0005	0000
000000f0	1000	0000	0000	0000	1000	0000	0000	0000
00000100	1000	0000	0000	0000	0161	0000	0000	0000
00000110	0161	0000	0000	0000	1000	0000	0000	0000
00000120	0001	0000	0004	0000	2000	0000	0000	0000
00000130	2000	0000	0000	0000	2000	0000	0000	0000
00000140	00b4	0000	0000	0000	00b4	0000	0000	0000
00000150	1000	0000	0000	0000	0001	0000	0006	0000
00000160	2dd0	0000	0000	0000	3dd0	0000	0000	0000
00000170	3dd0	0000	0000	0000	0248	0000	0000	0000
00000180	0250	0000	0000	0000	1000	0000	0000	0000
00000190	0002	0000	0000	0000	2de0	0000	0000	0000
000001a0	3de0	0000	0000	0000	3de0	0000	0000	0000
000001b0	01e0	0000	0000	0000	01e0	0000	0000	0000
000001c0	0000	0000	0000	0000	0004	0000	0004	0000
000001d0	0338	0000	0000	0000	0338	0000	0000	0000
000001e0	0338	0000	0000	0000	0040	0000	0000	0000
000001f0	0040	0000	0000	0000	0000	0000	0000	0000
00000200	0004	0000	0004	0000	0378	0000	0000	0000
00000210	0378	0000	0000	0000	0378	0000	0000	0000
00000220	0044	0000	0000	0000	0044	0000	0000	0000
00000230	0004	0000	0000	0000	e553	6474	0004	0000
00000240	0338	0000	0000	0000	0338	0000	0000	0000
00000250	0338	0000	0000	0000	0040	0000	0000	0000
00000260	0040	0000	0000	0000	0000	0000	0000	0000
00000270	e550	6474	0004	0000	2014	0000	0000	0000
00000280	2014	0000	0000	0000	2014	0000	0000	0000
00000290	0024	0000	0000	0000	0024	0000	0000	0000
000002a0	0004	0000	0000	0000	e551	6474	0006	0000
000002b0	0000	0000	0000	0000	0000	0000	0000	0000

Figure 8: Example of a “Hello World” program written in SCP (left) and machine code (right)

An option was proposed to implement a mechanism for differentiation of access to the knowledge bases of ostissystems based on the ABAC model. The work examined an example of the architecture of the OSTIS Ecosystem based on the Matrix protocol, as well as ideas for the implementation of safety measures of a personal ostisassistant and for the agents’ source code.

References

- [1] S. Isoboev, D. Vezarko, and A. Chechelitsky, “Intellektual’naya sistema monitoringa bezopasnosti seti besprovodnoi svyazi na osnove mashinnogo obucheniya [wireless communication network security intelligent monitoring system based on machine learning],” *Ekonomika i kachestvo sistem svyazi [Economics and quality of communication systems]*, vol. 1, no. 23, pp. 44–48, 2022.
- [2] V. Chastikova and A. Mitiugov, “Metodika postroeniya sistemy analiza intsidentov informatsionnoi bezopasnosti na osnove neiroimmunnogo podkhoda [methodology for building a system for analyzing information security incidents based on the neuroimmune approach],” *Elektronnyi Setevoi Politematicheskii Zhurnal «Nauchnye Trudy Kubgtu» [Electronic Network Polythematic Journal «Scientific Works of the KubSTU»]*, no. 1, pp. 98–105, 2022.
- [3] A. Skrypnikov et al., “Reshenie zadach informatsionnoi bezopasnosti s ispol’zovaniem iskusstvennogo intellekta [solving information security problems using artificial intelligence],” *Sovremennye naukoemkie tekhnologii [Modern high technologies]*, no. 6, pp. 277–281, 2021.
- [4] E. Sozinova, “Primenenie ekspertnykh sistem dlya analiza i otsenki informatsionnoi bezopasnosti [application of expert systems for analyzing and assessing the information security],” *Molodoi uchenyi [Young scientist]*, vol. 10, no. 33, pp. 64–66, 2011.
- [5] *Information security, cybersecurity and privacy protection – Evaluation criteria for IT security – Part 1: Introduction and general model*, ISO/IEC Std. 15 408-1, 2022.
- [6] V. Golenkov, Ed., *Tehnologiya kompleksnoy podderzhki zhiznennogo tsikla semanticheskii sovmestimyyh intellektual’nykh komp’yuternyykh sistem novogo pokoleniya [Technology of complex life cycle support of semantically compatible intelligent computer systems of new generation]*. Bestprint, 2023.
- [7] D. Abdurakhman, “Iskusstvennyi intellekt i mashinnoe obuchenie v kiberbezopasnosti [artificial intelligence and machine learning in cybersecurity],” *Sovremennye problemy lingvistiki i metodiki prepodavaniya russkogo yazyka v vuze i shkole [Modern problems of linguistics and methodology of teaching Russian language at university and school]*, no. 34, pp. 916–921, 2022.
- [8] Cwe view: Research concepts. Available at: <https://cwe.mitre.org/data/definitions/1000.html> (accessed 2024, Feb).
- [9] V. Ivashenko, *Modeli resheniya zadach v intellektual’nykh sistemakh. V 2 ch. Ch. 1 : Formal’nye modeli obrabotki informatsii i parallel’nye modeli resheniya zadach : ucheb.-metod. posobie [Models for solving problems in intelligent systems. In 2 parts, Part 1: Formal models of information processing and parallel models for solving problems: a tutorial]*. BGUIR, 2020.
- [10] V. Druzhinin and D. Ushakov, Eds., *Kognitivnaya psikhologiya. Uchebnik dlya vuzov [Cognitive psychology. Textbook for universities]*. PER SE, 2002.
- [11] R. Dushkin, *Metody polucheniya, predstavleniya i obrabotki znaniy s NE-faktorami [Methods of gaining, representation and processing of knowledge with NON-factors]*, 2011.

ПРОБЛЕМЫ БЕЗОПАСНОСТИ ЭКОСИСТЕМЫ OSTIS

Хорошавин В. Д., Захаров В. В.

В данной работе рассматриваются угрозы и уязвимости, актуальные для ostis-систем. Разграничение доступа к базам знаний остис-систем, реализация механизмов настройки персонального остис-ассистента и безопасность исходного кода агентов определены как основные направления обеспечения безопасности остис-систем. Предложены варианты реализации соответствующих механизмов безопасности по этим направлениям.

Received 13.03.2024

- [12] A. Gribkov, "Formirovanie dostovernogo znaniya: nakhozhdienie znaniy i vyavlenie defektov [the formation of reliable knowledge: Finding knowledge and identifying defects]," *Vestnik Leningradskogo gosudarstvennogo universiteta imeni A. S. Pushkina [A.S. Pushkin Leningrad State University Journal]*, pp. 74–90, 2023.
- [13] A. Dementev, "Metriki semanticheskikh dannyykh [metrics for semantic data]," *Molodoi uchenyi [Young scientist]*, vol. 24, no. 419, pp. 48–51, 2022.
- [14] A. Narinyani, "Ne-factory: Netochnost' i nedoopredelennost' - razlichie i vzaimosvyaz' (doformal'noe issledovanie) [non-factors: Inaccuracy and under-determination - distinction and relationship (pre-formal study)]," *Mezhdunarodnyi Seminar DIALOG'99 Tarusa [International Seminar DIALOG'99 Tarusa]*, 1999.
- [15] I. Davydenko, "Semantic models, method and tools of knowledge bases coordinated development based on reusable components," *Otkrytye semanticheskie tehnologii proektirovaniya intellektual'nykh sistem [Open semantic technologies for intelligent systems]*, pp. 99–118, 2018.
- [16] A. Ostroukh, *Intellektual'nye sistemy: monografiya [Intelligent systems: monograph]*. Nauchno-innovatsionnyi tsentr, 2020.
- [17] A. Baranovich, "Semanticheskie aspekty informatsionnoi bezopasnosti: kontsentratsiya znaniy [semantic aspects of information security: concentration of knowledge]," *Istoriya i arkhivy [History and Archives]*, vol. 13, no. 75, pp. 38–58, 2011.
- [18] Matrix specification. Available at: <https://spec.matrix.org/v1.9/> (accessed 2024, Mar).
- [19] Openpgp. Available at: <https://www.openpgp.org/> (accessed 2024, Mar).
- [20] P. Cousot and R. Cousot, "Abstract interpretation: Past, present and future," *CSL-LICS '14: Proceedings of the Joint Meeting of the Twenty-Third EACSL Annual Conference on Computer Science Logic (CSL) and the Twenty-Ninth Annual ACM/IEEE Symposium on Logic in Computer Science (LICS)*, pp. 1–10, 2014.
- [21] V. Khoang and A. Tuzovskii, "Resheniya osnovnykh zadach v razrabotke programmy podderzhki bezopasnosti raboty s semanticheskimi bazami dannyykh [solutions to the main problems in the development of a program to support the security of work with semantic databases]," *Doklady Tomskogo gosudarstvennogo universiteta sistem upravleniya i radioelektroniki [Proceedings of Tomsk State University of Control Systems and Radioelectronics]*, vol. 2, no. 28, pp. 121–125, 2013.
- [22] A. Lajevardi and M. Amini, "Big knowledge-based semantic correlation for detecting slow and low-level advanced persistent threats," *Journal of Big Data*, vol. 8, no. 148, 2021.
- [23] V. Ivashenko, N. Zotov, and M. Orlov, "Semantic logging of repeating events in a forward branching time model," *Pattern Recognition and Information Processing (PRIP'2021): Proceedings of the 15th International Conference*, p. 149–152, 2021.

Intelligent Tutoring System for Discrete Mathematics

Kanstantsin Shurmel and Artur Sharapov

Eugene Samokval and Vitaly Tsishchanka

Belarusian State University of

Informatics and Radioelectronics

Minsk, Belarus

Email: shurmel.konstantin@mail.ru, arturshaser@gmail.com

samokvalz@gmail.com, vitalik.tsishchanka@gmail.com

Abstract—The article presents a model of intelligent tutoring system for discrete mathematics. The model of such system uses methods and tools designed to build intelligent tutoring systems for any discipline and easy integration of new disciplines into the existing tutoring system.

Keywords—knowledge, knowledge base, intelligent systems, problem solver, interface, discrete mathematics.

I. Introduction

Discrete mathematics is fundamental these days and finds wide application in various fields. These fields include logistics, geographic information systems, computer science, modeling of physical and mathematical phenomena. This variety of applications makes *discrete mathematics* attractive both to commercial organizations looking for process optimization and solving complex problems, and to non-profit organizations engaged in research and development of new methods and algorithms.

Moreover, there are many other fields in which discrete mathematics has potential for application, such as sociology, biology, chemistry, and economics. This emphasizes its importance and relevance in modern society. Hence, understanding *discrete mathematics* plays an important role in the progress of science and technology. Therefore, in order for people to learn this science in a convenient way, it is necessary to develop new teaching methods to make the educational material more effective and accessible.

Modern methods of tuition involve not only internal presence of the learner in a particular discipline, but also the possibility of distance learning. As a rule, many of those who already have higher professional education, wish to deepen their knowledge in the discipline of interest, to expand competence in a related professional field of activity and to obtain new skills and knowledge, giving the opportunity to occupy a more successful position in the professional environment.

The first mention of the concept of *intelligent tutoring systems* was defined in 1970 by J. Carbonell. More than 10 years later, real working intelligent tutoring systems

appeared. The difference between *intelligent tutoring systems* and automated systems is that *automated system* is a *consolidated knowledge base*, based on the results of work with which the system gives the learner the results of correctly and incorrectly answered questions. In turn, *intelligent tutoring system* is aimed at the process of diagnosing learning, its correction. The essence of the work of such a system is not just in diagnosing the learner's mistakes, but also in issuing advice based on predetermined strategies of distance learning [1].

Intelligent tutoring system

:= [A set of software and hardware that uses *artificial intelligence* techniques to create interactive and adaptive educational tools. Such systems are usually able to adapt to the individual needs and knowledge level of each learner, offering personalized assignments, materials selection and feedback.]

Automated learning system

:= [A program or set of programs that facilitate or fully automate the learning process. They may include various functions such as organizing learning material, creating tests and assignments, and tracking student progress. Such systems are usually designed to optimize the learning process, reduce the time spent on routine teacher tasks, and improve learning efficiency.]

The main advantages of an intelligent tutoring system:

- personalized approach to learning, taking into account the individual needs and knowledge level of each student;
- the possibility of interactive classes and the use of visualization to explain theoretical concepts more clearly;
- automatic identification of students' weaknesses and suggestion of additional materials to reinforce the material;
- providing access to a wide range of educational