

The Marut is Esthetica's premium four-motor electric treatment table, built for the demands of hotel and resort spas. Electronic adjustments for the backrest, legrest, height, Trendelenburg, and reverse Trendelenburg put complete control at the therapist's fingertips. Gas spring-assisted armrests that lower and swing sideways create the freedom to work with precision and ease, while a detachable footrest extends versatility to foot massage and pedicure treatments — making the Marut equally at home across every service on the spa menu.



KEY FEATURES



Memory Positioning

The Marut's programmable handset stores therapist-defined positions that can be recalled with a single touch, saving time between treatments and allowing therapists to maintain consistency across every session.

Lowerable & Swing-Away Armrests

The Marut's gas spring-assisted armrests can be lowered and swung sideways, giving therapists unrestricted access during full-body treatments while ensuring guests remain in a natural, comfortable position throughout.

Detachable Footrest

The Marut's detachable footrest enables flexible configurations to support a wider range of treatments — from full-body massage to dedicated foot care and pedicure services — with ease and convenience.

Veridura Phthalate-Free Upholstery

The Marut is available in Veridura Phthalate-Free Upholstery, designed for professional spa environments, offering a safer surface for both clients and therapists. It resists stains, acetone, and disinfectants, withstands frequent cleaning, and ensures durable, fire- and abrasion-resistant performance.

FEATURES

Armrests
Headrest
Backrest
Legrest
Height
Trendelenburg Operation
Foam Cushion
Optional

Programable Handset

Gas spring assisted lowerable arm rest that can be swing side ways
Detachable Headrest
Electronically Adjustable
Electronically Adjustable
Electronically Adjustable
Electronically adjustable trendelenburg and reverse trendelenburg
161 mm mixed layer of different densities for comfortable massage experience
IVC Heating Technology



TECHNICAL SPECIFICATIONS

Length 2120 mm / 83 in
Width 810 mm / 31.8 in
Minimum height 640 mm / 25 in
Maximum height 1030 mm / 40.5 in
Tilt angle 13°

ELECTRICAL PARAMETERS

Power in (Mains Power Supply) 100–240V, 50–60Hz, 3A
IPX Rating IPX6
Operating Temperature 10–40°C
Shock Protection: Class I

BASE & FRAME

Base Powder-coated mild steel frame
Safe Working Load 250 kgs
Patient Load Bearing capacity 180 kgs

SAFETY STANDARDS


General Safety Standards IEC 60601-1
EMI/EMC IEC 60601-2

UPHOLSTERY

Type Veridura Phthalate-Free Upholstery
Thickness 1 mm
Tensile Strength ISO 1421, 869.22 N/ 5 cm
Colour Options Cream, Beige, Mouse Grey, Brown, Charcoal Grey
Weight 726.7 g / sqmt
Abrasion ISO 5470-2 = 2,00,000 cycles / min


WARRANTY

Motors 2 years
Frame 5 years




HANDSET


TECHNICAL DRAWINGS




TOP VIEW




SIDE VIEW




TRENDELENBURG (HEAD SIDE UP)



TRENDELENBURG (LEG SIDE UP)



MAXIMUM HEIGHT



MINIMUM HEIGHT

WOOD FINISH OPTIONS



American Oak
Dark Walnut



American Oak
Wenge



American Oak
Yellow Teak



American Oak
White Wash Finish



American Oak
Water Base



American Oak
PU Finish



American Oak
Open Pore Black




American Oak
Open Pore White

VERIDURA PHTHALATE-FREE UPHOLSTERY



Cream




Beige



Mouse Grey



Brown



Charcoal Grey



Phthalate-Free



Fire Retardant



Oil Resistant



Alcohol Resistant



Ultra Soft



Stain Resistant



Anti Bacterial



Eco - Friendly