

AM3S Function

Note: serial call Api calls must be, that is, when the end of an Api, can call an Api, Otherwise it will appear the Api function failure.



Note: the some functions of parallel relationship, there is no order

AM3S binding User



Note: 1, serial call Api calls must be, that is, when the end of an Api, can call an Api,Otherwise it will appear the Api function failure.

- 2. Use 1–1 for the first time binding process; if the same user, the user information is changed, the process requires the use of 1–2; if the same user, the same user information, use 1–3 Process
 - ${\bf 3}$, the three functions of parallel relationship, there is no order


A1: commandCreateUserManageConnectWithUser: Authentication: currentUserSerialNub: amUser: binedAMSerialNub: currentSerialNub: DisposeErrorBlock:

A2: commandSetRandomString: DisposeErrorBlock:

A3: commandSetAM3SUserID: withRandom: DisposeBlock: DisposeErrorBlock:

A4: commandSyncUserInfoWithUser: andGoal: DisposeStateInfo: DisposeBattery: DisposeBlock: DisposeErrorBlock:

AM3S sync Data



Note: 1、serial call Api calls must be, that is, when the end of an Api, can call an Api,Otherwise it will appear the Api function failure.

 $\boldsymbol{2}$, the two functions of parallel relationship, there is no order

B: commandSyncAllAM3SData: DisposeProgress: historyData: FinishTransmission: startsleepdata: DisposeSleepProgress: sleephistoryData: FinishSleepTransmission: CurrentActiveInfo: DisposeErrorBlock: AM3SIsOnTransmission: SleepIsOnTransmission:

C: commandSetSyncsportCount: DisposeMeasureData: disposeFinishMeasure: DisposeErrorBlock:

AM3S query or set Start binding success query disconnect query Alarm D1 reset Device F reminder E1 setAlarm deleteaAlar

Note: 1, serial call Api calls must be, that is, when the end of an Api, can call an Api,Otherwise it w 2 the four functions of parallel relationship, there is no order

D1: commandQueryReminder: DisposeErrorBlock:

m_{D3}

D2

set reminder

D2: commandSetReminderwithReminderDictionary: DisposeResultBlock: DisposeErrorBlock:

D3: commandDeleteAlarmViaID: DisposeResultBlock: DisposeErrorBlock:

E1: commandQueryAlarmInfo: DisposeErrorBlock:

E2: commandSetAlarmWithAlarmDictionary: DisposeResultBlock: DisposeErrorBlock:

F: commandResetDeviceDisposeResultBlock: DisposeErrorBlock:

G: commandDisconnectDisposeBlock: DisposeErrorBlock: