

```
theia@theiadocker-acovid:~/test_med$ docker run -p 8080:3000  
us.icr.io/$MY_NAMESPACE/medical_app
```

```
> test_med@0.1.0 start /usr/src/app
```

```
> react-scripts start
```

```
(node:26) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE]  
DeprecationWarning: 'onAfterSetupMiddleware' option is  
deprecated. Please use the 'setupMiddlewares' option.
```

```
(Use `node --trace-deprecation ...` to show where the warning  
was created)
```

```
(node:26) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE]  
DeprecationWarning: 'onBeforeSetupMiddleware' option is  
deprecated. Please use the 'setupMiddlewares' option.
```

```
Starting the development server...
```

One of your dependencies, babel-preset-react-app, is importing
the

"@babel/plugin-proposal-private-property-in-object" package
without

declaring it in its dependencies. This is currently working
because

"@babel/plugin-proposal-private-property-in-object" is already
in your

node_modules folder for unrelated reasons, but it may break at
any time.

babel-preset-react-app is part of the create-react-app project,
which

is not maintained anymore. It is thus unlikely that this bug
will

ever be fixed. Add "@babel/plugin-proposal-private-property-in-object" to

your devDependencies to work around this error. This will make this message

go away.

Failed to compile.

Module not found: Error: Can't resolve 'cors' in
'/usr/src/app/src'

WARNING in ./node_modules/express/lib/view.js 72:13-25

Critical dependency: the request of a dependency is an expression

WARNING in ./node_modules/on-finished/index.js 191:11-33

Module not found: Error: Can't resolve 'async_hooks' in
'/usr/src/app/node_modules/on-finished'

WARNING in ./node_modules/raw-body/index.js 277:11-33

Module not found: Error: Can't resolve 'async_hooks' in
'/usr/src/app/node_modules/raw-body'

ERROR in ./src/index.js 4:13-28

Module not found: Error: Can't resolve 'cors' in
'/usr/src/app/src'

ERROR in ./src/index.js 5:23-38

Module not found: Error: Can't resolve './db' in
'/usr/src/app/src'

ERROR in ./src/index.js 7:13-28

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/src'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path":
require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./src/index.js 18:21-45

Module not found: Error: Can't resolve './routes/auth' in
'/usr/src/app/src'

ERROR in ./node_modules/body-parser/lib/read.js 19:11-26

Module not found: Error: Can't resolve 'zlib' in
'/usr/src/app/node_modules/body-parser/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "zlib": require.resolve("browserify-zlib") }'
- install 'browserify-zlib'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "zlib": false }
```

```
ERROR in ./node_modules/body-parser/lib/types/urlencoded.js
218:12-34
```

```
Module not found: Error: Can't resolve 'querystring' in
'/usr/src/app/node_modules/body-parser/lib/types'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "querystring": require.resolve("querystring-es3") }'
- install 'querystring-es3'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "querystring": false }
```

```
ERROR in ./node_modules/content-disposition/index.js 21:15-39
```

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/content-disposition'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/cookie-signature/index.js 5:13-30

Module not found: Error: Can't resolve 'crypto' in
'/usr/src/app/node_modules/cookie-signature'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "crypto": require.resolve("crypto-browserify") }'
- install 'crypto-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "crypto": false }
```

ERROR in ./node_modules/destroy/index.js 15:17-41

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/destroy'

ERROR in ./node_modules/destroy/index.js 16:13-30

Module not found: Error: Can't resolve 'stream' in
'/usr/src/app/node_modules/destroy'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "stream":
require.resolve("stream-browserify") }'
- install 'stream-browserify'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "stream": false }
```

ERROR in ./node_modules/destroy/index.js 17:11-26

Module not found: Error: Can't resolve 'zlib' in
'/usr/src/app/node_modules/destroy'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "zlib": require.resolve("browserify-zlib") }'
- install 'browserify-zlib'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "zlib": false }
```

ERROR in ./node_modules/etag/index.js 20:13-30

Module not found: Error: Can't resolve 'crypto' in
'/usr/src/app/node_modules/etag'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "crypto": require.resolve("crypto-browserify") }'
- install 'crypto-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "crypto": false }
```

ERROR in ./node_modules/etag/index.js 21:12-31

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/etag'

ERROR in ./node_modules/express/lib/application.js 22:11-26

```
Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

```
ERROR in ./node_modules/express/lib/application.js 29:14-37
```

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:


```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/request.js 17:11-30

Module not found: Error: Can't resolve 'net' in
'/usr/src/app/node_modules/express/lib'

ERROR in ./node_modules/express/lib/request.js 19:11-26

Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http":
require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "http": false }
```

ERROR in ./node_modules/express/lib/response.js 20:11-26

Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

ERROR in ./node_modules/express/lib/response.js 23:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/utils.js 23:18-40

```
Module not found: Error: Can't resolve 'querystring' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "querystring": require.resolve("querystring-es3") }'
- install 'querystring-es3'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "querystring": false }
```

```
ERROR in ./node_modules/express/lib/view.js 16:11-26
```

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/view.js 17:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/express/lib'

ERROR in ./node_modules/mime-types/index.js 15:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/mime-types'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path":
require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/mime/mime.js 1:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/mime'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/mime/mime.js 2:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/mime'

ERROR in ./node_modules/parseurl/index.js 14:10-24

Module not found: Error: Can't resolve 'url' in
'/usr/src/app/node_modules/parseurl'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "url": require.resolve("url/") }'
- install 'url'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "url": false }
```

ERROR in ./node_modules/safe-buffer/index.js 3:13-30

Module not found: Error: Can't resolve 'buffer' in
'/usr/src/app/node_modules/safe-buffer'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "buffer":
require.resolve("buffer/") }'
- install 'buffer'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "buffer": false }
```

ERROR in ./node_modules/safer-buffer/safer.js 5:13-30

Module not found: Error: Can't resolve 'buffer' in
'/usr/src/app/node_modules/safer-buffer'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "buffer": require.resolve("buffer/") }'
- install 'buffer'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "buffer": false }
```

ERROR in ./node_modules/send/index.js 22:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/send'

ERROR in ./node_modules/send/index.js 27:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/send'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/send/index.js 29:13-30

```
Module not found: Error: Can't resolve 'stream' in
'/usr/src/app/node_modules/send'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "stream": require.resolve("stream-browserify") }'
- install 'stream-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "stream": false }
```

```
ERROR in ./node_modules/send/index.js 30:11-26
```

```
Module not found: Error: Can't resolve 'util' in
'/usr/src/app/node_modules/send'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "util": require.resolve("util/") }'
- install 'util'

If you don't want to include a polyfill, you can use an empty module like this:


```
resolve.fallback: { "util": false }
```

ERROR in ./node_modules/serve-static/index.js 18:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/serve-static'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/serve-static/index.js 20:10-24

Module not found: Error: Can't resolve 'url' in
'/usr/src/app/node_modules/serve-static'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "url": require.resolve("url/") }'
- install 'url'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "url": false }
```

```
ERROR in ./node_modules/string_decoder/node_modules/safe-buffer/index.js 2:13-30
```

```
Module not found: Error: Can't resolve 'buffer' in  
'/usr/src/app/node_modules/string_decoder/node_modules/safe-buffer'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "buffer": require.resolve("buffer/") }'
- install 'buffer'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "buffer": false }
```

webpack compiled with 35 errors and 3 warnings

Compiling...

Failed to compile.

Module not found: Error: Can't resolve 'cors' in
'/usr/src/app/src'

WARNING in ./node_modules/express/lib/view.js 72:13-25

Critical dependency: the request of a dependency is an
expression

WARNING in ./node_modules/on-finished/index.js 191:11-33

Module not found: Error: Can't resolve 'async_hooks' in
'/usr/src/app/node_modules/on-finished'

WARNING in ./node_modules/raw-body/index.js 277:11-33

Module not found: Error: Can't resolve 'async_hooks' in
'/usr/src/app/node_modules/raw-body'

ERROR in ./src/index.js 4:13-28

Module not found: Error: Can't resolve 'cors' in
'/usr/src/app/src'

ERROR in ./src/index.js 5:23-38

Module not found: Error: Can't resolve './db' in
'/usr/src/app/src'

ERROR in ./src/index.js 7:13-28

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/src'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./src/index.js 18:21-45

Module not found: Error: Can't resolve './routes/auth' in
'/usr/src/app/src'

ERROR in ./node_modules/body-parser/lib/read.js 19:11-26

Module not found: Error: Can't resolve 'zlib' in
'/usr/src/app/node_modules/body-parser/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "zlib": require.resolve("browserify-zlib") }'
- install 'browserify-zlib'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "zlib": false }
```

```
ERROR in ./node_modules/body-parser/lib/types/urlencoded.js
218:12-34
```

```
Module not found: Error: Can't resolve 'querystring' in
'/usr/src/app/node_modules/body-parser/lib/types'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "querystring": require.resolve("querystring-es3") }'
- install 'querystring-es3'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "querystring": false }
```

```
ERROR in ./node_modules/content-disposition/index.js 21:15-39
```

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/content-disposition'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/cookie-signature/index.js 5:13-30

Module not found: Error: Can't resolve 'crypto' in
'/usr/src/app/node_modules/cookie-signature'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "crypto": require.resolve("crypto-browserify") }'
- install 'crypto-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "crypto": false }
```

ERROR in ./node_modules/destroy/index.js 15:17-41

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/destroy'

ERROR in ./node_modules/destroy/index.js 16:13-30

Module not found: Error: Can't resolve 'stream' in
'/usr/src/app/node_modules/destroy'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "stream": require.resolve("stream-browserify") }'
- install 'stream-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "stream": false }
```

ERROR in ./node_modules/destroy/index.js 17:11-26

Module not found: Error: Can't resolve 'zlib' in
'/usr/src/app/node_modules/destroy'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "zlib": require.resolve("browserify-zlib") }'
- install 'browserify-zlib'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "zlib": false }
```

ERROR in ./node_modules/etag/index.js 20:13-30

Module not found: Error: Can't resolve 'crypto' in
'/usr/src/app/node_modules/etag'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "crypto":
require.resolve("crypto-browserify") }'
- install 'crypto-browserify'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "crypto": false }
```

ERROR in ./node_modules/etag/index.js 21:12-31

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/etag'

ERROR in ./node_modules/express/lib/application.js 22:11-26

Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

ERROR in ./node_modules/express/lib/application.js 29:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/request.js 17:11-30

Module not found: Error: Can't resolve 'net' in
'/usr/src/app/node_modules/express/lib'

ERROR in ./node_modules/express/lib/request.js 19:11-26

```
Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

```
ERROR in ./node_modules/express/lib/response.js 20:11-26
```

```
Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

ERROR in ./node_modules/express/lib/response.js 23:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/utils.js 23:18-40

Module not found: Error: Can't resolve 'querystring' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "querystring": require.resolve("querystring-es3") }'
- install 'querystring-es3'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "querystring": false }
```

ERROR in ./node_modules/express/lib/view.js 16:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/view.js 17:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/express/lib'

ERROR in ./node_modules/mime-types/index.js 15:14-37

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/mime-types'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

```
ERROR in ./node_modules/mime/mime.js 1:11-26
```

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/mime'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/mime/mime.js 2:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/mime'

ERROR in ./node_modules/parseurl/index.js 14:10-24

Module not found: Error: Can't resolve 'url' in
'/usr/src/app/node_modules/parseurl'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "url":
require.resolve("url/") }'
- install 'url'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "url": false }
```

ERROR in ./node_modules/safe-buffer/index.js 3:13-30

Module not found: Error: Can't resolve 'buffer' in
'/usr/src/app/node_modules/safe-buffer'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "buffer": require.resolve("buffer/") }'
- install 'buffer'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "buffer": false }
```

ERROR in ./node_modules/safer-buffer/safer.js 5:13-30

Module not found: Error: Can't resolve 'buffer' in
'/usr/src/app/node_modules/safer-buffer'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "buffer": require.resolve("buffer/") }'
- install 'buffer'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "buffer": false }
```

ERROR in ./node_modules/send/index.js 22:9-22

```
Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/send'
```

```
ERROR in ./node_modules/send/index.js 27:11-26
```

```
Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/send'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

```
ERROR in ./node_modules/send/index.js 29:13-30
```

```
Module not found: Error: Can't resolve 'stream' in
'/usr/src/app/node_modules/send'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "stream": require.resolve("stream-browserify") }'

- install 'stream-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "stream": false }
```

ERROR in ./node_modules/send/index.js 30:11-26

Module not found: Error: Can't resolve 'util' in
'/usr/src/app/node_modules/send'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "util": require.resolve("util/") }'

- install 'util'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "util": false }
```

ERROR in ./node_modules/serve-static/index.js 18:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/serve-static'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/serve-static/index.js 20:10-24

Module not found: Error: Can't resolve 'url' in
'/usr/src/app/node_modules/serve-static'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "url": require.resolve("url/") }'
- install 'url'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "url": false }
```

ERROR in ./node_modules/string_decoder/node_modules/safe-buffer/index.js 2:13-30

```
Module not found: Error: Can't resolve 'buffer' in
'/usr/src/app/node_modules/string_decoder/node_modules/safe-
buffer'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "buffer": require.resolve("buffer/") }'
- install 'buffer'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "buffer": false }
```

webpack compiled with 35 errors and 3 warnings