

```
theia@theiadocker-acovid:/home/project/test_med$ docker run -p
8080:3000 us.icr.io/$MY_NAMESPACE/medical_app
```

```
> test_med@0.1.0 start /usr/src/app
```

```
> react-scripts start
```

```
(node:25) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE]
DeprecationWarning: 'onAfterSetupMiddleware' option is
deprecated. Please use the 'setupMiddlewares' option.
```

```
(Use `node --trace-deprecation ...` to show where the warning
was created)
```

```
(node:25) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE]
DeprecationWarning: 'onBeforeSetupMiddleware' option is
deprecated. Please use the 'setupMiddlewares' option.
```

```
(node:25) [DEP_WEBPACK_MAIN_TEMPLATE_HASH_FOR_CHUNK]
DeprecationWarning: MainTemplate.hooks.hashForChunk is
deprecated (use
JavascriptModulesPlugin.getCompilationHooks().chunkHash instead)
```

```
(node:25) [DEP_WEBPACK_CHUNK_TEMPLATE_HASH_FOR_CHUNK]
DeprecationWarning: ChunkTemplate.hooks.hashForChunk is
deprecated (use
JavascriptModulesPlugin.getCompilationHooks().chunkHash instead)
```

```
(node:25) [DEP_WEBPACK_COMPILATION_OPTIMIZE_CHUNK_ASSETS]
DeprecationWarning: optimizeChunkAssets is deprecated (use
Compilation.hooks.processAssets instead and use one of
Compilation.PROCESS_ASSETS_STAGE_* as stage option)
```

```
Starting the development server...
```

```
(node:25) [DEP_WEBPACK_DEPRECATION_ARRAY_TO_SET_LENGTH]
DeprecationWarning: chunk.files was changed from Array to Set
(using Array property 'length' is deprecated)
```

```
(node:25) [DEP_WEBPACK_DEPRECATION_ARRAY_TO_SET_INDEXER]
DeprecationWarning: chunk.files was changed from Array to Set
(indexing Array is deprecated)
```

Failed to compile.

Module not found: Error: Can't resolve 'cors' in
'/usr/src/app/src'

WARNING in ./node_modules/express/lib/view.js 81:13-25

Critical dependency: the request of a dependency is an
expression

WARNING in ./node_modules/on-finished/index.js 207:11-33

Module not found: Error: Can't resolve 'async_hooks' in
'/usr/src/app/node_modules/on-finished'

WARNING in ./node_modules/raw-body/index.js 309:11-33

Module not found: Error: Can't resolve 'async_hooks' in
'/usr/src/app/node_modules/raw-body'

ERROR in ./src/index.js 2:13-28

Module not found: Error: Can't resolve 'cors' in
'/usr/src/app/src'

ERROR in ./src/index.js 3:23-38

Module not found: Error: Can't resolve './db' in
'/usr/src/app/src'

ERROR in ./src/index.js 5:13-28

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/src'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./src/index.js 16:21-45

Module not found: Error: Can't resolve './routes/auth' in
'/usr/src/app/src'

ERROR in ./node_modules/body-parser/lib/read.js 20:11-26

Module not found: Error: Can't resolve 'zlib' in
'/usr/src/app/node_modules/body-parser/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "zlib": require.resolve("browserify-zlib") }'
- install 'browserify-zlib'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "zlib": false }
```

```
ERROR in ./node_modules/body-parser/lib/types/urlencoded.js  
251:12-34
```

```
Module not found: Error: Can't resolve 'querystring' in  
'/usr/src/app/node_modules/body-parser/lib/types'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "querystring": require.resolve("querystring-es3") }'
- install 'querystring-es3'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "querystring": false }
```

```
ERROR in ./node_modules/content-disposition/index.js 22:15-39
```

```
Module not found: Error: Can't resolve 'path' in  
'/usr/src/app/node_modules/content-disposition'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/cookie-signature/index.js 5:13-30

Module not found: Error: Can't resolve 'crypto' in
'/usr/src/app/node_modules/cookie-signature'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "crypto": require.resolve("crypto-browserify") }'
- install 'crypto-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "crypto": false }
```

ERROR in ./node_modules/destroy/index.js 16:17-41

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/destroy'

ERROR in ./node_modules/destroy/index.js 17:13-30

```
Module not found: Error: Can't resolve 'stream' in
'/usr/src/app/node_modules/destroy'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "stream": require.resolve("stream-browserify") }'
- install 'stream-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "stream": false }
```

```
ERROR in ./node_modules/destroy/index.js 18:11-26
```

```
Module not found: Error: Can't resolve 'zlib' in
'/usr/src/app/node_modules/destroy'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "zlib": require.resolve("browserify-zlib") }'
- install 'browserify-zlib'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "zlib": false }
```

ERROR in ./node_modules/etag/index.js 21:13-30

Module not found: Error: Can't resolve 'crypto' in
'/usr/src/app/node_modules/etag'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "crypto":
require.resolve("crypto-browserify") }'
- install 'crypto-browserify'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "crypto": false }
```

ERROR in ./node_modules/etag/index.js 22:12-31

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/etag'

ERROR in ./node_modules/express/lib/application.js 23:11-26

Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

ERROR in ./node_modules/express/lib/application.js 30:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/request.js 18:11-30


```
Module not found: Error: Can't resolve 'net' in
'/usr/src/app/node_modules/express/lib'
```

```
ERROR in ./node_modules/express/lib/request.js 20:11-26
```

```
Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

```
ERROR in ./node_modules/express/lib/response.js 21:11-26
```

```
Module not found: Error: Can't resolve 'http' in
'/usr/src/app/node_modules/express/lib'
```

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "http": require.resolve("stream-http") }'
- install 'stream-http'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "http": false }
```

ERROR in ./node_modules/express/lib/response.js 24:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/utils.js 24:18-40

Module not found: Error: Can't resolve 'querystring' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "querystring": require.resolve("querystring-es3") }'
- install 'querystring-es3'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "querystring": false }
```

ERROR in ./node_modules/express/lib/view.js 17:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/express/lib'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/express/lib/view.js 18:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/express/lib'

ERROR in ./node_modules/mime-types/index.js 16:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/mime-types'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path":
require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty
module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/mime/mime.js 1:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/mime'

BREAKING CHANGE: webpack < 5 used to include polyfills for
node.js core modules by default.

This is no longer the case. Verify if you need this module and
configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/mime/mime.js 2:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/mime'

ERROR in ./node_modules/send/index.js 23:9-22

Module not found: Error: Can't resolve 'fs' in
'/usr/src/app/node_modules/send'

ERROR in ./node_modules/send/index.js 28:11-26

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/send'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'
- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

ERROR in ./node_modules/send/index.js 30:13-30

Module not found: Error: Can't resolve 'stream' in
'/usr/src/app/node_modules/send'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "stream": require.resolve("stream-browserify") }'
- install 'stream-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "stream": false }
```

ERROR in ./node_modules/serve-static/index.js 19:14-37

Module not found: Error: Can't resolve 'path' in
'/usr/src/app/node_modules/serve-static'

BREAKING CHANGE: webpack < 5 used to include polyfills for node.js core modules by default.

This is no longer the case. Verify if you need this module and configure a polyfill for it.

If you want to include a polyfill, you need to:

- add a fallback 'resolve.fallback: { "path": require.resolve("path-browserify") }'

- install 'path-browserify'

If you don't want to include a polyfill, you can use an empty module like this:

```
resolve.fallback: { "path": false }
```

webpack compiled with 29 errors and 3 warnings