

Mini-Blog UI & Code Submission

Includes screenshots of all pages and modified source code.

Create Account

Enter your name

Enter your username

Enter your email

Enter your password

Enter your age

Create account

Already have an account? [Login here](#)



Welcome, **Test User!**

Global Feed

Logout

Create a new post

What's on your mind?

Post

Recent Posts

No posts yet. Create one above!



DEF

25/6/2026, 3:15:15 pm

HELLO THIS IS MY SECOND POST HERE



DEF

25/6/2026, 3:14:48 pm

HELLO THIS IS MY FIRST POST HERE



Welcome Back

Enter your email

Enter your password

Login

Don't have an account? [Create one](#)

File: views/index.ejs

```
<!DOCTYPE html>ð
<html lang="en">ð
<head>ð
  <meta charset="UTF-8">ð
  <meta name="viewport" content="width=device-width, initial-scale=1.0">ð
  <title>Register</title>ð
  <script src="https://cdn.tailwindcss.com"></script>ð
  <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;500;600;700&display=swap" rel="stylesheet">ð
  <style>body { font-family: 'Inter', sans-serif; }</style>ð
</head>ð
<body class="bg-gradient-to-br from-slate-900 to-black w-full min-h-screen
text-slate-100 flex items-center justify-center selection:bg-
emerald-500/30">ð
  <div class="bg-slate-800/80 backdrop-blur-md p-8 rounded-3xl
shadow-2xl shadow-emerald-900/10 w-full max-w-md border border-
slate-700/50">ð
    <h2 class="text-3xl font-bold text-center mb-6 text-
emerald-400">Create Account</h2>ð
    <form action="/register" method="POST" class="flex flex-col gap-4">ð
      <input type="text" class="w-full p-3 rounded-lg bg-slate-700
border border-slate-600 focus:outline-none focus:ring-2 focus:ring-
emerald-500 placeholder:text-slate-400" placeholder="Enter your name"
name="name" required>ð
      <input type="text" class="w-full p-3 rounded-lg bg-slate-700
border border-slate-600 focus:outline-none focus:ring-2 focus:ring-
emerald-500 placeholder:text-slate-400" placeholder="Enter your username"
name="username" required>ð
      <input type="email" class="w-full p-3 rounded-lg bg-slate-700
border border-slate-600 focus:outline-none focus:ring-2 focus:ring-
emerald-500 placeholder:text-slate-400" placeholder="Enter your email"
name="email" required>ð
      <input type="password" class="w-full p-3 rounded-lg bg-
slate-700 border border-slate-600 focus:outline-none focus:ring-2
focus:ring-emerald-500 placeholder:text-slate-400" placeholder="Enter your
password" name="password" required>ð
      <input type="number" class="w-full p-3 rounded-lg bg-slate-700
border border-slate-600 focus:outline-none focus:ring-2 focus:ring-
emerald-500 placeholder:text-slate-400" placeholder="Enter your age"
name="age" required>ð
      <button type="submit" class="w-full bg-emerald-600 hover:bg-
emerald-700 text-white font-semibold px-4 py-3 rounded-lg transition-
colors duration-200 mt-2">Create account</button>ð
    </form>ð
    <p class="text-center mt-6 text-slate-400">ð
      Already have an account? ð
      <a href="/login" class="text-emerald-400 hover:text-
emerald-300 font-semibold hover:underline">Login here</a>ð
    </p>ð
  </div>ð
</body>ð
</html>
```

File: views/login.ejs

```
<!DOCTYPE html>ð
<html lang="en">ð
<head>ð
  <meta charset="UTF-8">ð
  <meta name="viewport" content="width=device-width, initial-scale=1.0">ð
  <title>Login</title>ð
  <script src="https://cdn.tailwindcss.com"></script>ð
  <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;500;600;700&display=swap" rel="stylesheet">ð
  <style>body { font-family: 'Inter', sans-serif; }</style>ð
</head>ð
<body class="bg-gradient-to-br from-slate-900 to-black w-full min-h-screen
text-slate-100 flex items-center justify-center selection:bg-
emerald-500/30">ð
  <div class="bg-slate-800/80 backdrop-blur-md p-8 rounded-3xl
shadow-2xl shadow-emerald-900/10 w-full max-w-md border border-
slate-700/50">ð
    <h2 class="text-3xl font-bold text-center mb-6 text-
emerald-400">Welcome Back</h2>ð
    <form action="/login" method="POST" class="flex flex-col gap-4">ð
      <input type="email" class="w-full p-3 rounded-lg bg-slate-700
border border-slate-600 focus:outline-none focus:ring-2 focus:ring-
emerald-500 placeholder:text-slate-400" placeholder="Enter your email"
name="email" required>ð
      <input type="password" class="w-full p-3 rounded-lg bg-
slate-700 border border-slate-600 focus:outline-none focus:ring-2
focus:ring-emerald-500 placeholder:text-slate-400" placeholder="Enter your
password" name="password" required>ð
      ð
      <button type="submit" class="w-full bg-emerald-600 hover:bg-
emerald-700 text-white font-semibold px-4 py-3 rounded-lg transition-
colors duration-200 mt-2">Login</button>ð
    </form>ð
    <p class="text-center mt-6 text-slate-400">ð
      Don't have an account? ð
      <a href="/" class="text-emerald-400 hover:text-emerald-300
font-semibold hover:underline">Create one</a>ð
    </p>ð
  </div>ð
</body>ð
</html>
```

File: views/feed.ejs

```
<!DOCTYPE html>ð
<html lang="en">ð
<head>ð
  <meta charset="UTF-8">ð
  <meta name="viewport" content="width=device-width, initial-scale=1.0">ð
  <title>Global Feed</title>ð
  <script src="https://cdn.tailwindcss.com"></script>ð
  <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;500;600;700&display=swap" rel="stylesheet">ð
  <style>body { font-family: 'Inter', sans-serif; }</style>ð
</head>ð
<body class="w-full min-h-screen bg-gradient-to-br from-slate-950 to-
slate-900 text-slate-100 selection:bg-emerald-500/30">ð
  <!-- Navbar -->ð
  <nav class="w-full flex justify-between items-center p-5 bg-
slate-900/80 backdrop-blur-md border-b border-slate-800/50 sticky top-0
z-50">ð
    <div class="flex items-center gap-4">ð
      <h1 class="text-2xl font-bold text-emerald-400">Global Feed</
h1>ð
    </div>ð
    <div class="flex items-center gap-4">ð
      <a href="/profile" class="text-slate-300 hover:text-white font-
semibold transition-colors">My Profile</a>ð
      <a href="/logout" class="bg-red-500/10 hover:bg-red-500
hover:text-white text-red-500 border border-red-500/50 font-semibold py-2
px-6 rounded-lg transition-colors">Logout</a>ð
    </div>ð
  </nav>ð
  ð
  <main class="max-w-2xl mx-auto mt-8 p-5">ð
    <div class="posts space-y-6">ð
      ð
      <% if (posts.length === 0) { %>ð
        <div class="text-center text-slate-500 py-10 bg-slate-900
rounded-xl border border-slate-800">ð
          No posts yet in the global feed. Be the first to post!ð
        </div>ð
      <% } %>ð
    </div>ð
    <div class="postcoaintainer space-y-6">ð
      <% posts.forEach(function(post) { %>ð
        <div class="post bg-slate-900/60 backdrop-blur-sm p-6
rounded-2xl border border-slate-800/60 shadow-lg hover:shadow-xl hover:bg-
slate-900/80 transition-all duration-300">ð
          <div class="flex items-center gap-3 mb-4 border-b
border-slate-800/50 pb-4">ð
            <% if(post.user && post.user.profilepic) { %>ð
              ð
            <% } else { %>ð
              <div class="w-10 h-10 rounded-full bg-
slate-800 flex items-center justify-center text-slate-500 font-bold border
border-slate-700">?</div>ð
            <% } %>ð
          </div>ð
          <h4 class="font-bold text-emerald-400"><%=
post.user ? post.user.username : 'Unknown User' %></h4>ð
          <small class="text-xs text-slate-500"><%=
new Date(post.date).toLocaleString() %></small>ð
        </div>ð
      <% } %>ð
    </div>ð
  </main>ð
</body>ð
</html>
```



```

        </div>D
    </div>D
    D
    <p class="text-slate-200 mb-4 whitespace-pre-wrap
text-lg"><%= post.content %></p>D
    D
    <div class="flex items-center justify-between mt-4
pt-4 border-t border-slate-800">D
        <div class="flex items-center gap-4 text-sm">D
            <a href="/like/<%= post._id %>"
class="flex items-center gap-2 group <%= post.likes.indexOf(user._id)!
== -1 ? 'text-emerald-500' : 'text-slate-400 hover:text-emerald-400' %>
transition-colors">D
                <svg xmlns="http://www.w3.org/2000/
svg" class="h-6 w-6 <%= post.likes.indexOf(user._id)! == -1 ? 'fill-
current' : 'fill-none' %> group-hover:scale-110 transition-transform"
viewBox="0 0 24 24" stroke="currentColor" stroke-width="2">D
                    <path stroke-linecap="round"
stroke-linejoin="round" d="M4.318 6.318a4.5 4.5 0 00 6.364L12
20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5 4.5
0 00-6.364 0z" />D
                </svg>D
                <span class="text-base"><%=
post.likes.length %></span>D
            </a>D
        </div>D
    D
    <% if(post.user && post.user._id.toString()
=== user._id.toString()) { %>D
        <a href="/edit/<%=post._id %>" class="text-sm
text-slate-400 hover:text-green-400 flex items-center gap-1 transition-
colors">D
            <svg xmlns="http://www.w3.org/2000/svg"
class="h-4 w-4" fill="none" viewBox="0 0 24 24" stroke="currentColor"
stroke-width="2">D
                <path stroke-linecap="round" stroke-
linejoin="round" d="M11 5H6a2 2 0 00-2 2v11a2 2 0 002 2h11a2 2 0
002-2v-5m-1.414-9.414a2 2 0 112.828 2.828L11.828
15H9v-2.828l8.586-8.586z" />D
            </svg>D
            EditD
        </a>D
    <% } %>D
    </div>D
    </div>D
    <% }); %>D
    </div>D
    </main>D
</body>D
</html>D

```

File: views/profile.ejs

```
<!DOCTYPE html>␣
<html lang="en">␣
<head>␣
  <meta charset="UTF-8">␣
  <meta name="viewport" content="width=device-width, initial-scale=1.0">␣
  <title>Profile</title>␣
  <script src="https://cdn.tailwindcss.com"></script>␣
  <link href="https://fonts.googleapis.com/css2?
family=Inter:wght@400;500;600;700&display=swap" rel="stylesheet">␣
  <style>body { font-family: 'Inter', sans-serif; }</style>␣
</head>␣
<body class="w-full min-h-screen bg-gradient-to-br from-slate-950 to-
slate-900 text-slate-100 selection:bg-emerald-500/30">␣
  <!-- Navbar -->␣
  <nav class="w-full flex justify-between items-center p-5 bg-
slate-900/80 backdrop-blur-md border-b border-slate-800/50">␣
    <div class="flex items-center gap-4">␣
      <div class="w-12 h-12 relative group cursor-pointer"
onclick="window.location.href='/profile/upload'">␣
        ␣
        <div class="absolute inset-0 flex items-center justify-
center opacity-0 group-hover:opacity-100 transition-opacity text-xs font-
bold text-white bg-black/50 rounded-full">␣
          Edit␣
        </div>␣
      </div>␣
      <h1 class="text-2xl font-semibold">Welcome, <span class="text-
emerald-400"><%= user.name %></span>!</h1>␣
    </div>␣
    <div class="flex items-center gap-4">␣
      <a href="/feed" class="text-slate-300 hover:text-white font-
semibold transition-colors">Global Feed</a>␣
      <a href="/logout" class="bg-red-500/10 hover:bg-red-500
hover:text-white text-red-500 border border-red-500/50 font-semibold py-2
px-6 rounded-lg transition-colors">Logout</a>␣
    </div>␣
  </nav>␣
  ␣
  <main class="max-w-3xl mx-auto mt-8 p-5">␣
    <!-- Create Post Section -->␣
    <div class="bg-slate-900/60 backdrop-blur-sm p-6 rounded-2xl
border border-slate-800/60 shadow-lg mb-8">␣
      <h2 class="text-xl font-medium mb-4">Create a new post</h2>␣
      <form action="/post" method="POST" class="flex flex-col gap-4">␣
        <textarea name="content" class="w-full bg-slate-800 text-
white placeholder:text-slate-500 border border-slate-700 focus:outline-
none focus:ring-2 focus:ring-emerald-500 focus:border-transparent rounded-
lg resize-none p-4 min-h-[100px]" placeholder="What's on your mind?"></
textarea>␣
        <div class="flex justify-end">␣
          <button type="submit" class="bg-emerald-600 hover:bg-
emerald-700 text-white font-semibold py-2 px-6 rounded-lg transition-
colors">Post</button>␣
        </div>␣
      </form>␣
    </div>␣
    ␣
    <!-- Posts Feed -->␣
    <div class="posts space-y-6">␣
      <h3 class="text-xl font-medium mb-4">Recent Posts</h3>␣
```

```

    ␣
    <% if (user.posts.length === 0) { %>␣
        <div class="text-center text-slate-500 py-10 bg-slate-900
rounded-xl border border-slate-800">␣
            No posts yet. Create one above!␣
        </div>␣
    <% } %>␣
␣
    <div class="postcoaintainer space-y-4">␣
        <% user.posts.reverse().forEach(function(post) { %>␣
            <div class="post bg-slate-900/60 backdrop-blur-sm p-6
rounded-2xl border border-slate-800/60 shadow-lg hover:shadow-xl hover:bg-
slate-900/80 transition-all duration-300 hover:-translate-y-0.5">␣
                <div class="flex justify-between items-start mb-3">␣
                    <h4 class="font-bold text-emerald-400"><%=
user.username %></h4>␣
                    </div>␣
                    <p class="text-slate-200 mb-4 whitespace-pre-
wrap"><%= post.content %></p>␣
                    ␣
                    <div class="flex items-center justify-between mt-4
pt-4 border-t border-slate-800">␣
                        <div class="flex items-center gap-4 text-sm">␣
                            <a href="/like/<%= post._id %>"
class="flex items-center gap-2 group <%= post.likes.indexOf(user._id)!
== -1 ? 'text-emerald-500' : 'text-slate-400 hover:text-emerald-400' %>
transition-colors">␣
                                <svg xmlns="http://www.w3.org/2000/
svg" class="h-5 w-5 <%= post.likes.indexOf(user._id)!== -1 ? 'fill-
current' : 'fill-none' %> group-hover:scale-110 transition-transform"
viewBox="0 0 24 24" stroke="currentColor" stroke-width="2">␣
                                    <path stroke-linecap="round"
stroke-linejoin="round" d="M4.318 6.318a4.5 4.5 0 00 6.364L12
20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5 4.5
0 00-6.364 0z" />␣
                                </svg>␣
                                <span><%= post.likes.length %> <%=
post.likes.length === 1 ? 'like' : 'likes' %></span>␣
                            </a>␣
                        </div>␣
                        <a href="/edit/<%=post._id %>" class="text-sm
text-slate-400 hover:text-green-400 flex items-center gap-1 transition-
colors">␣
                            <svg xmlns="http://www.w3.org/2000/svg"
class="h-4 w-4" fill="none" viewBox="0 0 24 24" stroke="currentColor"
stroke-width="2">␣
                                <path stroke-linecap="round" stroke-
linejoin="round" d="M11 5H6a2 2 0 00-2 2v11a2 2 0 002 2h11a2 2 0
002-2v-5m-1.414-9.414a2 2 0 112.828 2.828L11.828
15H9v-2.828l8.586-8.586z" />␣
                                </svg>␣
                                Edit␣
                            </a>␣
                        </div>␣
                    </div>␣
                <% }); %>␣
            </div>␣
        </div>␣
    </main>␣
</body>␣
</html>

```