# Action1 Enrollment and Provisioning

## User Guide

Use this guide to create Windows, macOS, and Linux enrollment profiles, connect Intune device groups to Action1 provisioning groups, and monitor device readiness.

| | |
|---|---|
| **Who this is for** | Marketplace users who operate the Enrollment and Provisioning integration after an administrator has configured Microsoft Intune access and granted the required permissions. |

### What You Will Do

- Read the enrollment and provisioning dashboard.
- Create or edit an Enrollment and Provisioning profile.
- Choose the Intune groups whose devices should enroll in Action1.
- Choose Action1 groups, automations, and Configuration Management policies used for provisioning.
- Save the profile, synchronize Intune data, and investigate devices that are not complete.

### Guide Map

| Section | Purpose |
|---|---|
| 1. Start Here | Understand the workflow and what must already be configured. |
| 2. Enable the Integration | Enable Enrollment and Provisioning from the Marketplace catalog. |
| 3. Configure Settings | Enter and validate the Microsoft Intune application credentials. |
| 4. Dashboard | Read totals, endpoint states, profiles, and sync details. |
| 5. Profiles | Create or open a profile for an Action1 organization. |
| 6-10. Profile Wizard | Choose organization, enrollment groups, provisioning groups, actions, and review. |
| 11-12. Operate | Sync, monitor completion, and resolve common issues. |

# 1. Start Here

The integration links an Intune enrollment target to an Action1 provisioning workflow. Windows Autopilot is optional and applies only to Windows devices.

**Intune** > **Action1 Agent** > **Provisioning** > **Ready**

| Stage | What it confirms |
|---|---|
| Windows Autopilot | For Windows devices using Autopilot, the device received its deployment profile and moved through setup. |
| Intune enrollment | The Windows, macOS, or Linux device is managed by Intune and is eligible for its platform's deployment. |
| Action1 enrollment | The Action1 Agent installed and the endpoint registered in the selected Action1 organization. |
| Action1 provisioning | The endpoint entered the selected provisioning groups and completed the required Action1 work. |


## Before you begin

- Your Marketplace administrator has enabled the integration and validated the Microsoft Intune credentials.
- The intended Intune device groups already exist and contain the correct devices for each selected platform.
- The Action1 organization is available to your Marketplace account.
- The required Action1 provisioning groups, automations, and Configuration Management policies exist or you have permission to create them.

**Completion boundary** A device appearing in Intune does not mean Action1 provisioning is complete. Use the integration dashboard and the selected Action1 controls to verify the final state.

# 2. Enable the Integration

A Marketplace administrator enables the integration once for the Marketplace instance. After it is enabled, Enrollment and Provisioning appears in the Integrations navigation.




*The Marketplace catalog shows Enrollment and Provisioning as available before it is enabled.*

**1** **Open Marketplace**

Select Marketplace in the left navigation.

**2** **Find the integration**

Search for Enrollment and Provisioning when the catalog contains several integrations.

**3** **Enable**

Select Enable on the Enrollment and Provisioning card and wait for the operation to finish.


**4** **Open Settings**

Confirm Enrollment and Provisioning appears under Integrations, expand it, and select Settings.

| | |
|---|---|
| **Permission required** | Only a Marketplace administrator can enable an integration. Ask an administrator to complete this step if the Enable control is unavailable. |

# 3. Configure Integration Settings

The integration uses a Microsoft Entra application registration to call Microsoft Graph and manage Windows and macOS app assignments and the Linux script policy in Intune.




*Enrollment and Provisioning Settings requires the Microsoft Intune Tenant ID, Client ID, and Client Secret.*

| Setting | What to enter |
|---|---|
| Tenant ID | The Microsoft Entra Directory or tenant ID for the Intune tenant. |
| Client ID (App ID) | The Application or client ID of the Entra app registration used by the integration. |
| Client Secret | The secret value created for the app registration. Use the secret value, not its secret ID. |
| Validate Credentials | Tests whether the credentials and Microsoft Graph access are usable. |
| Save Settings | Stores the validated settings for the integration. |

**Use an application secret**

Treat the Client Secret as sensitive. Do not include it in screenshots, tickets, chat, or support bundles. A stored secret is shown as masked characters and can be left unchanged during later edits.

# Validate Microsoft Graph Access

Before saving, confirm the Entra app registration has Microsoft Graph application permissions and that an Entra administrator has granted tenant-wide admin consent.

| Permission | Why the integration needs it |
|---|---|
| DeviceManagementApps.ReadWrite.All | Publish, update, and assign Windows and macOS Action1 Agent apps. |
| DeviceManagementConfiguration.ReadWrite.All | Create and assign the Linux installation script policy. |
| DeviceManagementManagedDevices.Read.All | Read Intune-managed devices for enrollment comparison. |
| Group.Read.All | List selected device groups and read their membership. |
| Device.Read.All | Read device properties while resolving group members. |
| Directory.Read.All | Recommended for reliable directory and group-member lookups in some tenants. |

## Configure and validate

1. **Enter the identifiers**

   Paste the Tenant ID and Client ID from the Microsoft Entra app registration.

2. **Enter the secret value**

   Paste the current Client Secret value. If the value has expired, create a replacement in Entra before continuing.

3. **Validate**

   Select Validate Credentials. Resolve any invalid credential, missing permission, or admin-consent error before saving.

4. **Save**

   Select Save Settings after validation succeeds, then continue to the integration dashboard or Profiles page.

**Credential rotation** When the Entra client secret is rotated, update the integration promptly, validate the replacement, save it, and run Sync Now to confirm access.

# 4. Use the Dashboard

Select a profile at the top of the dashboard to review its devices. The endpoint table identifies each device's profile and operating system.

| Area | How to use it |
| --- | --- |
| Profile | Choose the profile and Action1 organization whose endpoints you want to review. |
| Sync Now | Refresh Intune and Action1 data after profile, group, assignment, or endpoint changes. |
| Summary cards | Compare the total target population with provisioned and not-provisioned counts. |
| Endpoint table | Filter by endpoint, enrollment status, provisioning status, Action1 group, Intune group, or OS. |
| Profile column | See which profile owns the displayed endpoint. |

**Refresh timing** The page refreshes automatically every 15 minutes. Use Sync Now when you need to check a recent change instead of waiting for the next scheduled refresh.

# 5. Open or Create a Profile

Open Enrollment and Provisioning in the left navigation, then select Profiles.

The Profiles list shows each profile's selected platforms, Action1 organization, and target groups.

1. **Create a profile**

   Select Create Profile when you need a new workflow for an Action1 organization.

2. **Edit a profile**

   Select the profile name to review or change its organization details, groups, provisioning controls, or final review.

3. **Check group ownership**

   Multiple profiles may use one Action1 organization. Each Action1 provisioning endpoint group can belong to only one profile.

**Plan before editing** Changing groups can change which devices receive the Action1 Agent or which endpoints are evaluated for provisioning. Confirm the intended population before saving.

# 6. Profile Details

Step 1 defines the profile name, profile type, and destination Action1 organization.

| Field | Guidance |
| --- | --- |
| Profile Name | Use a name that identifies the device population or business purpose. |
| Description | Record the scope, owner, or change reference so another operator can understand the profile. |
| Profile Type | Choose Enrollment Only for agent enrollment without provisioning. Choose Enrollment and Provisioning for the complete workflow. |
| Action1 Organization | Choose where newly enrolled endpoints must register. More than one profile may use this organization. |

**Required choices** Profile Name, Profile Type, and Action1 Organization are required before you can continue.

# 7. Choose Enrollment Groups

Step 2 chooses device platforms and the Intune assignment scope.

1

### Choose platforms

Select Windows (Win32 app), macOS (PKG app), Linux (script policy), or a combination. Existing profiles remain Windows-only until edited.

2

### Choose the scope

Use All Devices for every eligible Intune-managed device on the selected platforms, or Selected Device Groups for controlled deployments.

3

### Select the groups

Choose the Intune device groups that contain the intended devices. The integration reuses one app or script policy per organization and platform across profiles.

| | |
|---|---|
| **Keep assignments aligned** | For Windows Autopilot, align the Intune enrollment group with the intended Autopilot population. For macOS and Linux, confirm the groups contain devices enrolled in Intune for those platforms. |

# 8. Choose Provisioning Groups

Step 3 selects the Action1 endpoint groups used to collect and evaluate endpoints during provisioning.

1. **Create a group**

   Select Create Endpoint Group, enter a name, and then edit its membership settings in Action1.

2. **Refresh the list**

   Select Refresh after creating or changing Action1 endpoint groups.

3. **Select the intended groups**

   Choose the groups that the profile's provisioning automations and policies target.

4. **Respect group ownership**

   A provisioning endpoint group already assigned to another profile cannot be selected here.

| | |
|---|---|
| **New Endpoints** | New Endpoints is automatically created and cannot be customized. Use purpose-built provisioning groups when readiness depends on specific device filters or workflow stages. |

# 9. Link Provisioning Work

Step 4 creates or displays Action1 automations and Configuration Management policies for the selected provisioning groups.

| Need | Use |
| --- | --- |
| Install required software | Select Deploy Software, name the automation, then edit its action in Action1. |
| Deploy updates or run a script | Select Deploy Updates or Run Script, name the automation, then edit its action in Action1. |
| Apply or verify configuration | Select Create Policy, enter a name, and finish the Configuration Management wizard in its new tab. |
| Measure readiness | Automation results and policy compliance that represent the required completion criteria. |

**Targeting matters** New automations stay disabled until configured. Save at least one action in Action1, then Refresh and select Enable to start hourly runs. Policies must target a group selected in step 3.

# 10. Review and Save

The Review step summarizes the complete mapping before the profile is saved.

1. **Review every selection**

   Confirm the profile type, Action1 organization, Intune enrollment groups, Action1 provisioning groups, automations, and Configuration Management policies.

2. **Wait for data to finish loading**

   Do not save while the Review page still shows loading text for automations or policies.

3. **Save the profile**

   Select Save Profile. The next synchronization applies the Intune assignment and refreshes dashboard data for the organization.

| | |
|---|---|
| **Change control** | Treat edits to an active profile as production changes. Record the previous group and control selections so you can restore them if the resulting device scope is incorrect. |

# 11. Run and Monitor the Workflow

After saving a profile, synchronize the integration and follow the device through each layer.

1. **Confirm Intune deployment**

   In Intune, check the Windows and macOS app assignments or Linux script-policy assignment for the selected platforms and target groups.

2. **Synchronize**

   Select Sync Now after a profile or group change. Note the Last Synced time before evaluating results.

3. **Watch enrollment**

   Confirm the device appears in the endpoint table and progresses from the Intune population to a synchronized Action1 endpoint.

4. **Watch provisioning**

   Confirm the endpoint enters the expected Action1 provisioning group and the required automations and policies complete.

5. **Confirm readiness**

   Treat the endpoint as ready only when its provisioning status is Completed and the required Action1 evidence is successful.

## How to Read Status

| Status | Meaning | Next action |
|---|---|---|
| Intune | The device is known through the Intune target but is not yet synchronized as an Action1 endpoint. | Confirm agent assignment and installation. |
| Synced | The endpoint is present in both the expected Intune and Action1 data. | Review its provisioning status and group membership. |
| Awaiting Enrollment | The target has not completed Action1 enrollment. | Check Intune app assignment, installation, connectivity, and agent registration. |
| Completed | The profile's expected provisioning work has completed. | Perform any final business-specific validation. |
| Failed | One or more provisioning controls did not complete successfully. | Expand the endpoint, identify the failed control, correct it, and sync again. |

**ESP and Action1** For Windows Autopilot, the Enrollment Status Page can hold the user at setup while required Intune apps and policies install. Action1 provisioning is a separate readiness layer; use this dashboard rather than ESP alone to decide when Action1 work is complete.

# 12. Troubleshoot and Operate

| Symptom | What to check |
|---|---|
| Device is missing | Confirm Intune group membership, selected platform and enrollment scope, Intune management, and the latest sync time. |
| Awaiting Enrollment does not clear | Check the Action1 Agent Intune assignment, app installation status, endpoint connectivity, and Action1 registration. |
| Wrong organization | Review the profile's Action1 Organization and the enrollment package or policy deployed for that organization. |
| Provisioning group is empty | Review the Action1 group filters, endpoint properties, and whether the endpoint has synchronized into Action1. |
| Provisioning is Failed | Expand the endpoint and inspect the related automation or Configuration Management result in Action1. |
| Counts look stale | Select Sync Now, wait for completion, and confirm that Last Synced changes. |
| Group cannot be selected | Check whether another profile already owns the Action1 provisioning endpoint group. |

## Routine User Checklist

- Review the dashboard for failed and awaiting-enrollment devices.
- Confirm the latest sync completed after planned profile or group changes.
- Check platform-specific app or script-policy assignment and installation status in Intune when enrollment is delayed.
- Verify that provisioning automations and Configuration Management policies still target the selected groups.
- Escalate credential, Microsoft Graph permission, or integration-wide synchronization failures to the Marketplace administrator.

**Escalation details** Provide the profile name, Action1 organization, endpoint name, Intune group, Action1 provisioning group, current statuses, Last Synced time, and the failed automation or policy name. Do not include secrets.