

MINGW64/c/Users/Md.Amin/Desktop/Test_code/test

```
md.al-amin@DESKTOP-5GT15QQ MINGW64 ~
$ git
usage: git [-v | --version] [-h | --help] [-c <path>] [-c <name>=<value>]
[--exec-path=<path>] [--html-path] [--man-path] [--info-path]
[-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
[--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
[--work-trees=<paths>] [--namespace=<name>] [--config-env=<name>=<envvar>]
<command> [<args>]

These are common Git commands used in various situations:

start a working area (see also: git help tutorial)
  clone      Clone a repository into a new directory
  init       Create an empty Git repository or reinitialize an existing one

work on the current change (see also: git help everyday)
  add        Add file contents to the index
  mv         Move or rename a file, a directory, or a symlink
  restore    Restore working tree files
  rm         Remove files from the working tree and from the index

examine the history and state (see also: git help revisions)
  bisect     Use binary search to find the commit that introduced a bug
  diff       Show changes between commits, commit and working tree, etc
  grep       Print lines matching a pattern
  log        Show commit logs
  show       Show various types of objects
  status     Show the working tree status

grow, mark and tweak your common history
  backfill   Download missing objects in a partial clone
  branch     List, create, or delete branches
  commit     Record changes to the repository
  merge      Join two or more development histories together
  rebase     Reapply commits on top of another base tip
  reset      Reset current HEAD to the specified state
  switch     Switch branches
  tag        create, list, delete or verify a tag object signed with GPG

collaborate (see also: git help workflows)
  fetch      Download objects and refs from another repository
  pull       Fetch from and integrate with another repository or a local branch
  push       Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
```

MINGW64/c/Users/Md.Amin/Desktop/Test_code/test

```
md.al-amin@DESKTOP-5GT15QQ MINGW64 ~
$ ls
'3d objects'/                               PrintHood@
.AppData/                                    PycharmProjects/
'Application Data'@                         Recent@
ArVino/                                     'Saved Games'/
contacts/                                  Searches/
cookies@                                   SendTo@
'Creative Cloud Files mdalamin7e4@gmail.com 1593456764394A910A495E958AdobeId'/
Desktop/                                    'Start Menu'@
Documents/                                Templates@
Downloads/                                Videos/
Favorites/                               'VirtualBox VMs'/
IntelGraphicsProfiles/                   amq/
'Local Settings'@                       amqo-fullstack/
Music/                                    amgoal/
'My Documents'@                          cart-management-system/
NTUSER.DAT                               eclipse/
NTUSER.DAT{97ec5be1-1593-11ef-a6bf-84a93e423d73}.TM.blf  mysql
NTUSER.DAT{97ec5be1-1593-11ef-a6bf-84a93e423d73}.TMCcontainer00000000000000000001.regtrans-ms node_modules/
NTUSER.DAT{97ec5be1-1593-11ef-a6bf-84a93e423d73}.TMCcontainer00000000000000000002.regtrans-ms ntuser.dat.LOG1
NetHood@                                  ntuser.dat.LOG2
OneDrive/                                 ntuser.ini
Pictures/                                package-lock.json
                                           package.json

md.al-amin@DESKTOP-5GT15QQ MINGW64 ~
$ cd Desktop

md.al-amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop
$ ls
32Project/                               Design/                               'MongoDB Compass.lnk'*               'Zoom workplace.lnk'*
AFA/                                     Firefox.exe*                         Supershop/                           dbconnectionsforprojects/
AL-AMIN_Resume.pdf                     Group-17/                           Test_code/                           desktop.ini
'Adobe Illustrator 2020.lnk'*          Kusharia/                           'Update Project'/                     emu8086.lnk*
Alamin2054/                             Maam2026/                           'Visual Studio code.lnk'*             kushariahighschool/
Chitthi/                               Maisha/                             'Wondershare Filmora 14.lnk'*         'অভিনীতজেল - অ জুইং স্টাই .pdf'

md.al-amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop
$ cd Test_code

md.al-amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code
$ ls
sum.py

md.al-amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code
```

```

Md.AL-AMIN@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git commit -m 'First version of hungry code'
[main 0a65b0c] First version of hungry code
1 file changed, 1 insertion(+)
create mode 100644 hungry.py

Md.AL-AMIN@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

Md.AL-AMIN@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git log
commit 0a65b0c236d5b6888a497f987ccb081f08f422b1 (HEAD -> main)
Author: A1amin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a32e2b7a2da0efe24e7013dc5351a24 (origin/main, origin/HEAD)
Author: MD.AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:46:27 2026 +0600

    Update README.md

commit 1a7dbfea6fe4ecb86ec01ff7c00280d2cf3d7f92
Author: MD.AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:43:20 2026 +0600

    Initial commit

Md.AL-AMIN@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git push
remote: Invalid username or token. Password authentication is not supported for git operations.
fatal: Authentication failed for 'https://github.com/ActivecyberGuard/test.git/'

Md.AL-AMIN@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads

```

```

print("I'm hungry")

```

```

hungry=input("Are you hungry? ")
if hungry== 'yes':
    print("eat somosa")
else:
    print("do your homework")

```

```

~/AppData/Local/Temp/git-blob-a08620/hungry.py[RO] [dos] (19:00 23/08/2026) 1,1 A11
hungry.py[RO] [dos] (18:56 23/08/2026) 1,1 A11

```

```
commit 0a65b0c236d5b6888a497f987ccb081f08f422b1
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a32e2b7a2da0efe24e7013dc5351a24
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:46:27 2026 +0600

    Update README.md

commit 1a7dbfea6fe4ecb86ec01ff7c00280d2cf3d7f92
commit c0b409718d3d5b5a242069dc7d54c88e3820625e (HEAD -> main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza

commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:09:06 2026 +0600

    added hungry prompt

commit 0a65b0c236d5b6888a497f987ccb081f08f422b1
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a32e2b7a2da0efe24e7013dc5351a24
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:46:27 2026 +0600

    Update README.md

commit 1a7dbfea6fe4ecb86ec01ff7c00280d2cf3d7f92
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:45:20 2026 +0600
commit c0b409718d3d5b5a242069dc7d54c88e3820625e (HEAD -> main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza
```

```
commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:09:06 2026 +0600

    added hungry prompt

commit 0a65b0c236d5b6888a497f987ccb081f08f422b1
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a32e2b7a2da0efe24e7013dc5351a24
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:46:27 2026 +0600

    Update README.md

commit 1a7dbfea6fe4ecb86ec01ff7c00280d2cf3d7f92
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
commit c0b409718d3d5b5a242069dc7d54c88e3820625e (HEAD -> main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza

commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:09:06 2026 +0600

    added hungry prompt

commit 0a65b0c236d5b6888a497f987ccb081f08f422b1
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a32e2b7a2da0efe24e7013dc5351a24
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:46:27 2026 +0600

    Update README.md

commit 1a7dbfea6fe4ecb86ec01ff7c00280d2cf3d7f92
Author: MD,AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:45:20 2026 +0600
```

```

pizza
commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:09:06 2026 +0600

    added hungry prompt

commit 0a65b0c236d5b6888a497f987ccb081f08f422b1
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a33e2b7a2da0fe24e7013dc5351a24
Author: MD.AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:46:27 2026 +0600

    Update README.md

commit 1a7dbfea6fe4ecb86ec01ff7c00280d2cf3d7f92
Author: MD.AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:45:20 2026 +0600

    Initial commit

~
~
~
~
~
~
~
~
~
~

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git add hungry.py

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git commit -m 'burger'
[main 5449c29] burger
1 file changed, 1 insertion(+)

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git log
commit 5449c29e15dbf50a0c9995696981e6623300dfcb (HEAD -> main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 20:01:32 2026 +0600

```

```

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git reset --hard 5449c29e15dbf50a0c9995696981e6623300dfcb
HEAD is now at 5449c29 burger

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ cd ~

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~
$ cd Desktop

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop
$ ls
32project/      'Adobe Illustrator 2020.Ink*'  Design/      Kusharia/      'MongoDB Compass.Ink*'      'Update Project'/      'Zoom Workplace.Ink*'      emu8086.Ink*
AFA/            Alamin2054/      Firefox.exe*  Maan2026/      Supershop/      'Visual Studio Code.Ink*'      dbconnectionsforprojects/  kushariaHighSchool/
AL-AMIN_Resume.pdf  Chithi/          Group-17/     Maishal/       Test_code/      'Wondershare Filmora 14.Ink*'  desktop.ini                 'कठुबिरेकत - चन्द्र कौल .pdf'

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop
$ cd Supershop

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ ls
app.js  index.html  style.css

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ git clone https://github.com/ActiveCyberGuard/RangBazaar_Supershop.git
Cloning into 'RangBazaar_Supershop'...
remote: Enumerating objects 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ git status
fatal: not a git repository (or any of the parent directories): .git

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ ls
RangBazaar_Supershop/  app.js  index.html  style.css

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ git status
fatal: not a git repository (or any of the parent directories): .git

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ ls
RangBazaar_Supershop/

Md, A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop

```

RangBazaar_Supershop/

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ git add index.html style.css app.js
fatal: not a git repository (or any of the parent directories): .git

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ git status
fatal: not a git repository (or any of the parent directories): .git

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop
$ cd RangBazaar_Supershop

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    app.js
    index.html
    style.css

nothing added to commit but untracked files present (use "git add" to track)

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ git add app.js index.html style.css

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   app.js
    new file:   index.html
    new file:   style.css

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ git commit -m 'First version of RangBazaar-2026'
[main 16e3665] First version of RangBazaar-2026
 3 files changed, 993 insertions(+)
 create mode 100644 app.js
 create mode 100644 index.html
 create mode 100644 style.css

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ git commit -m 'First version of RangBazaar-2026'
[main 16e3665] First version of RangBazaar-2026
 3 files changed, 993 insertions(+)
 create mode 100644 app.js
 create mode 100644 index.html
 create mode 100644 style.css

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ git push
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 16.63 KiB | 1.85 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/ActiveCyberGuard/RangBazaar_Supershop.git
 5575313..16e3665  main -> main

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ ls
README.md  app.js  index.html  style.css

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Supershop/RangBazaar_Supershop (main)
$ |
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code
$ cd test

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ ls
README.md  hungry.py

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch
* main

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch thirsty

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch
* main
  thirsty

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git checkout thirsty
Switched to branch 'thirsty'

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git branch
* main
  thirsty

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git add hungry.py

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git commit -m 'water'
[thirsty a5c54e2] water
 1 file changed, 3 insertions(+), 1 deletion(-)

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git checkout master
error: pathspec 'master' did not match any file(s) known to git

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git checkout master
error: pathspec 'master' did not match any file(s) known to git
```

MINGW64/c/Users/Md.Amin/Desktop/Test_code/test

```
error: pathspec 'master' did not match any file(s) known to git

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
(use "git push" to publish your local commits)

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch
* main
  thirsty

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git checkout thirsty
Switched to branch 'thirsty'

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git add hungry.py

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git commit -m 'soda'
[thirsty Oddc1af] soda
1 file changed, 1 insertion(+)

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git log
commit Oddc1af477ce74577e30a08ef8a5531e8f625512 (HEAD -> thirsty)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:50:57 2026 +0600

    soda

commit a5c54e221e08446bb55d4309202dc822c6048675
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:45:14 2026 +0600

    water

commit 5449c29e15dbf50a0c9995696981e6623300dfcb (main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 20:01:32 2026 +0600

    burger

commit c0b409718d3d5b5a242069dc7d54c88e3820625e
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza
```

MINGW64/c/Users/Md.Amin/Desktop/Test_code/test

```
commit 5449c29e15dbf50a0c9995696981e6623300dfcb (main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 20:01:32 2026 +0600

    burger

commit c0b409718d3d5b5a242069dc7d54c88e3820625e
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza

commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:09:06 2026 +0600

    added hungry prompt

commit 0a65b0c236d5b6888a497f987ccb081f08f422b1
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 18:29:21 2026 +0600

    First version of hungry code

commit cbe0edd56a32e2b7a2da0fe24e7013dc5351a24
Author: MD.AL-AMIN <mdalamin7e4@gmail.com>

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
(use "git push" to publish your local commits)

Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git log
commit 5449c29e15dbf50a0c9995696981e6623300dfcb (HEAD -> main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 20:01:32 2026 +0600

    burger

commit c0b409718d3d5b5a242069dc7d54c88e3820625e
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza

commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
Author: Alamin <mdalamin7e4@gmail.com>
```

MINGW64/c/Users/Md.AI-Amin/Desktop/Test_code/test

```
commit 1a/dbfea6f4ecb86ec01ff7c00280d2cf3d7f92
Author: MD.AL-AMIN <mdalamin7e4@gmail.com>
Date: Sun Aug 23 17:45:20 2026 +0600

    Initial commit

Md.AI-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git checkout thirsty
Switched to branch 'thirsty'

Md.AI-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

Md.AI-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git add hungry.py

Md.AI-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git commit -m 'fires'
[main 900ec90] fires
 1 file changed, 1 insertion(+)

Md.AI-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git log
commit 900ec9030d9aed1965289cb5f2da8d905afcd169 (HEAD -> main)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:53:53 2026 +0600

    fires

commit 5449c29e15dbf50a0c9995696981e6623300dfcb
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 20:01:32 2026 +0600

    burger

commit c0b409718d3d5b5a242069dc7d54c88e3820625e
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza
```

MINGW64/c/Users/Md.AI-Amin/Desktop/Test_code/test

```
Auto-merging hungry.py
Merge made by the 'ort' strategy.
  hungry.py | 5 ++++
  1 file changed, 4 insertions(+), 1 deletion(-)

Md.AI-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git log
commit 27cca0c2110d200b6b3b59e00e84dc3086dc3e12 (HEAD -> main)
Merge: 900ec90 Oddclaf
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:57:22 2026 +0600

    Merge branch 'thirsty'

commit 900ec9030d9aed1965289cb5f2da8d905afcd169
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:53:53 2026 +0600

    fires

commit Oddclaf477ce74577e30a08ef8a5531e8f625512 (thirsty)
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:50:57 2026 +0600

    soda

commit a5c54e221e08446bb55d4309202dc822c6048675
Author: Alamin <mdalamin7e4@gmail.com>
Date: Mon Aug 24 08:45:14 2026 +0600

    water

commit 5449c29e15dbf50a0c9995696981e6623300dfcb
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 20:01:32 2026 +0600

    burger

commit c0b409718d3d5b5a242069dc7d54c88e3820625e
Author: Alamin <mdalamin7e4@gmail.com>
Date: Sun Aug 23 19:58:06 2026 +0600

    pizza

commit 511ccb464bd6f7535a219f14d783d3c02b483eb0 (origin/main, origin/HEAD)
```

MINGW64:/c/Users/Md.Amin/Desktop/Test_code/test

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git pull
Already up to date.
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git push
Enumerating objects: 20, done.
Counting objects: 100% (20/20), done.
Delta compression using up to 4 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (18/18), 1.62 KiB | 207.00 KiB/s, done.
Total 18 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), done.
To https://github.com/ActiveCyberGuard/test.git
  511ccb4..27cca0c  main -> main
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch
* main
  thirsty
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git checkout thirsty
Switched to branch 'thirsty'
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git push
fatal: The current branch thirsty has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin thirsty

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetUpRemote' in 'git help config'.
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git push --set-upstream origin thirsty
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'thirsty' on GitHub by visiting:
remote:   https://github.com/ActiveCyberGuard/test/pull/new/thirsty
remote:
To https://github.com/ActiveCyberGuard/test.git
  [new branch]   thirsty -> thirsty
branch 'thirsty' set up to track 'origin/thirsty'.
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (thirsty)
$ git checkout -b dummy
Switched to a new branch 'dummy'
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (dummy)
$ git branch
* dummy
  main
  thirsty
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (dummy)
$ git branch -d dummy
error: cannot delete branch 'dummy' used by workspace at 'C:/Users/Md.A1-Amin/Desktop/Test_code/test'
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (dummy)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch -d dummy
Deleted branch dummy (was Oddc1af).
```

```
Md.A1-Amin@DESKTOP-5GT15QQ MINGW64 ~/Desktop/Test_code/test (main)
$ git branch
* main
  thirsty
```