

Header.css

```
TS header.ts
                                              TS app-routing
src > app > header > # header.css > 😭 header:hover
      header {
        background-color: ■ seagreen;
        color: ■white;
        padding: 1rem;
        text-align: center;
        box-shadow: 0 2px 5px □rgba(0,0,0,0.2);
        font-family: Arial, sans-serif;
        transition: background-color 0.3s ease;
        font-size: 1.5rem;
      header:hover {
       background-color: ■#3e8e41;
 13
      }
      @media (max-width: 768px) {
        .app-header {
          padding: 0.5rem;
      nav button {
        padding: 0.5rem 1.5rem;
        font-size: 1rem;
        border: none;
        border-radius: 5px;
        background-color: ■#4a6fa5;
        color: ■white;
        cursor: pointer;
        margin: 0 0.5rem;
        transition: background-color 0.3s;
      nav button:hover {
      background-color: □#3a5a80;
      }
```

Header.html

Header.ts

```
TS header.ts X TS app-routing-module.ts
                                         TS header.spec.ts
                                                            TS taoteching.component.ts
                                                                                       taoteching.c
src > app > header > TS header.ts > 😭 Header
      import { Component } from '@angular/core';
       import { Router, ActivatedRoute, NavigationEnd } from '@angular/router';
       import { filter } from 'rxjs/operators';
       @Component({
        selector: 'app-header',
        standalone: false,
        templateUrl: './header.html',

StyleUrl: './header.css'

 10
       export class Header {
        Date = new Date().getFullYear();
        Title ='';
        constructor(private router: Router, private activatedRoute: ActivatedRoute) {
         this.router.events.pipe(
             filter(event => event instanceof NavigationEnd)
           ).subscribe(() => {
             let route = this.activatedRoute;
            while (route.firstChild) {
             route = route.firstChild;
           this.Title = route.snapshot.data['title'] || 'The Meditations of Marcus Aurelius';
```

app-routing-module

taoteching.ts

```
TS taoteching.component.ts X • taoteching.component.html
src > app > taoteching > TS taoteching.component.ts > 😭 TaotechingComponent > 🔑 LaoTzu
      import { Component } from '@angular/core';
      @Component({
        selector: 'app-taoteching',
        standalone: false,
        templateUrl: './taoteching.component.html',
        styleUrl: './taoteching.component.css'
      export class TaotechingComponent {
      LaoTzu = [
            quote: 'Quote 1',
            body: '知己知彼, 百战不殆',
            translation: 'Know yourself, know your enemy, and you will never be defeated in a hundred battles'
            quote: 'Quote 2',
            body: '自然不速, 万物不成',
            translation: 'Nature does not hurry, yet everything is accomplished'
            quote: 'Quote 3',
            body: '大道无形, 生育天地',
            translation: 'The Great Tao is without form, it gives birth to heaven and earth'
            quote: 'Quote 4',
            body: '知者不言, 言者不知',
            translation: 'He who knows does not speak; he who speaks does not know'
            quote: 'Quote 5',
            body: '天下难事,必作于易',
            translation: 'The difficult things in the world must be done through what is easy'
```

taoteching.html

```
<div class="quote-container">

<div class="quote-card">
<h2>{{ currentQuote.quote }}</h2>
```