

Inforce Mortality Modelling

Helitha Dharmadasa - z5451805

2024-02-23

```
library(tidyverse)
```

Read Data

```
superlife_df <- read_csv("../Data/Processed Data/CLEANED_2024-srcsc-superlife-inforce-dataset.csv")
```

```
## Rows: 978582 Columns: 18
## -- Column specification -----
## Delimiter: ","
## chr (9): Policy.number, Policy.type, Sex, Smoker.Status, Underwriting.Class,...
## dbl (9): Issue.year, Issue.age, Face.amount, Region, Death.indicator, Year.o...
##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.
```

```
head(superlife_df)
```

```
## # A tibble: 6 x 18
##   Policy.number Policy.type Issue.year Issue.age Sex    Face.amount Smoker.Status
##   <chr>         <chr>      <dbl>    <dbl> <chr>    <dbl> <chr>
## 1 08FN60R4KXIS  T20        2001      54 F      100000 NS
## 2 K0JK2XD81ZNI SPWL        2001      54 M      1000000 NS
## 3 AH3A98MHT08H T20        2001      27 F       50000 NS
## 4 C9QPJMIH8H9Y T20        2001      55 F     2000000 NS
## 5 2C1HL2XQOWME T20        2001      39 F       250000 NS
## 6 LKW7MA7BPAV1 SPWL        2001      41 M     2000000 NS
## # i 11 more variables: Underwriting.Class <chr>, Urban.vs.Rural <chr>,
## #   Region <dbl>, Distribution.Channel <chr>, Death.indicator <dbl>,
## #   Year.of.Death <dbl>, Lapse.Indicator <dbl>, Year.of.Lapse <dbl>,
## #   Cause.of.Death <chr>, Age.at.Death <dbl>, Cause.of.Death.Description <chr>
```

```
summary(superlife_df)
```

```
## Policy.number      Policy.type      Issue.year      Issue.age
## Length:978582      Length:978582      Min.   :2001      Min.   :26.0
## Class :character    Class :character    1st Qu.:2009      1st Qu.:36.0
## Mode  :character    Mode  :character    Median :2015      Median :44.0
```

```
##                               Mean    :2014    Mean    :44.1
##                               3rd Qu.:2020    3rd Qu.:52.0
##                               Max.     :2023    Max.     :65.0
##
##      Sex                Face.amount    Smoker.Status    Underwriting.Class
## Length:978582    Min.      : 50000    Length:978582    Length:978582
## Class :character  1st Qu.: 100000    Class :character  Class :character
## Mode  :character  Median   : 500000    Mode  :character  Mode  :character
##                               Mean     : 665574
##                               3rd Qu.:1000000
##                               Max.     :2000000
##
## Urban.vs.Rural      Region    Distribution.Channel  Death.indicator
## Length:978582    Min.      :1.000    Length:978582    Min.      :1
## Class :character  1st Qu.:1.000    Class :character  1st Qu.:1
## Mode  :character  Median   :2.000    Mode  :character  Median   :1
##                               Mean     :2.748
##                               3rd Qu.:4.000
##                               Max.     :6.000
##                               NA's     :938206
## Year.of.Death    Lapse.Indicator  Year.of.Lapse    Cause.of.Death
## Min.      :2001    Min.      :1      Min.      :2001    Length:978582
## 1st Qu.:2015    1st Qu.:1      1st Qu.:2017    Class :character
## Median   :2019    Median   :1      Median   :2021    Mode  :character
## Mean     :2018    Mean     :1      Mean     :2019
## 3rd Qu.:2021    3rd Qu.:1      3rd Qu.:2022
## Max.     :2023    Max.     :1      Max.     :2023
## NA's     :938206    NA's     :867693    NA's     :867693
## Age.at.Death    Cause.of.Death.Description
## Min.      :26.0    Length:978582
## 1st Qu.:52.0    Class :character
## Median   :59.0    Mode  :character
## Mean     :58.6
## 3rd Qu.:66.0
## Max.     :87.0
## NA's     :938206
```

```
max_year <- max(superlife_df$Issue.year)

superlife_df <- superlife_df %>%
  filter(is.na(Lapse.Indicator)) %>%
  mutate(Max.age = coalesce(Age.at.Death, max_year - Issue.year + Issue.age))

max_obs <- nrow(superlife_df)

superlife_df
```

```
## # A tibble: 867,693 x 19
##   Policy.number Policy.type Issue.year Issue.age Sex    Face.amount
##   <chr>          <chr>      <dbl>    <dbl> <chr>    <dbl>
## 1 K0JK2XD81ZNI SPWL        2001      54 M      1000000
## 2 LKW7MA7BPAV1 SPWL        2001      41 M      2000000
## 3 MWUNTLGLE8NR SPWL        2001      37 F       100000
## 4 BJJ1U7SIJUCS SPWL        2001      48 F       1000000
```

```
## 5 JTFR6CAODMLQ T20 2001 46 M 50000
## 6 CHBTT2PBPQYC SPWL 2001 50 M 1000000
## 7 K3H8WN6O2QMJ SPWL 2001 50 M 100000
## 8 HSITVHDV2XTJ T20 2001 48 F 250000
## 9 KN7X1NLMWUIN T20 2001 52 M 1000000
## 10 ISEEQXTXIIV4 SPWL 2001 42 F 2000000
## # i 867,683 more rows
## # i 13 more variables: Smoker.Status <chr>, Underwriting.Class <chr>,
## # Urban.vs.Rural <chr>, Region <dbl>, Distribution.Channel <chr>,
## # Death.indicator <dbl>, Year.of.Death <dbl>, Lapse.Indicator <dbl>,
## # Year.of.Lapse <dbl>, Cause.of.Death <chr>, Age.at.Death <dbl>,
## # Cause.of.Death.Description <chr>, Max.age <dbl>
```

Calculate Inforce Mortality

```
# Calculate mortality rate of inforce dataset
mortality_df <- superlife_df %>%
  select(Max.age) %>%
  rowwise() %>%
  mutate(Age = list(seq(1, Max.age))) %>%
  unnest(c(Age)) %>%
  group_by(Age) %>%
  summarise(lx = n()) %>%
  mutate(mortality_rate = 1 - ifelse(is.na(lead(lx)), 0, (lead(lx)/lx)))
```

mortality_df

```
## # A tibble: 87 x 3
##   Age      lx mortality_rate
##   <int> <int>          <dbl>
## 1     1 867693            0
## 2     2 867693            0
## 3     3 867693            0
## 4     4 867693            0
## 5     5 867693            0
## 6     6 867693            0
## 7     7 867693            0
## 8     8 867693            0
## 9     9 867693            0
## 10    10 867693            0
## # i 77 more rows
```

```
write_csv(mortality_df, "../Data/Processed Data/Superlife-inforce-mortality-table.csv")
```