



Design Guidelines

This document guides you through the guidelines of designs and the files architecture to be used across the applications developed by Solana Sky Pilots.

Preferred Technology

- **Bootstrap 5:** Utilize Bootstrap 5 for most design requirements.
- **Core CSS:** Use Core CSS sparingly, only for critical or unique designs where Bootstrap cannot fulfill the requirements.

CSS Reset

- Create a **custom CSS reset preset** and apply it to every project.
- Ensure the reset is implemented in SCSS for flexibility and consistency.

SCSS File Structure

Organize all SCSS files under `src/styles` as follows:

1. `index.scss` :
 - Acts as the primary entry point for styles.
 - Define color schemes using `:root` for CSS variables.
 - Import all other SCSS files here.

- Use this file in `index.tsx`.
2. `modules.scss` :
 - Use separate `modules.scss` files for independent page-specific designs.
 - Name these files after their respective modules/pages for clarity, e.g., `home.modules.scss`, `about.modules.scss`.
 3. `colors.scss` :
 - Create color-based utility classes.
 - Use the color variables defined in `index.scss`.
 4. `dark-theme.scss` :
 - Handles the dark theme styling.
 - Update only the color variables here, except when additional adjustments are necessary.

Color Scheme Guidelines

- Define all color schemes in `index.scss` using `:root`.
- Use meaningful and consistent variable names for colors, e.g., `-primary-color`, `-secondary-color`, `-background-color`.
- Example:

```
:root {  
  --primary-color: #0d6efd;  
  --secondary-color: #6c757d;  
  --background-color: #ffffff;  
}
```

- Follow color theory principles:
 - Use complementary and analogous colors for harmony.
 - Maintain high contrast for text readability, especially in dark mode.
 - Avoid using too many vibrant colors together to prevent visual clutter.

Component Design

- **Consistency:** Components should follow a consistent style throughout the application. Use Bootstrap utility classes where possible to maintain uniformity.
- **Modularity:** Design components as self-contained and reusable. Each component should rely on its SCSS module for styles.
- **Spacing and Layout:**
 - Use bootstrap grid system for consistent spacing.
- **Responsiveness:** Ensure components are fully responsive by leveraging Bootstrap's grid system and breakpoints.
- **Accessibility:**
 - Use semantic HTML for components.
 - Ensure all interactive elements have sufficient contrast, clear focus states, and accessible labels.

Dark Theme Handling

- In `dark-theme.scss`, redefine only the necessary color variables, e.g.:

```
[data-theme = "dark"] {
  --background-color: #121212;
  --primary-color: #bb86fc;
  --secondary-color: #03dac6;
}
```

- Add exceptions if the variable redefinitions alone cannot achieve the desired result.

Integration

1. Import all SCSS files into `index.scss`:

```
@import 'reset';
@import 'colors';
@import 'dark-theme';
@import 'modules/home.modules';
@import 'modules/about.modules';
```

2. Use the `index.scss` in `index.tsx`:

```
import './styles/index.scss';
```

By following these guidelines, we ensure a scalable, maintainable, and consistent design system across projects.