


## Complément à la post-installation de Oracle XE 21c

XH

1

### Emplacement des deux fichiers à modifier



## tnsnames.ora

```
F:\app\xav\product\21c\homes\Oradb21Home1\network\admin\tnsnames.ora - Notepad++
Fichier Edition Recherche Affichage Encodage Langage Paramètres Outils Macro Exécution Modules d'extension Documents ?
unlock_hr.txt [3] Airc OracleXE.sql [2] Airc1_premiereCommandes.txt [2] valeurOrigine.txt [2] tnsnames.ora [X] listener.ora [2] sqlnet.ora [2]
1 # tnsnames.ora Network Configuration File:
2 F:\app\xav\product\21c\homes\Oradb21Home1\NETWORK\ADMIN\tnsnames.ora
3 # Generated by Oracle configuration tools.
4
5 XE =
6 (DESCRIPTION =
7 (ADDRESS_LIST =
8 (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))
9 )
10 (CONNECT_DATA =
11 (SERVER = DEDICATED)
12 (SERVICE_NAME = XE)
13 )
14 )
15
16 LISTENER_XE =
17 (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))
18
19
20 ORACLE_CONNECTION_DATA =
21 (DESCRIPTION =
22 (ADDRESS_LIST =
23 (ADDRESS = (PROTOCOL = IPC) (KEY = EXTPROC1521))
24 )
25 (CONNECT_DATA =
26 (SID = CLRExtProc)
27 (PRESENTATION = RO)
28 )
29 )
30
31
Normal text file length: 665 lines: 30 Ln: 16 Col: 47 Pos: 430 Windows (CR LF) UTF-8 INS
```


## listener.ora

```
F:\app\xav\product\21c\homes\Oradb21Home1\network\admin\listener.ora - Notepad++
Fichier Edition Recherche Affichage Encodage Langage Paramètres Outils Macro Exécution Modules d'extension Documents ?
unlock_hr.txt [3] Airc OracleXE.sql [2] Airc1_premiereCommandes.txt [2] valeurOrigine.txt [2] tnsnames.ora [X] listener.ora [2] sqlnet.ora [2]
1 # listener.ora Network Configuration File:
2 F:\app\xav\product\21c\homes\Oradb21Home1\NETWORK\ADMIN\listener.ora
3 # Generated by Oracle configuration tools.
4
5 DEFAULT_SERVICE_LISTENER = XE
6
7 SID_LIST_LISTENER =
8 (SID_LIST =
9 (SID_DESC =
10 (SID_NAME = CLRExtProc)
11 (ORACLE_HOME = F:\app\xav\product\21c\dbhomeXE)
12 (PROGRAM = extproc)
13 (ENVS =
14 "EXTPROC_DLLS=ONLY:F:\app\xav\product\21c\dbhomeXE\bin\oraclr.dll"
15 )
16 )
17 )
18
19 LISTENER =
20 (DESCRIPTION_LIST =
21 (DESCRIPTION =
22 (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))
23 (ADDRESS = (PROTOCOL = IPC) (KEY = EXTPROC1521))
24 )
25 )
26
27
Normal text file length: 646 lines: 24 Ln: 16 Col: 11 Pos: 466 Windows (CR LF) UTF-8 INS
```



## Relancer les deux services !

- L'instance XE
- Le listener



END

