

Object: crm.lead Name: CRM	Type: Base Object Abstract: False Transient: False Apps: crm, crm_enterprise, crm_iap_enrich, crm_iap_mine, crm_livechat, data_merge_crm, iap_crm, mass_mailing_crm, sale_crm, website_crm, website_crm_livechat
-------------------------------	---

Security

Group	R	W	C	U	Name
Sales / User: Own Documents Only	X	X	X		crm.lead
Sales / Administrator	X	X	X	X	crm.lead.manager

Fields

Name	Label	Type	Attribute	Rq	Ro	Tr	Idx	Apps
active	Active	boolean						crm
activity_calendar_event_id	Next Activity Calendar Event	many2one	- relation = calendar.event - ondelete = Set NULL		X			crm
activity_date_deadline	Next Activity Deadline	date			X			crm
activity_exception_decoration	Activity Exception Decoration	selection	- selection = [(warning, Alert), (danger, Error),]		X			crm
activity_exception_icon	Icon	char			X			crm
activity_ids	Activities	one2many	- relation = mail.activity - field = res_id					crm
activity_state	Activity State	selection	- selection = [(overdue, Overdue), (today, Today), (planned, Planned),]		X			crm
activity_summary	Next Activity Summary	char						crm
activity_type_icon	Activity Type Icon	char			X			crm
activity_type_id	Next Activity Type	many2one	- relation = mail.activity.type					crm
activity_user_id	Responsible User	many2one	- relation = res.users - ondelete = Set NULL		X			crm
automated_probability	Automated Probability	float			X			crm
calendar_event_ids	Meetings	one2many	- relation = calendar.event - field = opportunity_id					crm
campaign_id	Campaign	many2one	- relation = utm.campaign - ondelete = Set NULL				X	crm
city	City	char						crm
color	Color Index	integer						crm
commercial_partner_id	Customer Company	many2one	- relation = res.partner - ondelete = Set NULL					crm
company_currency	Currency	many2one	- relation = res.currency - ondelete = Set NULL		X			crm
company_id	Company	many2one	- relation = res.company - ondelete = Set NULL				X	crm

contact_name	Contact Name	char				X	crm
country_id	Country	many2one	- relation = res.country - ondelete = Set NULL				crm
create_date	Created on	datetime		X			crm
create_uid	Created by	many2one	- relation = res.users - ondelete = Set NULL	X			crm
date_automation_last	Last Action	datetime		X			crm
date_closed	Closed Date	datetime		X			crm
date_conversion	Conversion Date	datetime		X			crm
date_deadline	Expected Closing	date					crm
date_last_stage_update	Last Stage Update	datetime		X		X	crm
date_open	Assignment Date	datetime		X			crm
day_close	Days to Close	float		X			crm
day_open	Days to Assign	float		X			crm
days_exceeding_closing	Exceeded Closing Days	float		X			crm_enterprise
days_to_convert	Days To Convert	float		X			crm_enterprise
description	Notes	html					crm
display_name	Display Name	char		X			crm, crm_enterprise, crm_iap_enrich, crm_iap_mine, crm_livechat, data_merge_crm, iap_crm, mass_mailing_crm, sale_crm, website_crm, website_crm_livechat
duplicate_lead_count	Potential Duplicate Lead Count	integer		X			crm
duplicate_lead_ids	Potential Duplicate Lead	many2many	- relation = crm.lead	X			crm
duration_tracking	Status time	json		X			crm
email_cc	Email cc	char					crm
email_domain_criterion	Email Domain Criterion	char		X		X	crm
email_from	Email	char				X	crm
email_normalized	Normalized Email	char		X		X	crm
email_state	Email Quality	selection	- selection = [(correct, Correct), (incorrect, Incorrect).]	X			crm
expected_revenue	Expected Revenue	monetary					crm
function	Job Position	char					crm
has_message	Has Message	boolean		X			crm
iap_enrich_done	Enrichment done	boolean					crm_iap_enrich
id	ID	integer		X			crm, crm_enterprise, crm_iap_enrich, crm_iap_mine, crm_livechat, data_merge_crm, iap_crm, mass_mailing_crm, sale_crm, website_crm, website_crm_livechat
is_automated_probability	Is automated probability?	boolean		X			crm

is_blacklisted	Blacklist	boolean		X			crm
is_partner_visible	Is Partner Visible	boolean		X			crm
lang_active_count	Lang Active Count	integer		X			crm
lang_code	Locale Code	char		X			crm
lang_id	Language	many2one	- relation = res.lang - ondelete = Set NULL				crm
lead_mining_request_id	Lead Mining Request	many2one	- relation = crm.iap.lead.mining.request - ondelete = Set NULL			X	crm_iap_mine
lead_properties	Properties	properties					crm
lost_reason_id	Lost Reason	many2one	- relation = crm.lost.reason - ondelete = Restrict			X	crm
medium_id	Medium	many2one	- relation = utm.medium - ondelete = Set NULL			X	crm
meeting_display_date	Meeting Display Date	date		X			crm
meeting_display_label	Meeting Display Label	char		X			crm
message_attachment_count	Attachment Count	integer		X			crm
message_bounce	Bounce	integer					crm
message_follower_ids	Followers	one2many	- relation = mail.followers - field = res_id				crm
message_has_error	Message Delivery error	boolean		X			crm
message_has_error_counter	Number of errors	integer		X			crm
message_has_sms_error	SMS Delivery error	boolean		X			crm
message_ids	Messages	one2many	- relation = mail.message - field = res_id				crm
message_is_follower	Is Follower	boolean		X			crm
message_needaction	Action Needed	boolean		X			crm
message_needaction_counter	Number of Actions	integer		X			crm
message_partner_ids	Followers (Partners)	many2many	- relation = res.partner				crm
my_activity_date_deadline	My Activity Deadline	date		X			crm
name	Opportunity	char		X		X	crm
order_ids	Orders	one2many	- relation = sale.order - field = opportunity_id				sale_crm
origin_channel_id	Live chat from which the lead was created	many2one	- relation = discuss.channel - ondelete = Set NULL		X	X	crm_livechat
partner_email_update	Partner Email will Update	boolean		X			crm
partner_id	Customer	many2one	- relation = res.partner - ondelete = Set NULL			X	crm
partner_is_blacklisted	Partner is blacklisted	boolean		X			crm
partner_name	Company Name	char				X	crm
partner_phone_update	Partner Phone will Update	boolean		X			crm

phone	Phone	char						crm
phone_blacklisted	Blacklisted Phone is Phone	boolean		X				crm
phone_mobile_search	Phone Number	char						crm
phone_sanitized	Sanitized Number	char		X			X	crm
phone_sanitized_blacklisted	Phone Blacklisted	boolean		X				crm
phone_state	Phone Quality	selection	- selection = [(correct, Correct), (incorrect, Incorrect),]	X				crm
priority	Priority	selection	- selection = [(0, Low), (1, Medium), (2, High), (3, Very High),]				X	crm
probability	Probability	float						crm
prorated_revenue	Prorated Revenue	monetary		X				crm
quotation_count	Number of Quotations	integer		X				sale_crm
rating_ids	Ratings	one2many	- relation = rating.rating - field = res_id					crm
recurring_plan	Recurring Plan	many2one	- relation = crm.recurring.plan - ondelete = Set NULL					crm
recurring_revenue	Recurring Revenues	monetary						crm
recurring_revenue_monthly	Expected MRR	monetary		X				crm
recurring_revenue_monthly_prorated	Prorated MRR	monetary		X				crm
recurring_revenue_prorated	Prorated Recurring Revenues	monetary		X				crm
referred	Referred By	char						crm
reveal_id	Reveal ID	char					X	iap_crm
sale_amount_total	Sum of Orders	monetary		X				sale_crm
sale_order_count	Number of Sale Orders	integer		X				sale_crm
show_enrich_button	Allow manual enrich	boolean		X				crm_iap_enrich
source_id	Source	many2one	- relation = utm.source - ondelete = Set NULL				X	crm
stage_id	Stage	many2one	- relation = crm.stage - ondelete = Restrict				X	crm
state_id	State	many2one	- relation = res.country.state - ondelete = Set NULL					crm
street	Street	char						crm
street2	Street2	char						crm
tag_ids	Tags	many2many	- relation = crm.tag					crm
team_id	Sales Team	many2one	- relation = crm.team - ondelete = Set NULL				X	crm
type	Type	selection	- selection = [(lead, Lead), (opportunity, Opportunity),]	X			X	crm
user_company_ids	User Company	many2many	- relation = res.company		X			crm
user_id	Salesperson	many2one	- relation = res.users - ondelete = Set NULL				X	crm

visitor_ids	Web Visitors	many2many	- relation = website.visitor					website_crm
visitor_page_count	# Page Views	integer			X			website_crm
visitor_sessions_count	# Sessions	integer			X			website_crm_livechat
website	Website	char						crm
website_message_ids	Website Messages	one2many	- relation = mail.message - field = res_id					crm
won_status	Won/Lost	selection	- selection = [(won, Won), (lost, Lost), (pending, Pending),]		X			crm
write_date	Last Updated on	datetime			X			crm
write_uid	Last Updated by	many2one	- relation = res.users - ondelete = Set NULL		X			crm
x_studio_adages_scope	Adage's Scope*	char	- domain = []					studio_customization
x_studio_assigned_salesperson	Assigned Salesperson	many2one	- relation = hr.employee - ondelete = Set NULL - domain = []					studio_customization
x_studio_bidders	Bidders	many2many	- relation = res.partner - domain = []					studio_customization
x_studio_card_name_custom_logic	Card Name Custom Logic	char	- domain = []		X			crm, studio_customization
x_studio_category	Category*	selection	- selection = [(A, A), (B, B),] - domain = []					crm, studio_customization
x_studio_category_1	Category	selection	- selection = [(Customer, Customer), (Potential Customer, Potential Customer), (Vendor, Vendor), (Partner, Partner), (Licensor, Licensor), (Others, Others),] - domain = []					studio_customization
x_studio_change_log_file_filename	Filename for x_studio_binary_field_2c_1ii6n3kla	char	- domain = []					crm, studio_customization
x_studio_competition	Competition	many2many	- relation = res.partner - domain = []					crm, studio_customization
x_studio_convert_to_lead	Convert to Lead	boolean	- domain = []					studio_customization
x_studio_crm_lead_approval	CRM Lead Approval	selection	- selection = [(Approved, Approved), (Pending, Pending), (Rejected, Rejected),] - domain = []					crm, studio_customization
x_studio_currency	Currency*	selection	- selection = [(INR, INR), (AED, AED), (USD, USD),] - domain = []					crm, studio_customization
x_studio_customer_region	Customer Region*	selection	- selection = [(AKAI, AKAI), (AKIC, AKIC), (Bangalore, Bangalore), (Chennai, Chennai), (East, East), (Export, Export), (Hyderabad, Hyderabad), (JSR, JSR), (North, North), (West 1, West 1), (West 2, West 2),] - domain = []					crm, studio_customization
x_studio_customer_representative_email	Customer Representative Email	char	- domain = []					crm, studio_customization
x_studio_customer_representative_name	Customer Representative Name	char	- domain = []					crm, studio_customization
x_studio_customer_representative_phone	Customer Representative Phone	char	- domain = []					crm, studio_customization
x_studio_customer_type	Customer Type*	selection	- selection = [(EPC, EPC), (END USER, END USER), (EPMC, EPMC),] - domain = []					crm, studio_customization

x_studio_end_user	End User	many2one	- relation = res.partner - ondelete = Set NULL - domain = []					crm, studio_customization
x_studio_engagement_tracker		one2many	- relation = x_crm_lead_line_163b3 - field = x_crm_lead_id - domain = []					studio_customization
x_studio_expected_closing	Expected Closing*	date	- domain = []					studio_customization
x_studio_expected_month	Expected Month*	selection	- selection = [(January, January), (February, February), (March, March), (April, April), (May, May), (June, June), (July, July), (August, August), (September, September), (October, October), (November, November), (December, December),] - domain = []		X			crm, studio_customization
x_studio_expected_revenue	Total Potential Estimate*	monetary	- domain = []					studio_customization
x_studio_expected_revenue_copy	Expected Revenue Copy	monetary	- domain = []		X			studio_customization
x_studio_expected_year	Expected Year*	selection	- selection = [(2024, 2024), (2025, 2025), (2026, 2026), (2027, 2027), (2028, 2028), (2029, 2029), (2030, 2030),] - domain = []		X			crm, studio_customization
x_studio_financial_status_of_customer_1	Financial Status of Customer*	selection	- selection = [(Category A, Cat A - Excellent Financial Status), (Category B, Cat B - Average Financial Status), (Category C, Cat C - Poor Financial Status),] - domain = []					crm, studio_customization
x_studio_follow_up	Follow Up	boolean	- domain = []					studio_customization
x_studio_importance_of_lead	Importance of Lead	selection	- selection = [(Hot, Hot), (Medium, Medium), (Cold, Cold),] - domain = []					studio_customization
x_studio_industry_type	Industry Type*	selection	- selection = [(Cement, Cement), (Chemical, Chemical), (Fertilizer, Fertilizer), (Oil & Gas, Oil & Gas), (Petrochemical, Petrochemical), (Power, Power), (Steel, Steel), (Others, Others),] - domain = []					crm, studio_customization
x_studio_last_status_email_sent_at	Last Status Email Sent At	datetime	- domain = []					studio_customization
x_studio_lead_status	Lead Status*	selection	- selection = [(ACTIVE, ACTIVE), (CONVERTED TO RFQ, CONVERTED TO RFQ), (REGRET, REGRET),] - domain = []					studio_customization
x_studio_needs_a_follow_up	Needs a follow up?	selection	- selection = [(Yes, Yes), (No, No),] - domain = []					studio_customization
x_studio_product_info	Product Info	text	- domain = []					crm, studio_customization
x_studio_project_background	Project Background	selection	- selection = [(Greenfield, Greenfield), (Brownfield, Brownfield),] - domain = []					studio_customization
x_studio_project_details	Brief Description of the Project*	text	- domain = []					crm, studio_customization
x_studio_prospect_health	Prospect Health	char	- domain = []		X			studio_customization
x_studio_remarks	Remarks	char	- domain = []					studio_customization

x_studio_responsible_region_1	Responsible Region*	selection	- selection = [(AKAI, AKAI), (AKIC, AKIC), (Bangalore, Bangalore), (Chennai, Chennai), (East, East), (Export, Export), (Hyderabad, Hyderabad), (JSR, JSR), (North, North), (West 1, West 1), (West 2, West 2),] - domain = []					crm, studio_customization
x_studio_sales_lead	Sales Lead*	many2one	- relation = hr.employee - ondelete = Set NULL - domain = []					studio_customization
x_studio_sales_team_visit_tab		one2many	- relation = x_crm_lead_line_1519d - field = x_crm_lead_id - domain = []					crm, studio_customization
x_studio_sbu	SBU*	selection	- selection = [(SBU 1, SBU 1), (SBU 2, SBU 2), (SBU 3A, SBU 3A), (SBU 3B, SBU 3B),] - domain = []					crm, studio_customization
x_studio_specify_others	Specify Others	char	- domain = []					crm, studio_customization
zip	Zip	char						crm

Views

Seq	Type	Name	XML ID	Inherited
1	Kanban	crm.lead.kanban.lead	crm.crm_case_kanban_view_leads	
1	List	crm.lead.list.opportunity	crm.crm_case_tree_view_oppor	
2	Calendar	crm.lead.calendar.lead	crm.crm_case_calendar_view_leads	
10	List	crm.lead.list.lead	crm.crm_case_tree_view_leads	
15	Search	crm.lead.search.opportunity	crm.view_crm_case_opportunities_filter	
16	QWeb	crm	studio_customization.default_record_page_4255263f-e150-4c36-845e-4b9f0168ee58	
16	Form	crm.lead.form	crm.crm_lead_view_form	
16	Form	crm.lead.form	crm_helpdesk.crm_lead_view_form	crm.crm_lead_view_form
16	Graph	crm.lead.graph.view	crm_enterprise.crm_opportunity_view_graph	
16	Graph	crm.lead.graph.view	crm_enterprise.crm_lead_view_graph	
16	Kanban	crm.lead.kanban.inherit.iap.mine	crm_iap_mine.view_crm_lead_kanban	crm.view_crm_lead_kanban
16	Kanban	crm.lead.kanban.lead.inherit.iap.mine	crm_iap_mine.crm_case_kanban_view_leads	crm.crm_case_kanban_view_leads
16	List	crm.lead.list.opportunity.inherit.sms	crm_sms.crm_case_tree_view_oppor	crm.crm_case_tree_view_oppor
16	List	crm.lead.list.opportunity.reporting	crm.crm_lead_view_tree_opportunity_reporting	crm.crm_case_tree_view_oppor
16	List	crm.lead.list.opportunity.reporting.inherit.sms	crm_sms.crm_lead_view_tree_opportunity_reporting	crm.crm_lead_view_tree_opportunity_reporting
16	Form	crm.lead.oppo.inherited.crm	sale_crm.crm_case_form_view_oppor	crm.crm_lead_view_form
16	Pivot	crm.lead.pivot.view	crm_enterprise.crm_lead_view_pivot	
16	Search	crm.lead.search.lead	crm.view_crm_case_leads_filter	
16	Search	crm.lead.search.myactivities	crm.view_crm_case_my_activities_filter	crm.view_crm_case_leads_filter
16	Activity	crm.lead.view.activity	crm.crm_lead_view_activity	
16	Cohort	crm.lead.view.cohort	crm_enterprise.crm_lead_view_cohort	
16	Form	crm.lead.view.form.inherit.crm.livechat	crm_livechat.crm_lead_view_form	crm.crm_lead_view_form
16	Form	crm.lead.view.form.inherit.iap.lead.enrich	crm_iap_enrich.crm_lead_view_form	crm.crm_lead_view_form
16	Form	crm.lead.view.form.inherit.website.crm	website_crm.crm_lead_view_form	crm.crm_lead_view_form

16	Form	crm.lead.view.form.inherit.website.crm.livechat	website_crm_livechat.crm_lead_view_form	website_crm.crm_lead_view_form
16	Graph	crm.lead.view.graph	crm.crm_lead_view_graph	
16	Graph	crm.lead.view.graph.forecast.inherit	crm_enterprise.crm_lead_view_graph_forecast	crm.crm_lead_view_graph_forecast
16	List	crm.lead.view.list.lead.inherit.iap.mine	crm_iap_mine.crm_lead_view_tree_lead	crm.crm_case_tree_view_leads
16	List	crm.lead.view.list.opportunities.inherit.business.cards	crm_enterprise.crm_lead_view_list_opportunities	crm.crm_case_tree_view_oppor
16	List	crm.lead.view.list.opportunity.inherit.iap.mine	crm_iap_mine.crm_lead_view_tree_opportunity	crm.crm_case_tree_view_oppor
16	Map	crm.lead.view.map	crm_enterprise.crm_lead_view_map	
16	Pivot	crm.lead.view.pivot	crm.crm_lead_view_pivot	
16	Pivot	crm.lead.view.pivot.forecast.inherit	crm_enterprise.crm_lead_view_pivot_forecast	crm.crm_lead_view_pivot_forecast
16	Graph	crm.opportunity.report.graph	crm.crm_opportunity_report_view_graph	
20	List	crm.lead.list.activities	crm.crm_lead_view_list_activities	crm.crm_case_tree_view_oppor
20	Graph	crm.opportunity.report.graph.lead	crm.crm_opportunity_report_view_graph_lead	
24	List	crm.lead.list.lead.reporting	crm.crm_lead_view_tree_reporting	crm.crm_case_tree_view_leads
32	Search	crm.lead.search	crm.crm_opportunity_report_view_search	
32	Graph	crm.lead.view.graph.forecast	crm.crm_lead_view_graph_forecast	
32	Kanban	crm.lead.view.kanban.forecast	crm.crm_lead_view_kanban_forecast	crm.crm_case_kanban_view_leads
32	List	crm.lead.view.list.forecast	crm.crm_lead_view_tree_forecast	crm.crm_case_tree_view_oppor
32	Pivot	crm.lead.view.pivot.forecast	crm.crm_lead_view_pivot_forecast	
32	Search	crm.lead.view.search.forecast	crm.crm_lead_view_search_forecast	crm.view_crm_case_opportunities_filter
60	Pivot	crm.opportunity.report.pivot	crm.crm_opportunity_report_view_pivot	
60	Pivot	crm.opportunity.report.view.pivot.lead	crm.crm_opportunity_report_view_pivot_lead	
100	Kanban	crm.lead.kanban	crm.view_crm_lead_kanban	
160	Form	Odoo Studio: crm.lead.form customization	studio_customization.odoo_studio_crm_lead_b3e39552-1d22-4722-be0e-4275cd0d3140	crm.crm_lead_view_form
320	Kanban	Odoo Studio: crm.lead.kanban.lead customization	studio_customization.odoo_studio_crm_lead_cf6e6d85-57ec-4110-92b2-6cb50676194e	crm.crm_case_kanban_view_leads
320	List	Odoo Studio: crm.lead.tree.opportunity customization	studio_customization.odoo_studio_crm_lead_0e0731cc-dcc8-4c39-930b-5c04a10b3446	crm.crm_case_tree_view_oppor
1,000	Form	crm.lead.form.quick_create	crm.quick_create_opportunity_form	
3,200	List	Odoo Studio: crm.lead.list.opportunity customization	studio_customization.odoo_studio_crm_lead_a3111b93-cdb3-470d-9053-0ce52d387a73	crm.crm_case_tree_view_oppor