An h1 header

Paragraphs are separated by a blank line.

New line... Some changes...:)

2nd paragraph. *Italic*, **bold**, and **monospace**. Itemized lists look like:

- this one
- that one
- the other one

Note that --- not considering the asterisk --- the actual text content starts at 4-columns in.

Convert arrows like \rightarrow or \Rightarrow to \rightarrow or \Rightarrow

```
--> →
<-- ←
<--> ↔
==> ⇒
<== ←
<==> ⇔
```

Block quotes are written like so.

They can span multiple paragraphs, if you like.

Use 3 dashes for an em-dash. Use 2 dashes for ranges (ex., "it's all in chapters 12--14"). Three dots ... will be converted to an ellipsis. Unicode is supported. \odot

Write a todo list

- ☐ Step 1
- **☑** Step 1
- **☑** Step 1

An h2 header

Here's a numbered list:

- 1. first item
- 2. second item
- 3. third item

Here's a code sample:

```
#!/bin/bash

###### CONFIG

ACCEPTED_HOSTS="/root/.hag_accepted.conf"
BE_VERBOSE=false

if [ "$UID" -ne 0 ]
then
    echo "Superuser rights required"
    exit 2
fi

genApacheConf(){
    echo -e "# Host ${HOME_DIR}$1/$2 :"
}
```

(which makes copying & pasting easier). You can optionally mark the delimited block for Pandoc to syntax highlight it:

```
import time
# Quick, count to ten!
for i in range(10):
    # (but not *too* quick)
    time.sleep(0.5)
    print i
```

An h3 header

Now a nested list:

- 1. First, get these ingredients:
 - carrots
 - o celery
 - lentils
- 2. Boil some water.
- 3. Dump everything in the pot and follow this algorithm:

```
find wooden spoon
uncover pot
stir
cover pot
balance wooden spoon precariously on pot handle
wait 10 minutes
```

goto first step (or shut off burner when done)

Do not bump wooden spoon or it will fall.

Notice again how text always lines up on 4-space indents (including that last line which continues item 3 above). Here's a link to a website http://foo.bar.

Move the following to next page with <div class="page-break"></div> .

Some Headlines.

Headline 1

Headline 2

Headline 3

Headline 4

Headline 5

Headline 6

Tables can look like this:

Lorem ipsum	Lorem ipsum	Lorem ipsum dolor
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	lorem ipsum dolor	hello world
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	lorem ipsum dolor	hello world
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.	lorem ipsum dolor	hello world

External image

![external image](http://placehold.it/900x250/000/FFF)

900×250

Local image

Local image with relative path.

![local image](example.png)

i am local

And note that you can backslash-escape any punctuation characters which you wish to be displayed literally, ex.: `foo`, *bar*, etc.

Anbei testen wir ein paar Umlaute und Sonderzeichen...

Äußerst schön verändert

Chinese lorem ipsum

質鬞鬠 烺焆琀 珝砯砣 槧樈 摓, 觢 獯璯 佹侁刵 駺駹鮚 馻噈嫶, 斶檎檦 鬌鶤鴓 韎 襆贂 嬃 緳廞徲 婸媥媕 灡蠵, 爧躨 撖 撱暲 姎咕帔 煜熡磎 斠 琀疹 絼 逸郹酟 哱哸娗 浘涀缹 跣 蘼藞 憢憉摮 蔰蝯蝺 濇燖燏, 跣鉌鳭 駺駹鮚 眅眊 惟 鑤仜伒 巕 氍爟 稢綌 觢, 漦澌 鶭黮齥 鑤仜伒 蝪蝩覤 嫀 暕 寱懤擨 溗煂獂 蘥蠩, 鋋錋 戫摴撦 糋罶羬 硾, 桏毢涒 烍烚珜 鷡鷢 鉾

Testing some HTML code

Image with relative path...

i am local

Image external...

900×250