

# **LAPORAN TUGAS PRAKTIKUM PEMROGRAMAN BERBASIS WEB**

*“Tugas Pertemuan 8 - 13 (Belajar Laravel 11 by Parsinta – Playlist Youtube)”*



Oleh:

Nama : Adam Kaze

NPM : 4522210094

Kelas : A

Dosen:

Adi Wahyu Pribadi , S.Si., M.Kom


**S1-Teknik Informatika**

**Fakultas Teknik Universitas Pancasila**


**2024**

## Tujuan Praktikum

Praktikum kali ini bertujuan untuk mempelajari seluruh fitur dan konsep Laravel 11 sesuai playlist video youtube yang berjudul Laravel 11 Dari Awal by Parsinta. Pada Praktikum kali ini saya akan pelajari video 11/1 s.d. 11/33.




## Screenshoot Hasil Running Vidio 1



## Screenshot Hasil Running Vidio 2





- [home](#)
- [about](#)
- [contact](#)
- [gallery](#)

Contact

task-08.test/contact







- [home](#)
- [about](#)
- [contact](#)
- [gallery](#)

Gallery



task-08.test/gallery



## Screenshoot Hasil Running Vidio 3









## Screenshoot Hasil Running Vidio 4













## Screenshoot Hasil Running Vidio 5





This screenshot shows the Visual Studio Code editor with a Laravel project open. The Explorer panel on the left displays the project structure, including the 'routes' directory. The 'routes/web.php' file is selected and open in the main editor. The code defines several routes for the application.


```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers;
5
6 Route::get(uri: '/', action: Controllers\HomeController::class);
7 Route::get(uri: '/about', action: [Controllers\AboutController::class, 'index']);
8 Route::get(uri: '/contact', action: [Controllers\ContactController::class, 'index']);
9 Route::get(uri: '/gallery', action: [Controllers\GalleryController::class, 'index']);
10
```




This screenshot shows the Visual Studio Code editor with the same Laravel project. The Explorer panel shows the 'Http/Controllers' directory. The 'HomeController.php' file is selected and open in the main editor. The code defines the HomeController class, which extends the Controller class and implements the \_\_invoke method.

```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6
7 1 reference | 0 implementations
8 class HomeController extends Controller
9 {
10     /**
11      * Handle the incoming request.
12      */
13     0 references | 0 overrides
14     public function __invoke(Request $request): Factory|View {
15         return view(view: "home");
16     }
17 }
```





## Screenshoot Hasil Running Vidio 6



```
XAMPP for Windows - mysql x + v

kaze@REN d:\Lab Pemrograman\XAMPP
# mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 13
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> use task_08
Database changed
MariaDB [task_08]> show tables;
+-----+
| Tables_in_task_08 |
+-----+
| cache              |
| cache_locks        |
| failed_jobs        |
| job_batches        |
| jobs               |
| migrations          |
| password_reset_tokens |
| sessions           |
| users              |
+-----+
9 rows in set (0.001 sec)

MariaDB [task_08]>
```

```
XAMPP for Windows - mysql x + v

MariaDB [task_08]> show tables;
+-----+
| Tables_in_task_08 |
+-----+
| articles            |
| cache              |
| cache_locks        |
| failed_jobs        |
| job_batches        |
| jobs               |
| migrations          |
| password_reset_tokens |
| sessions           |
| users              |
+-----+
10 rows in set (0.001 sec)

MariaDB [task_08]> desc articles;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id    | bigint(20) unsigned | NO | PRI | NULL | auto_increment |
| title | varchar(255)         | NO |     | NULL |                 |
| slug  | varchar(255)         | NO | UNI | NULL |                 |
| teaser | text                 | NO |     | NULL |                 |
| body  | text                 | NO |     | NULL |                 |
| meta_title | varchar(255)         | NO |     | NULL |                 |
| meta_description | varchar(255)         | NO |     | NULL |                 |
| created_at | timestamp            | YES |     | NULL |                 |
| updated_at | timestamp            | YES |     | NULL |                 |
+-----+-----+-----+-----+-----+-----+
9 rows in set (0.021 sec)

MariaDB [task_08]> select * from migrations;
+-----+-----+-----+
| id | migration | batch |
+-----+-----+-----+
| 1 | 0001_01_01_000000_create_users_table | 1 |
| 2 | 0001_01_01_000001_create_cache_table | 1 |
| 3 | 0001_01_01_000002_create_jobs_table | 1 |
| 6 | 2024_11_11_172517_create_articles_table | 2 |
+-----+-----+-----+
4 rows in set (0.001 sec)

MariaDB [task_08]>
```