

# **DOCUMENT INTEGRATION**

**PT. LOGKAR INDONESIA**

**X  
ANP**



**LOGKAR**  
**L O G I S T I C S**

## **Technical Documentation**

Created by : Technical Support  
ver 1.1 ©Logkar Indonesia  
May 2026

## TABLE OF CONTENTS

|                                     |           |
|-------------------------------------|-----------|
| <b>INTRODUCTION</b>                 | <b>3</b>  |
| <b>1.0 API DELIVERING ORDER</b>     | <b>5</b>  |
| <b>1.1 API SEND POSITION</b>        | <b>8</b>  |
| <b>1.2 API UPLOAD DOCUMENT</b>      | <b>10</b> |
| <b>1.3 API REMOVE DOCUMENT</b>      | <b>11</b> |
| <b>1.4 GET IMAGES</b>               | <b>12</b> |
| <b>1.5 API CHECK IN (MOTIVE TM)</b> | <b>13</b> |

## INTRODUCTION

**Host :**

**Development**

- <https://dev-public-api.logkar.com>

**Production**

- <https://public-api.logkar.com>

**Schemes :**

- Must use "HTTPS"


All of the Integration API using **security** in **Headers** & "**request\_code**" objects in body Json.

Headers :

**Authorization : <API TOKEN>**

Flow to get **API TOKEN**.

1. Login to website <https://logkar.com>
2. Go to page Profile Company
3. Find section Info API
4. Copy the value from API Token, then Paste the value to Authorization



navigation.jpg

Pengaturan

EU

Eva Update  
Super Admin

User

Perusahaan

Multi-User Management

Ubah

PROFIL TRANSPORTER

SlipOn3

Simpan Perubahan

Umum

Nama Perusahaan

SlipOn3

Nomor Kontak Perusahaan

+62 2123456783

NPWP Perusahaan

12.345.588.5-451.244

Alamat Perusahaan

JKT

Info API

Client ID

qtJsG9DO6t4c

API Token

0122bcb69cb23131438c8cabf98139cd58d812f9ebf

Sembunyikan

company-profile.jpg

Flow to get **request\_code** value :

From company-profile.jpg, copy the value of Client ID and API Token.

then added the set to format : **#<ClientID>#<API Token>#**

after that encrypt the value using formula **SHA256**

## 1.0 API DELIVERING ORDER

### 1.0.1 DELIVERING ORDER

This api is used to change order status.

**Explanation Status :**

| STATUS | DESC                  |
|--------|-----------------------|
| 3      | Menuju Lokasi Muat    |
| 4      | Tiba di Muat          |
| 12     | Selesai Muat          |
| 5      | Menuju Lokasi Bongkar |
| 6      | Tiba di Bongkar       |
| 99     | Pesanan Selesai       |

**NOTES :** Data **Goods** akan disimpan ketika status **12** dan status **99**.

URL : **{{host}}/transporter/status/order**

Method : **POST**

Authorization : **API Token**

Body Request :

```
{
  "request_code": {{request_code}},
  "do_id": 8312,
  "latitude": "-6.1231231",
  "longitude": "106.1231231",
  "status": 99,
  "goods": {
    "loading_qty": 10,
    "reduce_qty": 10,
    "origin": {
      "bruto": 100,
      "netto": 100,
    }
  }
}
```

```
{
  "tara": 100
},
"destination": {
  "bruto": 100,
  "netto": 100,
  "tara": 100
}
}
```

### Explanation for change status api :

| Name         | type    | notes                       | Status   |
|--------------|---------|-----------------------------|----------|
| request_code | String  | SHA256 Formula              | Required |
| do_id        | Integer | min : 1                     | Required |
| latitude     | String  | -                           | Required |
| longitude    | String  | -                           | Required |
| status       | Integer | allow : 3 , 4, 12, 5, 6, 99 | Required |

### Response :

- 200

```
{
  "status": "OK",
  "data": "OK",
  "code": 200,
  "accessTime": "09-09-2025 20:41:28"
}
```

- 4004 : Error request data

```
{
  "status": "invalid data",
  "data": "invalid request code",
  "code": 4004,
  "accessTime": "09-09-2025 20:41:28"
}
```

- 40072 : Error do not exists

```
{
  "status": "DO number is not exists",
  "data": "DO number is not exists",
  "code": 40072,
  "accessTime": "18-05-2026 09:47:47"
}
```

- 500

```
{
  "status": "internal server error",
  "data": "internal server error",
  "code": 5001,
  "accessTime": "18-05-2026 09:47:47"
}
```

## 1.1 API SEND POSITION

### 1.1.1 API SEND POSITION

This api is used to send data position order

URL : **{{host}}/transporter/order/position**

Method : **POST**

Authorization : **API TOKEN**

Body Request :

```
{
  "request_code": {{request_code}},
  "do_id": 8312,
  "latitude": "-6.1231231",
  "longitude": "106.1231231"
}
```

Explanation for send position api :

| Name         | type    | notes          | Status   |
|--------------|---------|----------------|----------|
| request_code | String  | SHA256 Formula | Required |
| do_id        | Integer | min : 1        | Required |
| latitude     | String  | -              | Required |
| longitude    | String  | -              | Required |

Response :

- 200

```
{
  "status": "OK",
  "data": "OK",
  "code": 200,
  "accessTime": "09-09-2025 20:41:28"
}
```



- 4004 : Error request data

```
{
  "status": "invalid data",
  "data": "invalid request code",
  "code": 4004,
  "accessTime": "09-09-2025 20:41:28"
}
```

- 40072 : Error do not exists

```
{
  "status": "DO number is not exists",
  "data": "DO number is not exists",
  "code": 40072,
  "accessTime": "18-05-2026 09:47:47"
}
```

- 500

```
{
  "status": "internal server error",
  "data": "internal server error",
  "code": 5001,
  "accessTime": "18-05-2026 09:47:47"
}
```

## 1.2 API UPLOAD DOCUMENT

### 1.2.1 API UPLOAD DOCUMENT

This api to upload document order

URL : **{{host}}/transporter/upload/docs**

Method : **POST**

Authorization : API TOKEN

Body Request : **FORM DATA**

| Name         | type    | notes          | Status   |
|--------------|---------|----------------|----------|
| request_code | String  | SHA256 Formula | Required |
| do_id        | Integer | min : 1        | Required |
| media        | File    | -              | Required |

Response :

- 200

```
{
  "status": "OK",
  "data": "pod/IDL-118312_1782382143.jpeg",
  "code": 200,
  "accessTime": "25-06-2026 17:07:26"
}
```

- 400123

```
{
  "status": "Invalid file type",
  "data": "Form File Unsupported File Type",
  "code": 400123,
  "accessTime": "25-06-2026 17:49:31"
}
```

## 1.3 API REMOVE DOCUMENT

### 1.3.1 API REMOVE DOCUMENT

This API to remove images by image name

**FORMAT must :** [path]/[image\_name]

**URL :** {{host}}/transporter/remove/docs

**Method :** **POST**

**Body Request :**

```
{
  "request_code": {{request_code}},
  "do_id": 8312,
  "filename" : "pod/IDL-118312_1782382143.jpeg"
}
```

**Explanation for remove document :**

| Name         | type    | notes                            | Status   |
|--------------|---------|----------------------------------|----------|
| request_code | String  | SHA256 Formula                   | Required |
| do_id        | Integer | min : 1                          | Required |
| filename     | String  | Formula :<br>[path]/[image_name] | Required |

**Response :**

```
{
  "status": "OK",
  "data": "pod/IDL-17823814364872378325_1782385071.png",
  "code": 200,
  "accessTime": "25-06-2026 17:53:49"
}
```

## 1.4 GET IMAGES


### 1.4.1 Get Images

This API to fetch images by image name

URL : `{{host}}/media/{api_key}/{dir}/{image}`

Method : **GET**

Response :



## 1.5 API CHECK IN (MOTIVE TM)

### 1.5.1 API CHECK IN MOTIVE TM

This API to pair Driver and TM

URL : `{{host}}/transporter/sync/tm`

Method : **POST**

Request :

```
{
  "request_code": {{request_code}},
  "driver_phone": "6289123123123",
  "qr_data": "*gggg&zu)uv&g&ZU778& gggg&kv)uv&g&KU778& gggg&AyBjr)pk&g&I89HIJ&
gggg&kypCly)uhtl&g&Bkpu&gggg&kv",
  "latitude": "-6.123123123",
  "longitude": "106.123123"
}
```

Explanation for check in tm :

| Name         | type   | notes               | Status   |
|--------------|--------|---------------------|----------|
| request_code | String | SHA256 Formula      | Required |
| driver_phone | String | phone number format | Required |
| qr_data      | String | -                   | Required |
| Latitude     | String | -                   | Required |
| Longitude    | String | -                   | Required |

Response :

- 200

```
{
  "status": "OK",
  "data": "OK",
  "code": 200,
  "accessTime": "25-06-2026 17:53:49"
}
```

- 400151

```
{
  "status": "invalid qr code",
  "data": "invalid character 'S' after object key",
  "code": 400151,
  "accessTime": "25-06-2026 18:20:34"
}
```

- 40087

```
{  
  "status": "Driver Id not exists",  
  "data": "Driver Id not exists",  
  "code": 40087,  
  "accessTime": "25-06-2026 18:22:19"  
}
```