Nagios Checks with NRPE

Systems Administration

School of Information Technology Otago Polytechnic Dunedin, New Zealand

THREE KINDS OF NAGIOS CHECKS

- 1. Local services
- 2. Network exposed services
- 3. Remote services

REMOTE SERVICES

- ► Sometimes we want to monitor remote services that are not exposed on a network
- ▶ There are a few ways to handle this, each with its pros and cons
- ► We'll consider one way, using *NRPE*

NRPE

The approach

- We install the NRPE daemon on the remote host we want to monitor
- ▶ We also install the desired monitoring plugins on the remote host
- ► On the Nagios server, we use the NRPE plugin to send the check request to the remote host
- ► On the remote host, the NRPE daemon runs the check and reports the results back to the Nagios server

Install the NRPE daemon

On the remote server you want to monitor

- ▶ install nagios-nrpe-server
- ► Edit /etc/nagios/nrpe.cfg
- ► Add mgmt to the allowed_hosts values
- ► Add the following command to the commands section command[check_disk] = /usr/lib/nagios/plugins/check_disk -w 20% -c 10%
- ► Restart the NRPE server

On the Nagios server

- ▶ Define a service that checks remote disks over nrpe.
- ► Define a new hostgroup.
- ► Put the remote servers on which we want to monitor disk space in the host group.

Monitoring Windows Hosts

This done with a tool that is similar to NRPE

- ▶ On the Windows host, we install NSClient++
- ► On the Nagios server, we use the check_nt plugin to communicate with the Windows host