

Fewer Tokens, Better Apps

with Standards and Java



airhacks.industries

**"It's not work if you like it"
...so I never worked. #java**



**youtube.com/
@bienadam**



[/@bienadam/shorts](https://www.youtube.com/@bienadam/shorts)



#360 Java, LangChain4J and Enterprise LLMs



Listen on
Apple Podcasts

LISTEN ON Spotify



YouTube

[RSS]

An [airhacks.fm](#) conversation with Antonio Goncalves (@agoncal) about:

#356 AI/LLM Driven Development



Listen on
Apple Podcasts

LISTEN ON Spotify



YouTube

[RSS]

An ai

#259 How Boundary Control Entity, UML and Components Happened



Listen on
Apple Podcasts

LISTEN ON Spotify



YouTube

[RSS]

An [airhacks.fm](#) conversation with Ivar Jacobson (@ivarjacobson) about:

jo
M
m
as
ak
st
E
in
m
po

bro
per
int
arc

airhacks.TV

with the time machine, “100 episodes ago segment”

...any questions left?

airhacks.live

online, live virtual workshops

Continuous coding, interacting and sharing with [Adam Bien](#)

Live, Virtual Online Workshops, Winter 2026:

Building Local and Serverless LLM Agents, 15 December 2026

...the same agent, from laptop to cloud

LLM-Assisted Legacy System Migration to Modern Java, 17 December 2026

...turn legacy Java into maintainable, zero-dependency code

Tickets are also available from: airhacks.eventbrite.com and meetup.com/airhacks

 Prefer in-person, at Munich Airport?

airhacks.university brings hands-on workshops face-to-face. Small group, full day, all of us in one room.

Next: Architect-Grade Java with LLMs, 10 December 2026

by [Adam Bien](#)

airhacks.university

Back to MUC Airport



Real-world workshops
for **Java** developers



— RETURNS TO MUC

Architect-Grade Java with LLMs

*One day of coding, debating and
shipping Java with Adam Bien*

DATE

December 10, 2026


TIME

10:00 — 18:00 CET

LOCATION

Munich Airport

airhacks.university



Total					
	Energy		Time		Mb
(c) C	1.00	(c) C	1.00	(c) Pascal	1.00
(c) Rust	1.03	(c) Rust	1.04	(c) Go	1.05
(c) C++	1.34	(c) C++	1.56	(c) C	1.17
(c) Ada	1.70	(c) Ada	1.85	(c) Fortran	1.24
(v) Java	1.98	(v) Java	1.89	(c) C++	1.34
(c) Pascal	2.14	(c) Chapel	2.14	(c) Ada	1.47
(c) Chapel	2.18	(c) Go	2.83	(c) Rust	1.54
(v) Lisp	2.27	(c) Pascal	3.02	(v) Lisp	1.92
(c) Ocaml	2.40	(c) Ocaml	3.09	(c) Haskell	2.45
(c) Fortran	2.52	(v) C#	3.14	(i) PHP	2.57
(c) Swift	2.79	(v) Lisp	3.40	(c) Swift	2.71
(c) Haskell	3.10	(c) Haskell	3.55	(i) Python	2.80
(v) C#	3.14	(c) Swift	4.20	(c) Ocaml	2.82
(c) Go	3.23	(c) Fortran	4.20	(v) C#	2.85
(i) Dart	3.83	(v) F#	6.30	(i) Hack	3.34
(v) F#	4.13	(i) JavaScript	6.52	(v) Racket	3.52
(i) JavaScript	4.45	(i) Dart	6.67	(i) Ruby	3.97
(v) Racket	7.91	(v) Racket	11.27	(c) Chapel	4.00
(i) TypeScript	21.50	(i) Hack	26.99	(v) F#	4.25
(i) Hack	24.02	(i) PHP	27.64	(i) JavaScript	4.59
(i) PHP	29.30	(v) Erlang	36.71	(i) TypeScript	4.69
(v) Erlang	42.23	(i) Jruby	43.44	(v) Java	6.01
(i) Lua	45.98	(i) TypeScript	46.20	(i) Perl	6.62
(i) Jruby	46.54	(i) Ruby	59.34	(i) Lua	6.72
(i) Ruby	69.91	(i) Perl	65.79	(v) Erlang	7.20
(i) Python	75.88	(i) Python	71.90	(i) Dart	8.64
(i) Perl	79.58	(i) Lua	82.91	(i) Jruby	19.84

GraalVM™
reduces RAM footprint

<https://sites.google.com/view/energy-efficiency-languages/results?authuser=0>

1BRC—The Results Are In!

Posted at Feb 4, 2024

java

performance

challenge

Results

So without further ado, here are the top 10 entries for the official 1BRC competition. These results are from running on eight cores of a 32 core AMD EPYC™ 7502P (Zen2) machine:

#	Result (m:s.ms)	Implementation	JDK	Submitter
1	00:01.535	link	21.0.2-graal	Thomas Wuerthinger, Quan Anh Mai, Alfonso ² Peterssen
2	00:01.587	link	21.0.2-graal	Artsiom Korzun
3	00:01.608	link	21.0.2-graal	Jaromir Hamala

1 billion rows in $\sim 1s$

LLMs + Java = ?

	Average	Python	Cpp	Java	JS	Go	Shell	Csharp	Dart	Elixir	Julia	Kotlin	Perl	PHP	Racket	R	Ruby	Rust	Scala	Swift	TS
Count		196	186	188	184	191	188	199	200	198	200	200	200	199	196	198	200	199	199	200	199
Current Upper Bound	74.8	63.3	74.7	78.7	59.2	69.1	70.7	88.4	78.0	97.5	78.0	89.5	64.5	52.8	88.3	74.2	79.5	61.3	77.4	78.0	61.3
Reasoning Mode																					
Claude Opus 4 (20250514)	52.4	40.3	44.1	55.9	38.6	37.2	51.6	74.9	54.0	80.3	55.5	72.5	44.5	28.1	68.9	52.5	61.0	38.7	50.3	50.0	47.2
Claude Sonnet 4 (20250514)	51.1	37.2	46.8	52.7	34.8	41.9	48.9	72.4	53.5	81.8	49.0	71.5	45.0	34.7	68.9	50.5	54.5	36.2	48.2	48.0	44.2
o3-high (20250416)	51.1	40.8	47.3	53.2	40.8	22.0	49.5	68.3	55.0	80.8	54.5	72.0	44.0	32.7	53.1	47.5	59.0	42.2	51.3	59.0	47.2
o4-mini (2025-04-16)	50.0	42.3	46.8	51.6	40.2	31.4	45.2	68.3	54.0	82.3	49.0	74.0	44.0	30.2	45.4	43.4	59.0	40.2	50.3	54.0	45.7
Grok-4	50.9	41.2	48.7	50.0	37.5	41.4	47.3	72.4	49.5	76.8	55.0	70.0	44.0	27.1	63.8	48.5	61.5	37.7	52.8	51.5	40.7
Gemini2.5 Pro	48.7	40.3	47.5	53.2	37.0	37.2	45.2	70.9	54.0	68.7	54.0	72.0	41.0	29.7	52.6	49.5	56.5	24.6	46.7	49.5	41.7
DeepSeek-R1-0528	50.2	38.8	43.6	52.7	35.9	38.7	46.8	75.4	52.5	77.3	52.0	70.0	39.0	28.6	56.1	50.5	58.5	37.2	51.8	55.0	41.2
Seed1.6-enabled (250615)	45.3	39.8	44.6	46.3	28.3	40.8	44.1	60.3	39.5	69.7	51.0	58.0	41.5	25.6	52.6	51.0	52.0	28.6	41.7	47.5	41.2
Seed1.6-Thinking-250715	45.0	40.3	45.2	50.0	33.2	38.2	39.9	67.3	36.5	67.7	51.0	61.0	41.0	26.1	51.0	44.9	55.5	27.6	37.2	46.5	38.7
Seed1.6-Thinking-250615	44.7	38.8	47.0	49.5	38.0	31.4	38.8	62.3	41.0	70.7	45.0	68.0	39.0	25.1	47.5	47.5	50.5	30.7	39.7	41.5	40.2
GLM-4.5-enable	46.6	41.0	43.2	47.9	34.8	37.8	43.9	70.5	42.0	72.5	47.5	66.0	43.5	28.6	50.0	45.0	54.5	31.6	41.0	46.0	42.2
GLM-4.5-Air-enable	40.8	39.3	37.6	39.4	31.0	39.8	36.7	66.3	38.0	61.5	42.0	53.0	40.5	27.1	40.3	39.0	47.0	25.1	30.5	38.5	42.7
ERNIE-X1-Turbo-32K	39.6	39.4	17.8	33.2	32.6	37.4	33.9	46.0	33.0	68.9	54.0	49.5	39.5	23.9	45.3	44.3	48.0	20.8	40.4	44.0	37.7
Qwen3-235B-A22B-Thinking-2507	47.7	37.8	41.9	48.4	39.7	39.8	45.2	71.9	46.0	79.8	48.5	58.0	40.5	29.1	56.6	49.0	55.0	35.7	40.4	46.0	44.2
Qwen3-235B-A22B	45.9	36.7	43.5	47.3	36.4	37.7	42.0	70.9	45.5	68.7	46.0	60.0	39.0	29.1	52.0	47.0	56.5	31.7	43.7	41.5	41.7
Qwen3-32B	41.7	37.8	38.7	39.9	32.6	36.1	39.4	67.8	34.5	65.2	42.5	52.0	40.5	27.6	37.8	44.9	47.0	28.1	37.2	42.0	40.2
Qwen3-14B	37.6	37.8	35.5	35.1	30.4	30.4	36.2	60.8	29.0	62.1	34.5	44.5	37.5	23.1	44.9	36.9	43.5	24.6	28.6	36.0	38.7
Qwen3-8B	28.5	28.1	22.6	21.8	28.3	29.3	27.1	52.8	21.0	43.9	29.0	36.0	35.5	18.6	13.3	30.8	37.0	12.6	21.1	22.0	37.7
Qwen3-4B	24.3	27.6	17.7	22.3	25.5	24.1	28.2	42.2	13.0	33.3	20.0	29.5	34.5	16.1	11.7	23.7	27.5	8.5	20.1	20.0	39.2
Qwen3-1.7B	11.2	16.8	5.4	4.8	12.5	9.9	11.7	19.6	7.0	20.7	11.0	9.0	19.5	7.5	5.6	9.6	21.0	0.0	2.5	10.0	19.6
Non-Reasoning Mode																					
Claude Opus 4 (20250514)	50.9	37.8	45.7	50.0	38.0	35.6	47.3	73.9	57.0	82.3	55.0	75.5	43.0	26.6	64.8	47.0	54.0	38.2	46.7	51.5	46.7
Claude Sonnet 4 (20250514)	49.3	35.7	47.3	52.7	38.0	37.7	47.9	72.9	51.0	74.2	51.0	72.0	44.0	30.7	63.8	44.4	51.5	35.2	45.2	45.5	44.2
GPT4.1 (2025-04-14)	48.0	37.2	46.8	48.9	34.8	37.2	36.7	74.4	46.5	76.8	50.0	72.0	43.5	29.2	50.5	42.4	54.0	37.2	44.2	49.5	46.2
GPT4o (2024-11-20)	41.1	35.7	37.1	45.2	34.8	30.9	29.3	65.3	43.5	62.6	36.0	67.0	43.0	26.6	37.2	32.8	43.0	29.6	38.2	45.0	39.2
Gemini2.5 Flash	45.7	39.3	44.1	50.0	33.2	33.0	37.8	68.3	49.5	64.0	47.5	70.0	39.5	24.1	38.3	51.5	53.0	36.2	44.2	46.5	41.2
DeepSeek-V3-0324	48.1	36.7	48.4	52.7	31.5	34.6	37.8	72.9	48.0	75.8	49.0	69.0	42.5	28.1	59.2	45.0	52.5	37.2	46.7	48.0	43.7
DeepSeek-Coder-V2	37.7	29.1	34.9	34.0	27.7	29.8	31.4	63.8	33.5	60.6	37.5	58.5	35.5	25.1	41.8	35.4	45.0	22.6	33.2	38.0	35.7
DeepSeek-Coder-33B-Instruct	28.5	25.0	24.2	29.3	24.5	29.8	22.3	54.8	17.5	67.7	14.5	52.0	29.5	19.1	28.1	18.7	33.0	8.0	24.1	18.0	29.1
DeepSeek-Coder-6.7B-Instruct	20.5	18.9	12.9	19.7	19.6	21.5	16.0	44.2	11.5	47.5	15.5	45.5	21.5	10.6	15.3	13.1	27.5	6.0	11.1	8.0	23.6
Kimi-K2-0711-Preview	47.8	38.8	42.5	47.9	37.5	31.4	40.4	75.9	50.0	80.3	52.0	68.0	41.5	28.1	57.1	40.4	52.5	36.7	42.7	47.0	42.2
Hunyuan-TurboS-20250716	43.8	34.2	34.9	47.9	32.6	34.6	38.3	64.8	44.5	70.7	47.0	62.0	42.0	30.2	45.9	39.9	53.0	30.7	39.2	39.5	42.2
Hunyuan-Coder-7B-Preview	33.4	25.5	26.9	34.0	27.2	21.5	29.3	54.8	36.0	60.1	30.5	57.0	34.0	22.2	37.8	27.3	40.5	11.1	31.2	27.6	31.2
Seed1.6-disabled (250615)	42.9	35.2	40.3	46.8	32.6	34.6	35.1	70.9	42.5	69.7	45.0	62.0	39.5	23.1	49.5	40.4	46.5	28.1	32.7	40.0	42.7
Seed-Coder-8B-Instruct	32.3	23.5	23.7	33.5	28.8	22.5	20.7	54.8	30.5	57.1	33.0	52.5	34.0	25.1	36.7	28.3	35.5	15.6	29.6	28.0	31.2
Qwen3-Coder-480B-A35B-Instruct	44.8	39.4	41.1	51.1	27.9	31.4	41.1	63.0	36.5	73.7	49.5	63.1	41.0	27.2	56.3	42.7	51.5	25.4	42.1	47.5	41.9
Qwen3-235B-A22B-Instruct-2507	43.1	35.7	38.2	49.5	29.3	33.5	40.4	67.3	39.5	59.1	46.0	59.5	44.5	26.1	49.5	44.0	46.5	24.6	37.7	46.0	43.2
Qwen3-32B	31.0	26.5	21.5	29.5	28.0	25.5	24.0	59.3	27.5	52.0	28.0	45.0	34.5	21.6	28.6	22.7	36.5	16.1	26.6	30.0	35.2
Qwen3-14B	28.6	24.5	22.6	32.4	27.2	16.8	23.9	50.8	21.0	42.4	22.5	42.0	34.5	24.6	28.1	26.3	33.5	17.1	20.6	26.5	32.7
Qwen3-8B	23.3	22.4	11.3	25.0	22.8	18.3	22.3	42.2	17.0	41.4	18.5	36.0	29.5	18.1	23.5	16.2	27.0	7.5	19.1	17.5	29.1
Qwen3-1.7B	7.9	8.7	1.1	2.7	8.2	3.7	11.7	9.5	3.5	17.2	6.0	11.5	15.5	7.5	4.6	7.6	14.5	0.5	3.0	6.0	14.6
Qwen2.5-Coder-32B	35.8	29.6	27.4	33.0	29.9	23.0	29.3	58.3	34.5	59.6	35.5	56.0	38.5	26.1	35.7	31.3	40.0	23.1	29.6	39.0	35.2
Qwen2.5-72B	34.3	33.2	24.7	31.9	28.8	19.9	31.9	54.3	34.0	65.7	30.5	50.5	30.0	22.6	39.3	27.3	42.0	23.1	32.7	29.5	33.2
Qwen2.5-Coder-7B	22.5	19.9	8.6	22.3	21.2	12.6	21.3	38.7	18.5	47.0	18.0	39.0	27.5	15.1	24.0	17.7	29.5	7.0	19.1	17.0	24.6
Qwen2.5-Coder-1.5B	10.3	12.2	2.7	4.8	12.0	7.3	14.4	17.6	6.5	35.4	4.0	16.5	15.0	5.0	7.1	7.6	15.5	1.0	4.5	5.0	11.1
OpenCoder-8B	19.3	14.3	9.7	19.1	12.5	17.3	21.3	33.2	15.5	34.3	15.5	30.0	26.5	14.6	15.8	17.2	29.5	6.0	17.1	15.0	21.1

Table 4: Pass@1 (%) performance of different models for AutoCodeBench. *Current Upper Bound* represents the Pass@1 value calculated by taking the union of problems correctly solved by all models.

<https://github.com/Tencent-Hunyuan/AutoCodeBenchmark/tree/main>

...all the tricks

in ~2003: What is a component?

**JAR, Java Bean, OSGI, EJB,
CORBA**

#1 Semantic Compression

Semantic compression

 1 language 

Article [Talk](#)

Read [Edit](#) [View history](#)



From Wikipedia, the free encyclopedia

In [natural language processing](#), **semantic compression** is a process of compacting a lexicon used to build a textual document (or a set of documents) by reducing language heterogeneity, while maintaining text [semantics](#). As a result, the same ideas can be represented using a smaller set of words.

In most applications, semantic compression is a lossy compression. Increased prolixity does not compensate for the lexical compression and an original document cannot be reconstructed in a reverse process.

#2 Exclusive Grounding


Exclusive Grounding

Exclusive grounding is the deliberate restriction of an LLM to an explicitly approved set of knowledge, standards, APIs, and architectural concepts when producing a result

"Use only Java 25 and MicroProfile API; everything outside is out of scope."

"No Variations"-The Trick

LLM grounding 📌



...and WebSphere, Payara, JBoss, WebLogic

#3 Stable LLM Knowledge

Boundary Control Entity (BCE)

BCE

BCE: all code goes in either a boundary, a control, or an entity:

boundaries talk to the outside

controls run the use case

entities hold the data and rules.

Business Components

Business Components partition the work

BCE structures the work inside each partition

BCE reduces reasoning conflicts

Business Components reduce agent conflicts

BCs and Agents

Smaller change surface: an agent touches fewer files and concepts

Fewer merge conflicts: agents are less likely to edit the same classes

Fewer semantic conflicts: responsibilities are less likely to overlap

Clear ownership: one component corresponds naturally to one agent task or work unit

BCs and Agents

Local reasoning: the agent understands one component without loading the whole project

Parallelization: multiple agents implement different components simultaneously

Simpler verification: tests and architectural checks are scoped to the component

Controlled integration points: cross-component interaction becomes explicit rather than accidental

**BCE becomes a concurrency
model for agents**


bce.design

Boundary Control Entity Architecture

Focus on building understandable applications with a strong emphasis on domain logic

Overview

The Boundary-Control-Entity (BCE/ECB) pattern is a software architecture pattern that organizes code into Business Components. A Business Component is a package or namespace comprising three distinct layers, each with specific responsibilities. Business components adhere to the principles of maximal cohesion and minimal coupling, and are named after their domain responsibilities.



<https://bce.design>

airails.dev



airails.dev

Standards-first guardrails for AI coding agents.

SEMANTIC COMPRESSION

Use what the model already knows: standards instead of invention. Fewer tokens, less ambiguity.

+

EXCLUSIVE GROUNDING

Define the allowed solution space, exclude everything else.

= fewer turns · lower inference cost · predictable code

sbce.space · skill.md

- [NEW](#) [sbce ↓](#) [sbce.space](#) [details](#) Spec-driven [BCE/ECB](#)
- [NEW](#) [ears-tests ↓](#) [details](#) Parameterized tests from EARS requirements, stack-neutral

skill.md

LLM-native conventions. See [installation](#).

JAVA

- [java-conventions ↓](#) [details](#) Generic Java 25 code conventions, composable across all Java contexts
- [microprofile-server ↓](#) [details](#) MicroProfile services with BCE architecture
- [java-cli-app ↓](#) [details](#) Java 25 CLI application in source-file mode
- [java-cli-script ↓](#) [details](#) Executable Java 25 script for system-wide use via PATH
- [LABS](#) [concerns ↓](#) [details](#) @Concern marker annotation capturing non-functional responsibilities, scattered between BCs

<https://airails.dev>

sbce.dev

SPEC-DRIVEN BOUNDARY-CONTROL-ENTITY

Your spec lives in your code. Not in a markdown folder.

SBCE (say "space") is spec-driven development where the spec *is* the component's own doc: one `package-info.java`, co-located with the code it governs, rendered as the published contract by `javadoc`. No parallel `specs/` tree. No drift.


Code over markdown.


[See the idea](#)[Get started](#)`/sbce new checkout` → `/sbce apply checkout`

...or start from a feature. It asks, then suggests the BCs:

`/sbce new "let a customer check out a cart"`

<https://sbce.dev>





quality matters

...for humans and machines

explain the "why"

you should be able to explain the architecture to an alien (AI)

"don't make me think"

"no need to know"

locality principle

KISS

YAGNI

 **massive inference cost savings**

airhacks.live

online, live virtual workshops

Continuous coding, interacting and sharing with [Adam Bien](#)

Live, Virtual Online Workshops, Winter 2026:

Building Local and Serverless LLM Agents, 15 December 2026

...the same agent, from laptop to cloud

LLM-Assisted Legacy System Migration to Modern Java, 17 December 2026

...turn legacy Java into maintainable, zero-dependency code

Tickets are also available from: airhacks.eventbrite.com and meetup.com/airhacks

 Prefer in-person, at Munich Airport?

airhacks.university brings hands-on workshops face-to-face. Small group, full day, all of us in one room.

Next: Architect-Grade Java with LLMs, 10 December 2026

by [Adam Bien](#)

airhacks.university

Back to MUC Airport



Real-world workshops
for **Java** developers



— RETURNS TO MUC

Architect-Grade Java with LLMs

*One day of coding, debating and
shipping Java with Adam Bien*

DATE

December 10, 2026

TIME

10:00 — 18:00 CET

LOCATION

Munich Airport

<https://airhacks.university>

Resources

<https://bce.design>

<https://airails.dev>

<https://sbce.dev>

<https://airhacks.industries>

<https://airhacks.live>



Thank YOU!



airhacks.industries