




# Black-bellied Whistling-Duck – 812 surveys 3.7 mean\_obs




# Fulvous Whistling-Duck – 218 surveys 8.5 mean\_obs




# Canada Goose – 12268 surveys 7 mean\_obs




# Mute Swan – 348 surveys 1.4 mean\_obs




# Wood Duck – 9838 surveys 0.5 mean\_obs




# Blue-winged Teal – 5037 surveys 2.6 mean\_obs




# Cinnamon Teal – 2021 surveys 1.5 mean\_obs




# Northern Shoveler – 2700 surveys 2.6 mean\_obs




# Gadwall – 2965 surveys 4.4 mean\_obs




# American Wigeon – 2493 surveys 1.6 mean\_obs




# American Black Duck – 2247 surveys 0.6 mean\_obs




# Mottled Duck – 530 surveys 3.5 mean\_obs




# Northern Pintail – 3190 surveys 2.5 mean\_obs




# Green-winged Teal – 3391 surveys 0.7 mean\_obs




# Canvasback – 1164 surveys 1.4 mean\_obs




# Redhead – 1764 surveys 2.9 mean\_obs




# Ring-necked Duck – 1977 surveys 0.7 mean\_obs




# Lesser Scaup – 1947 surveys 3.6 mean\_obs




# Bufflehead – 955 surveys 1 mean\_obs




# Common Goldeneye – 1220 surveys 0.5 mean\_obs




# Barrow's Goldeneye – 470 surveys 0.7 mean\_obs




# Hooded Merganser – 1761 surveys 0.1 mean\_obs




# Common Merganser – 3678 surveys 0.5 mean\_obs




# Red-breasted Merganser – 440 surveys 1.4 mean\_obs




# Ruddy Duck – 1857 surveys 2.3 mean\_obs




# Mountain Quail – 737 surveys 4.8 mean\_obs




# Northern Bobwhite – 8391 surveys 16.2 mean\_obs




# Scaled Quail – 884 surveys 7.5 mean\_obs




# California Quail – 1847 surveys 8.8 mean\_obs




# Gambel's Quail – 528 surveys 16.4 mean\_obs




# Chukar – 721 surveys 1.7 mean\_obs




# Gray Partridge – 1833 surveys 0.7 mean\_obs




# Ring-necked Pheasant – 7982 surveys 9.2 mean\_obs




# Ruffed Grouse – 4674 surveys 0.4 mean\_obs




# Greater Sage-Grouse – 701 surveys 1.5 mean\_obs




# Dusky Grouse – 354 surveys 0.1 mean\_obs




# Sooty Grouse – 472 surveys 1.2 mean\_obs




# Sharp-tailed Grouse – 1326 surveys 1 mean\_obs




# Greater Prairie-Chicken – 459 surveys 1.7 mean\_obs




# Wild Turkey – 10171 surveys 0.8 mean\_obs




# Pied-billed Grebe – 4499 surveys 0.6 mean\_obs




# Horned Grebe – 671 surveys 0.6 mean\_obs




# Red-necked Grebe – 746 surveys 1.2 mean\_obs




# Eared Grebe – 1289 surveys 5.4 mean\_obs




# Rock Pigeon – 14203 surveys 7.2 mean\_obs




# Band-tailed Pigeon – 1244 surveys 3.6 mean\_obs




# Eurasian Collared–Dove – 7433 surveys 1.8 mean\_obs




# Inca Dove – 966 surveys 1.3 mean\_obs




# Common Ground Dove – 1521 surveys 3.2 mean\_obs




# White-winged Dove – 1514 surveys 9.7 mean\_obs




# Mourning Dove – 17117 surveys 29.7 mean\_obs




# Groove-billed Ani – 142 surveys 0.9 mean\_obs




# Greater Roadrunner – 2113 surveys 0.9 mean\_obs




# Yellow-billed Cuckoo – 9944 surveys 4.1 mean\_obs




# Black-billed Cuckoo – 7217 surveys 0.6 mean\_obs




# Lesser Nighthawk – 836 surveys 3.6 mean\_obs




# Common Nighthawk – 10569 surveys 2.6 mean\_obs




# Common Poorwill – 1563 surveys 0.3 mean\_obs




# Chuck-will's-widow – 3316 surveys 1.6 mean\_obs




# Eastern Whip-poor-will – 3525 surveys 0.5 mean\_obs




# Black Swift – 375 surveys 1.5 mean\_obs




# Chimney Swift – 10635 surveys 7.1 mean\_obs




# Vaux's Swift – 1051 surveys 1 mean\_obs




# White-throated Swift – 1595 surveys 2.7 mean\_obs




# Ruby-throated Hummingbird – 9593 surveys 0.6 mean\_obs




# Black-chinned Hummingbird – 1884 surveys 0.6 mean\_obs




# Anna's Hummingbird – 1070 surveys 1.6 mean\_obs




# Costa's Hummingbird – 394 surveys 1.2 mean\_obs




# Broad-tailed Hummingbird – 1120 surveys 4.4 mean\_obs




# Rufous Hummingbird – 1367 surveys 1.6 mean\_obs




# Allen's Hummingbird – 258 surveys 2 mean\_obs




# Calliope Hummingbird – 856 surveys 0.6 mean\_obs




# Clapper Rail – 312 surveys 1.4 mean\_obs




# King Rail – 316 surveys 0.7 mean\_obs




# Virginia Rail – 1440 surveys 0.1 mean\_obs




# Sora – 4054 surveys 1.3 mean\_obs




# Purple Gallinule – 261 surveys 0.4 mean\_obs




# Common Gallinule – 1070 surveys 1.7 mean\_obs




# American Coot – 4263 surveys 3.9 mean\_obs




# Sandhill Crane – 3288 surveys 2.9 mean\_obs




# Black-necked Stilt – 1344 surveys 4.1 mean\_obs




# American Avocet – 2016 surveys 3 mean\_obs




# Killdeer – 16691 surveys 5.7 mean\_obs




# Mountain Plover – 296 surveys 0.9 mean\_obs




# Upland Sandpiper – 4402 surveys 3 mean\_obs




# Long-billed Curlew – 1979 surveys 2.9 mean\_obs




# Marbled Godwit – 1303 surveys 3 mean\_obs




# American Woodcock – 2175 surveys 0.1 mean\_obs




# Wilson's Snipe – 7170 surveys 3.6 mean\_obs




# Spotted Sandpiper – 7660 surveys 0.6 mean\_obs




# Solitary Sandpiper – 576 surveys 0.5 mean\_obs




# Lesser Yellowlegs – 732 surveys 1.7 mean\_obs




# Willet – 2044 surveys 3.1 mean\_obs




# Greater Yellowlegs – 607 surveys 1.4 mean\_obs




# Wilson's Phalarope – 2354 surveys 1.9 mean\_obs




# Laughing Gull – 923 surveys 34.8 mean\_obs




# Franklin's Gull – 1334 surveys 23.1 mean\_obs




# Ring-billed Gull – 5014 surveys 12.3 mean\_obs




# Western Gull – 111 surveys 19.3 mean\_obs




# California Gull – 1590 surveys 11.7 mean\_obs




# Herring Gull – 2760 surveys 9.4 mean\_obs




# Glaucous-winged Gull – 321 surveys 12.9 mean\_obs




# Great Black-backed Gull – 721 surveys 5.6 mean\_obs




# Least Tern – 620 surveys 3.6 mean\_obs




# Gull-billed Tern – 137 surveys 1.9 mean\_obs




# Caspian Tern – 842 surveys 1 mean\_obs




# Black Tern – 2028 surveys 3.6 mean\_obs




# Common Tern – 1011 surveys 2.1 mean\_obs




# Forster's Tern – 1183 surveys 1.7 mean\_obs




# Royal Tern – 237 surveys 3 mean\_obs




# Black Skimmer – 284 surveys 2 mean\_obs




# Common Loon – 3440 surveys 1.1 mean\_obs




# Wood Stork – 718 surveys 2.4 mean\_obs




# Double-crested Cormorant – 5395 surveys 2.2 mean\_obs




# Pelagic Cormorant – 91 surveys 5.5 mean\_obs




# Anhinga – 1114 surveys 0.8 mean\_obs




# American White Pelican – 1768 surveys 5.5 mean\_obs




# Brown Pelican – 217 surveys 12.3 mean\_obs




# American Bittern – 4257 surveys 0.8 mean\_obs




# Least Bittern – 525 surveys 0.4 mean\_obs




# Great Egret – 4550 surveys 3.8 mean\_obs




# Snowy Egret – 2248 surveys 2.7 mean\_obs




# Little Blue Heron – 2857 surveys 2.9 mean\_obs




# Tricolored Heron – 853 surveys 2.1 mean\_obs




# Cattle Egret – 3550 surveys 23.4 mean\_obs




# Green Heron – 9743 surveys 0.8 mean\_obs




# Black-crowned Night-Heron – 3206 surveys 0.7 mean\_obs




# Yellow-crowned Night-Heron – 1706 surveys 0.7 mean\_obs




# White Ibis – 1377 surveys 15.3 mean\_obs




# Glossy Ibis – 412 surveys 3.2 mean\_obs




# White-faced Ibis – 869 surveys 25.2 mean\_obs




# Roseate Spoonbill – 338 surveys 2.8 mean\_obs




# Black Vulture – 4456 surveys 3.1 mean\_obs




# Turkey Vulture – 14180 surveys 3.7 mean\_obs




# Osprey – 4726 surveys 0.6 mean\_obs




# White-tailed Kite – 651 surveys 0.4 mean\_obs




# Swallow-tailed Kite – 611 surveys 0.6 mean\_obs




# Golden Eagle – 3033 surveys 0.3 mean\_obs




# Northern Harrier – 8108 surveys 0.6 mean\_obs




# Sharp-shinned Hawk – 5149 surveys 0.1 mean\_obs




# Cooper's Hawk – 9174 surveys 0.1 mean\_obs




# Northern Goshawk – 1393 surveys 0.1 mean\_obs




# Bald Eagle – 4495 surveys 0.5 mean\_obs




# Mississippi Kite – 2193 surveys 0.9 mean\_obs




# Harris's Hawk – 347 surveys 1.5 mean\_obs




# Red-shouldered Hawk – 7133 surveys 0.8 mean\_obs




# Broad-winged Hawk – 6203 surveys 0.2 mean\_obs




# Swainson's Hawk – 4888 surveys 1.3 mean\_obs




# Ferruginous Hawk – 2123 surveys 0.5 mean\_obs




# Barn Owl – 649 surveys 0.1 mean\_obs




# Western Screech-Owl – 273 surveys 0.1 mean\_obs




# Eastern Screech–Owl – 2403 surveys 0.1 mean\_obs




# Great Horned Owl – 11779 surveys 0.3 mean\_obs




# Northern Pygmy–Owl – 815 surveys 0.1 mean\_obs




# Burrowing Owl – 2677 surveys 1 mean\_obs




# Barred Owl – 6688 surveys 0.3 mean\_obs




# Short-eared Owl – 1764 surveys 0.4 mean\_obs




# Belted Kingfisher – 12852 surveys 0.4 mean\_obs




# Lewis's Woodpecker – 797 surveys 0.5 mean\_obs




# Red-headed Woodpecker – 8054 surveys 1.8 mean\_obs




# Acorn Woodpecker – 879 surveys 14.2 mean\_obs




# Gila Woodpecker – 173 surveys 11.3 mean\_obs




# Golden-fronted Woodpecker – 496 surveys 8.8 mean\_obs




# Red-bellied Woodpecker – 8685 surveys 7.1 mean\_obs




# Williamson's Sapsucker – 711 surveys 0.7 mean\_obs




# Yellow-bellied Sapsucker – 4036 surveys 2.7 mean\_obs




# Red-naped Sapsucker – 1344 surveys 1.4 mean\_obs




# Red-breasted Sapsucker – 1085 surveys 2.1 mean\_obs




# American Three-toed Woodpecker – 751 surveys 0.4 mean\_obs




# Black-backed Woodpecker – 1070 surveys 0.2 mean\_obs




# Downy Woodpecker – 14093 surveys 1.8 mean\_obs




# Nuttall's Woodpecker – 576 surveys 3.3 mean\_obs




# Ladder-backed Woodpecker – 1350 surveys 1.7 mean\_obs




# Red-cockaded Woodpecker – 271 surveys 0.4 mean\_obs




# Hairy Woodpecker – 13581 surveys 0.7 mean\_obs




# White-headed Woodpecker – 479 surveys 1.1 mean\_obs




# Gilded Flicker – 139 surveys 4.4 mean\_obs




# Pileated Woodpecker – 10479 surveys 1.3 mean\_obs




# Crested Caracara – 634 surveys 1.7 mean\_obs




American Kestrel – 14617 surveys 0.9 mean\_obs




# Merlin – 2438 surveys 0.1 mean\_obs




# Peregrine Falcon – 614 surveys 0.1 mean\_obs




# Prairie Falcon – 2557 surveys 0.2 mean\_obs




# Ash-throated Flycatcher – 3014 surveys 7.6 mean\_obs




# Great Crested Flycatcher – 10804 surveys 4.3 mean\_obs




# Brown-crested Flycatcher – 406 surveys 6.9 mean\_obs




# Couch's Kingbird – 222 surveys 2.4 mean\_obs




# Cassin's Kingbird – 1104 surveys 4 mean\_obs




# Western Kingbird – 6707 surveys 8 mean\_obs




# Eastern Kingbird – 13757 surveys 4.5 mean\_obs




# Scissor-tailed Flycatcher – 1992 surveys 12.4 mean\_obs




# Olive-sided Flycatcher – 4985 surveys 1.6 mean\_obs




# Western Wood-Pewee – 5087 surveys 5.3 mean\_obs




# Eastern Wood-Pewee – 10181 surveys 3.9 mean\_obs




# Yellow-bellied Flycatcher – 1971 surveys 2.5 mean\_obs




# Acadian Flycatcher – 5415 surveys 2.3 mean\_obs




# Least Flycatcher – 6893 surveys 3.9 mean\_obs




# Hammond's Flycatcher – 1866 surveys 3.8 mean\_obs




# Gray Flycatcher – 1082 surveys 2.8 mean\_obs




# Dusky Flycatcher – 2262 surveys 4.1 mean\_obs




# Black Phoebe – 1175 surveys 1.7 mean\_obs




# Eastern Phoebe – 10351 surveys 3.1 mean\_obs




# Say's Phoebe – 4424 surveys 1.3 mean\_obs




# Vermilion Flycatcher – 524 surveys 1.1 mean\_obs




# Loggerhead Shrike – 8741 surveys 1.8 mean\_obs




# White-eyed Vireo – 6101 surveys 6 mean\_obs




# Bell's Vireo – 2521 surveys 1.9 mean\_obs




# Gray Vireo – 381 surveys 1.5 mean\_obs




# Hutton's Vireo – 905 surveys 1.7 mean\_obs




# Yellow-throated Vireo – 7876 surveys 1.2 mean\_obs




# Cassin's Vireo – 1671 surveys 3.3 mean\_obs




# Blue-headed Vireo – 4178 surveys 2 mean\_obs




# Plumbeous Vireo – 1031 surveys 2.8 mean\_obs




# Philadelphia Vireo – 1454 surveys 1 mean\_obs




# Warbling Vireo – 11301 surveys 4.5 mean\_obs




# Red-eyed Vireo – 12448 surveys 13.5 mean\_obs




# Canada Jay – 2924 surveys 2.4 mean\_obs




# Green Jay – 156 surveys 1.1 mean\_obs




# Pinyon Jay – 1154 surveys 7.5 mean\_obs




# Steller's Jay – 2395 surveys 6.8 mean\_obs




# Blue Jay – 12134 surveys 11.6 mean\_obs




# Clark's Nutcracker – 1522 surveys 2 mean\_obs




# Black-billed Magpie – 4332 surveys 8.6 mean\_obs




# Yellow-billed Magpie – 229 surveys 17.9 mean\_obs




# American Crow – 16086 surveys 26.5 mean\_obs




# Northwestern Crow – 232 surveys 23.5 mean\_obs




# Fish Crow – 3751 surveys 4.4 mean\_obs




# Chihuahuan Raven – 772 surveys 5.3 mean\_obs




# Common Raven – 9972 surveys 5.7 mean\_obs




# Horned Lark – 10863 surveys 22.8 mean\_obs




# Bank Swallow – 8221 surveys 4 mean\_obs




# Tree Swallow – 12633 surveys 5 mean\_obs




# Violet-green Swallow – 3985 surveys 6.6 mean\_obs




# Northern Rough-winged Swallow – 13643 surveys 1.9 mean\_obs




# Purple Martin – 9893 surveys 6.5 mean\_obs




# Barn Swallow – 16900 surveys 14.5 mean\_obs




# Cliff Swallow – 12920 surveys 23 mean\_obs




# Cave Swallow – 582 surveys 12.6 mean\_obs




# Carolina Chickadee – 5405 surveys 7.3 mean\_obs




# Black-capped Chickadee – 9276 surveys 5.6 mean\_obs




# Mountain Chickadee – 2128 surveys 7.6 mean\_obs




# Chestnut-backed Chickadee – 950 surveys 7.7 mean\_obs




# Boreal Chickadee – 1724 surveys 1.1 mean\_obs




# Oak Titmouse – 689 surveys 9.1 mean\_obs




# Juniper Titmouse – 685 surveys 1.4 mean\_obs




# Tufted Titmouse – 8044 surveys 10.1 mean\_obs




## Black-crested Titmouse – 487 surveys 5.7 mean\_obs




# Verdin – 826 surveys 6.1 mean\_obs




# Bushtit – 1945 surveys 3.3 mean\_obs




# Red-breasted Nuthatch – 6493 surveys 3.2 mean\_obs




# White-breasted Nuthatch – 10902 surveys 1.9 mean\_obs




# Pygmy Nuthatch – 900 surveys 3.4 mean\_obs




# Brown-headed Nuthatch – 2024 surveys 2.2 mean\_obs




# Brown Creeper – 4512 surveys 0.7 mean\_obs




# Rock Wren – 3844 surveys 2.6 mean\_obs




# Canyon Wren – 1504 surveys 0.6 mean\_obs




# House Wren – 12104 surveys 7 mean\_obs




# Pacific Wren – 1221 surveys 7.5 mean\_obs




# Winter Wren – 3158 surveys 3.7 mean\_obs




# Sedge Wren – 2693 surveys 2 mean\_obs




# Marsh Wren – 3170 surveys 2.1 mean\_obs




# Carolina Wren – 7312 surveys 12.2 mean\_obs




# Bewick's Wren – 4041 surveys 4.1 mean\_obs




# Cactus Wren – 1033 surveys 9.7 mean\_obs




# Blue-gray Gnatcatcher – 9059 surveys 3.4 mean\_obs




# Black-tailed Gnatcatcher – 468 surveys 3.7 mean\_obs




# American Dipper – 907 surveys 0.3 mean\_obs




# Golden-crowned Kinglet – 4110 surveys 2.5 mean\_obs




# Ruby-crowned Kinglet – 4701 surveys 6.9 mean\_obs




# Wrentit – 718 surveys 8.9 mean\_obs




# Eastern Bluebird – 10540 surveys 4.7 mean\_obs




# Western Bluebird – 1912 surveys 2.9 mean\_obs




# Mountain Bluebird – 3318 surveys 3.5 mean\_obs




# Townsend's Solitaire – 2060 surveys 1.2 mean\_obs




# Veery – 5378 surveys 6.6 mean\_obs




# Swainson's Thrush – 4913 surveys 14.4 mean\_obs




# Hermit Thrush – 6306 surveys 7 mean\_obs




# Wood Thrush – 8590 surveys 6.8 mean\_obs




# American Robin – 16500 surveys 34 mean\_obs




# Varied Thrush – 1391 surveys 10.8 mean\_obs




# Gray Catbird – 11830 surveys 5.6 mean\_obs




# Curve-billed Thrasher – 998 surveys 2.5 mean\_obs




# Brown Thrasher – 11346 surveys 3.7 mean\_obs




# Long-billed Thrasher – 192 surveys 1.3 mean\_obs




# Bendire's Thrasher – 295 surveys 0.8 mean\_obs




# California Thrasher – 469 surveys 2.7 mean\_obs




# LeConte's Thrasher – 204 surveys 1.6 mean\_obs




# Crissal Thrasher – 343 surveys 0.5 mean\_obs




# Sage Thrasher – 1852 surveys 11.6 mean\_obs




# Northern Mockingbird – 11120 surveys 18.7 mean\_obs




# European Starling – 16738 surveys 40.7 mean\_obs




# Cedar Waxwing – 10710 surveys 5.8 mean\_obs




# Phainopepla – 787 surveys 2.6 mean\_obs




# House Sparrow – 15505 surveys 34.9 mean\_obs




# Eurasian Tree Sparrow – 211 surveys 1.3 mean\_obs




# Sprague's Pipit – 922 surveys 2.8 mean\_obs




# Evening Grosbeak – 3674 surveys 2.9 mean\_obs




# Pine Grosbeak – 1224 surveys 0.9 mean\_obs




# House Finch – 12954 surveys 7 mean\_obs




# Purple Finch – 5372 surveys 2.2 mean\_obs




# Cassin's Finch – 1785 surveys 3.3 mean\_obs




# Red Crossbill – 3253 surveys 3.6 mean\_obs




# White-winged Crossbill – 1788 surveys 3.8 mean\_obs




# Pine Siskin – 5484 surveys 5.4 mean\_obs




# Lesser Goldfinch – 2510 surveys 4.3 mean\_obs




# Lawrence's Goldfinch – 412 surveys 2.1 mean\_obs




# American Goldfinch – 13422 surveys 8.6 mean\_obs




# Chestnut-collared Longspur – 960 surveys 14.2 mean\_obs




# McCown's Longspur – 499 surveys 5.9 mean\_obs




# Cassin's Sparrow – 1564 surveys 17.9 mean\_obs




# Bachman's Sparrow – 1104 surveys 1.5 mean\_obs




# Grasshopper Sparrow – 9474 surveys 4.2 mean\_obs




# Olive Sparrow – 188 surveys 6.3 mean\_obs




# Black-throated Sparrow – 1746 surveys 15.3 mean\_obs




# Lark Sparrow – 7187 surveys 5.4 mean\_obs




# Lark Bunting – 2385 surveys 37.5 mean\_obs




# Chipping Sparrow – 15010 surveys 10.9 mean\_obs




# Clay-colored Sparrow – 3163 surveys 11.2 mean\_obs




# Black-chinned Sparrow – 344 surveys 3.3 mean\_obs




# Field Sparrow – 9425 surveys 6.3 mean\_obs




# Brewer's Sparrow – 2763 surveys 12.5 mean\_obs




# Fox Sparrow – 2242 surveys 7.9 mean\_obs




# White-crowned Sparrow – 2415 surveys 9.4 mean\_obs




# White-throated Sparrow – 3810 surveys 20.1 mean\_obs




# Vesper Sparrow – 9060 surveys 8.8 mean\_obs




# LeConte's Sparrow – 1298 surveys 1.7 mean\_obs




# Seaside Sparrow – 119 surveys 4.7 mean\_obs




# Nelson's Sparrow – 713 surveys 0.4 mean\_obs




# Baird's Sparrow – 869 surveys 3 mean\_obs




# Henslow's Sparrow – 1566 surveys 0.3 mean\_obs




# Savannah Sparrow – 9529 surveys 10.5 mean\_obs




# Song Sparrow – 13096 surveys 16.3 mean\_obs




# Lincoln's Sparrow – 3509 surveys 4.3 mean\_obs




# Swamp Sparrow – 4909 surveys 2.1 mean\_obs




# Canyon Towhee – 755 surveys 2.8 mean\_obs




# Abert's Towhee – 147 surveys 2.9 mean\_obs




# California Towhee – 689 surveys 11.4 mean\_obs




# Rufous-crowned Sparrow – 828 surveys 2 mean\_obs




# Green-tailed Towhee – 1783 surveys 6.7 mean\_obs




# Spotted Towhee – 4019 surveys 8 mean\_obs




# Eastern Towhee – 8521 surveys 9.4 mean\_obs




# Yellow-breasted Chat – 8370 surveys 5.6 mean\_obs




# Yellow-headed Blackbird – 4258 surveys 11.9 mean\_obs




# Bobolink – 6543 surveys 8.5 mean\_obs




# Eastern Meadowlark – 10463 surveys 16.7 mean\_obs




# Western Meadowlark – 8457 surveys 46.6 mean\_obs




# Orchard Oriole – 8911 surveys 3 mean\_obs




# Hooded Oriole – 667 surveys 0.8 mean\_obs




# Bullock's Oriole – 4690 surveys 3.1 mean\_obs




# Baltimore Oriole – 9236 surveys 3.9 mean\_obs




# Scott's Oriole – 896 surveys 2.4 mean\_obs




# Red-winged Blackbird – 17137 surveys 59.5 mean\_obs




# Tricolored Blackbird – 407 surveys 38.7 mean\_obs




# Bronzed Cowbird – 570 surveys 4.3 mean\_obs




# Brown-headed Cowbird – 17281 surveys 12.7 mean\_obs




# Rusty Blackbird – 1127 surveys 0.5 mean\_obs




# Brewer's Blackbird – 6346 surveys 22.7 mean\_obs




# Common Grackle – 13644 surveys 39 mean\_obs




# Boat-tailed Grackle – 823 surveys 19.1 mean\_obs




# Great-tailed Grackle – 2376 surveys 16.6 mean\_obs




# Ovenbird – 7516 surveys 9.9 mean\_obs




# Worm-eating Warbler – 2548 surveys 0.6 mean\_obs




# Louisiana Waterthrush – 4078 surveys 0.5 mean\_obs




# Northern Waterthrush – 4296 surveys 2.5 mean\_obs




# Golden-winged Warbler – 1711 surveys 0.6 mean\_obs




# Blue-winged Warbler – 2923 surveys 0.8 mean\_obs




# Black-and-white Warbler – 6846 surveys 2.2 mean\_obs




# Prothonotary Warbler – 3123 surveys 1.5 mean\_obs




# Swainson's Warbler – 1195 surveys 0.3 mean\_obs




# Tennessee Warbler – 2329 surveys 4.7 mean\_obs




# Orange-crowned Warbler – 3199 surveys 6.5 mean\_obs




# Lucy's Warbler – 242 surveys 10.8 mean\_obs




# Nashville Warbler – 4175 surveys 6.2 mean\_obs




# Virginia's Warbler – 470 surveys 3.1 mean\_obs




# Connecticut Warbler – 800 surveys 0.9 mean\_obs




# MacGillivray's Warbler – 2359 surveys 4.2 mean\_obs




# Mourning Warbler – 3275 surveys 3.2 mean\_obs




# Kentucky Warbler – 4322 surveys 1.4 mean\_obs




# Common Yellowthroat – 15305 surveys 9.7 mean\_obs




# Hooded Warbler – 3969 surveys 2.4 mean\_obs




# American Redstart – 8275 surveys 4 mean\_obs




# Cape May Warbler – 1704 surveys 0.7 mean\_obs




# Cerulean Warbler – 1663 surveys 0.7 mean\_obs




# Northern Parula – 6899 surveys 2.8 mean\_obs




# Magnolia Warbler – 3390 surveys 5.6 mean\_obs




# Bay-breasted Warbler – 1357 surveys 1.3 mean\_obs




# Blackburnian Warbler – 2922 surveys 1.9 mean\_obs




# Yellow Warbler – 13856 surveys 6 mean\_obs




# Chestnut-sided Warbler – 4340 surveys 6.5 mean\_obs




# Blackpoll Warbler – 1261 surveys 3.6 mean\_obs




# Black-throated Blue Warbler – 2560 surveys 1.4 mean\_obs




# Palm Warbler – 953 surveys 1.1 mean\_obs




# Pine Warbler – 5836 surveys 5.1 mean\_obs




# Yellow-throated Warbler – 3664 surveys 1.1 mean\_obs




# Prairie Warbler – 4746 surveys 2 mean\_obs




# Grace's Warbler – 240 surveys 5 mean\_obs




# Black-throated Gray Warbler – 1491 surveys 3.5 mean\_obs




# Townsend's Warbler – 1171 surveys 7.2 mean\_obs




# Hermit Warbler – 603 surveys 8 mean\_obs




# Black-throated Green Warbler – 3816 surveys 3.3 mean\_obs




# Canada Warbler – 2839 surveys 1 mean\_obs




# Wilson's Warbler – 4140 surveys 4 mean\_obs




# Hepatic Tanager – 167 surveys 1.6 mean\_obs




# Summer Tanager – 5226 surveys 3.8 mean\_obs




# Scarlet Tanager – 7154 surveys 2.6 mean\_obs




# Western Tanager – 3630 surveys 7.5 mean\_obs




# Northern Cardinal – 10182 surveys 26.3 mean\_obs




# Pyrrhuloxia – 607 surveys 13.1 mean\_obs




# Rose-breasted Grosbeak – 6805 surveys 3.1 mean\_obs




# Black-headed Grosbeak – 3928 surveys 4.7 mean\_obs




# Blue Grosbeak – 7451 surveys 4.1 mean\_obs




# Lazuli Bunting – 3147 surveys 2.7 mean\_obs



# Indigo Bunting – 10359 surveys 15.5 mean\_obs



# Painted Bunting – 2142 surveys 8.5 mean\_obs



# Dickcissel – 5876 surveys 17.8 mean\_obs

