




Figure S1. Indicator of mean species percent population change for Waterfowl (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 17 species with Canadian populations that have increased (moderate or large increase, in blue), 12 species that have shown little change (in light green), and 8 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S2. Indicator of mean species percent population change for Geese and Swans (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 7 species with Canadian populations that have increased (moderate or large increase, in blue), 1 species that have shown little change (in light green), and species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S3. Indicator of mean species percent population change for Sea Ducks (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 2 species with Canadian populations that have increased (moderate or large increase, in blue), 5 species that have shown little change (in light green), and 4 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S4. Indicator of mean species percent population change for Freshwater Ducks (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 8 species with Canadian populations that have increased (moderate or large increase, in blue), 6 species that have shown little change (in light green), and 4 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S5. Indicator of mean species percent population change for Marine Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 18 species with Canadian populations that have increased (moderate or large increase, in blue), 15 species that have shown little change (in light green), and 22 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S6. Indicator of mean species percent population change for Shorebirds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 6 species with Canadian populations that have increased (moderate or large increase, in blue), 6 species that have shown little change (in light green), and 26 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S7. Indicator of mean species percent population change for Wetland Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 24 species with Canadian populations that have increased (moderate or large increase, in blue), 19 species that have shown little change (in light green), and 16 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.






Figure S8. Indicator of mean species percent population change for Wetland Waterfowl (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 11 species with Canadian populations that have increased (moderate or large increase, in blue), 6 species that have shown little change (in light green), and 3 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.






Figure S9. Indicator of mean species percent population change for Other Wetland Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 14 species with Canadian populations that have increased (moderate or large increase, in blue), 14 species that have shown little change (in light green), and 13 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S10. Indicator of mean species percent population change for Birds of Prey (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 17 species with Canadian populations that have increased (moderate or large increase, in blue), 7 species that have shown little change (in light green), and 8 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S11. Indicator of mean species percent population change for Diurnal Birds of Prey (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line) This indicator includes 11 species with Canadian populations that have increased (moderate or large increase, in blue), 5 species that have shown little change (in light green), and 3 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S12. Indicator of mean species percent population change for Owls (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 6 species with Canadian populations that have increased (moderate or large increase, in blue), 2 species that have shown little change (in light green), and 5 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S13. Indicator of mean species percent population change for Forest Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 38 species with Canadian populations that have increased (moderate or large increase, in blue), 36 species that have shown little change (in light green), and 36 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S15. Indicator of mean species percent population change for Forest Birds Spending the Winter in Canada (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line) This indicator includes 16 species with Canadian populations that have increased (moderate or large increase, in blue), 12 species that have shown little change (in light green), and 9 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.






Figure S16. Indicator of mean species percent population change for Grassland Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 4 species with Canadian populations that have increased (moderate or large increase, in blue), 5 species that have shown little change (in light green), and 20 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.






Figure S17. Indicator of mean species percent population change for Native Grassland Specialists (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line) This indicator includes species with Canadian populations that have increased (moderate or large increase, in blue), 1 species that have shown little change (in light green), and 5 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S18. Indicator of mean species percent population change for Grassland Birds Present in Agricultural Landscapes (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line) This indicator includes 4 species with Canadian populations that have increased (moderate or large increase, in blue), 4 species that have shown little change (in light green), and 13 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S19. Indicator of mean species percent population change for Aerial Insectivores (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 6 species with Canadian populations that have increased (moderate or large increase, in blue), 3 species that have shown little change (in light green), and 19 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S20. Indicator of mean species percent population change for Swifts, swallows, and nightjars (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line) This indicator includes 2 species with Canadian populations that have increased (moderate or large increase, in blue), 1 species that have shown little change (in light green), and 10 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S21. Indicator of mean species percent population change for Flycatchers (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 4 species with Canadian populations that have increased (moderate or large increase, in blue), 2 species that have shown little change (in light green), and 9 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S22. Indicator of mean species percent population change for Arctic Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 11 species with Canadian populations that have increased (moderate or large increase, in blue), 10 species that have shown little change (in light green), and 25 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S23. Indicator of mean species percent population change for Arctic Geese and Swans (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 5 species with Canadian populations that have increased (moderate or large increase, in blue), 1 species that have shown little change (in light green), and species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.






Figure S24. Indicator of mean species percent population change for Other Arctic Birds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 6 species with Canadian populations that have increased (moderate or large increase, in blue), 6 species that have shown little change (in light green), and 8 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S25. Indicator of mean species percent population change for Arctic Shorebirds (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes species with Canadian populations that have increased (moderate or large increase, in blue), 3 species that have shown little change (in light green), and 17 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S26. Indicator of mean species percent population change for Long-Distance Migrants (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 21 species with Canadian populations that have increased (moderate or large increase, in blue), 22 species that have shown little change (in light green), and 45 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S27. Indicator of mean species percent population change for Short-Distance Migrants (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line) This indicator includes 54 species with Canadian populations that have increased (moderate or large increase, in blue), 43 species that have shown little change (in light green), and 81 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.




Figure S28. Indicator of mean species percent population change for Residents (black line with grey ribbon showing 95% CI of the mean), with coloured lines reflecting the approximate contribution each species makes to the indicator. These coloured lines are the cumulative annual percent change values of each species included in the indicator, and the transparency of each line shows the mean uncertainty of the estimates of the species' annual rates of population change (i.e., more transparent lines represent species with greater uncertainty in their annual status, and therefore lower weight in the estimation of the mean indicator line). This indicator includes 15 species with Canadian populations that have increased (moderate or large increase, in blue), 10 species that have shown little change (in light green), and 11 species that have decreased (moderate or large decrease, in red) over the long-term. Note: the colours representing each species population status categories are based on the species' status assessment in the published species account of The State of Canada's Birds and may differ from the change value at the end-point of the species' lines in the plot, which includes the precision-weighted smoothing in the first-stage of the analysis.