

2nd Explosive Ordnance Disposal Company

Ordnance Training Aids Library







Excel Formatting Demonstration

Cells that are filled from the form when it is completed

Helper column to find the last entry

Serial Number	Section	Nomenclature	Date	Location	RUC	fear	Count	Numbe.	CONCAT	Blank
M21310_24_059	Charlie		20240514	Inerting Range	M21310	24	59	059	M21310_24_059	Last
M21310_24_060	Charlie		20240514	Inerting Range	M21310	24	60	060	M21310_24_060	Last
M21310_24_061	Charlie		20240514	Inerting Range	M21310	24	61	061	M21310_24_061	Last
M21310_24_062	Charlie		20240514	Inerting Range	M21310	24	62	062	M21310_24_062	Last
M21310_24_063	Alpha		20240514	NHHC Portsmith	M21310	24	63	063	M21310_24_063	Last
M21310_24_064	Alpha		20240514	NHHC Portsmith	M21310	24	64	064	M21310_24_064	Last
M21310_24_065	Alpha		20240514	NHHC Portsmith	M21310	24	65	065	M21310_24_069	Last
M21310_24_066	Alpha		20240514	NHHC Portsmith	M21310	24	66	066	M21310_24_066	Last
M21310_24_067			20240514		M21310	24	67	067	M21310_24_067	Last
M21310_24_068	CLB-8		20240806	Inerting Range	M21310	24	68	068	M21310_24_068	Last
M21310_24_069					M21310	0	1	001	M21310_0_001	Last
M21310 0 002					M21310	0	1	001	M21310 0 001	

Cells are highlighted that will be filled in from the form link

Formatting the overall number

Concatenate the text for serial number

Logic:

- User fills out form from landing page
- Form auto populates nomenclature and date
- Date is formatted into military format of YYYYMMDD
- Helper column logic places "Last" to generate a new number
- Year is generated from the date on the online form

Hidden Helper Columns

Serial Number	Section	Nomenclature	Date	Location
M21310_24_059	Charlie		20240514	Inerting Range
M21310_24_060	Charlie		20240514	Inerting Range
M21310_24_061	Charlie		20240514	Inerting Range
M21310_24_062	Charlie		20240514	Inerting Range
M21310_24_063	Alpha		20240514	NHHC Portsmith
M21310_24_064	Alpha		20240514	NHHC Portsmith
M21310_24_065	Alpha		20240514	NHHC Portsmith
M21310_24_066	Alpha		20240514	NHHC Portsmith
M21310_24_067			20240514	
M21310_24_068	CLB-8		20240806	Inerting Range
M21310 24 069				

