


Quickstart guide



Index

1) Specification.....	1
2) Installation.....	2
3) Software content.....	3
4) Colocalization.....	4
5) Batch processor.....	5
6) License.....	6

Specification

Colocalization Colormap requires an ImageJ version that includes java compiler (version 1.6 or later). It comes as a Colocalization_Colormap_.java file containing the following files:

- 1) Colocalization_.class
- 2) Colocalization_batch_processor_.class
- 3) Generate_color_bar_.class
- 4) Help_and_documentation_class

Colocalization Colormap operates on both 8-bit and 16-bit single plane images or stacks.

Colocalization Colormap requires either user-defined threshold value for ROI specification or executes isodata clustering algorithm for automatic thresholding.

The plugin utilizes 'jet' colormap to display map of nMDP values.

The program code with detailed description can be found at the GitHub repository under the following link:

<https://github.com/AdamGorlewicz/Colocalization-colormap>


or at the plugin dedicated website:

<https://sites.google.com/site/colocalizationcolormap>

Instalation

To use the plugin:

- 1) Download Colocalization_Colormap.jar.
- 2) Copy .jar file into the ImageJ plugin folder.
- 3) Run ImageJ.
- 4) Open 'Plugins' menu.
- 5) Open 'Colocalization Colormap' submenu.



Software content

The plugin contains five executable options:

1) Colocalization.

Use it to compute colocalization between two images.

2) Colocalization batch processor

Performs colocalization of multiple pairs of images.

3) Generate colorbar


Creates a color scale bar for NMDPs distribution heatmap

4) Help and documentation

Opens GitHub website containing Colocalization Colormap repository.



5) Plugin website

Opens plugin dedicated website



How to perform colocalization?

- 1) Select input images ('Channel 1' and 'Channel 2') from the list of open images.
- 2) Check 'Autothreshold' option. Alternatively specify your own threshold values.



3) Check 'Save nMDPs' option if you wish to save all calculated nMDP values as text file.

4) Press 'OK'



5) Progress of the process will be reported in log window.

6) If 'Save nMDPs' was checked, at the end of the process you will be asked to specify save location for nMDPs containing text file.

Batch processor

1) You will be asked to specify two input folder and the output folder. Thus, prepare your data first.


Create two separate folders containing 8-bit or 16-bit greyscale images. Colocalization Colormap will colocalize the first file from the first folder with the first file from the second folder, then the second file from the first folder with the second file from the second folder...so make sure that they match.



2) Check 'Autothreshold' option. Alternatively specify your own threshold values.

3) Press 'OK'

4) Progress of the process will be reported in log window.



Licence



This plugin is free software: you can redistribute it and/or modify it under the terms of the General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details. You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.