natUIve framework

Element	Code	Options

Grid	`<div class="row">`
	
	    `<div> … </div>`
	    `…`
	
	`</div>`
		• Columns: just a `div`, `.column3`, `.column23`, `.column34` etc.
		• `.contain` constrains to standard page width
		• Columns have equal width automatically. If a column gets explicit width, the others divide the rest equally among themselves.
		• `.row.wrap` wraps columns on multiple lines
		• `.row.half` for 2-column row on mobile
		• `.row.border` for column borders

Mobile/Desktop Content	`<div class="narrow-screen">`
	    `…`
	`</div>`
	
	`<div class="wide-screen">`
	    `…`
	`</div>`	

natUIve framework

Element	Code	Options

Structure	```<div id="head">```
	`    …`
	`</div>`
	
	`<div id="content">`
	
	`    <div class="banner">`
	
	`    </div>`
	
	`    <div class="contain">`
	`            …`
	`    </div>`
	`    …`
	
	`</div>`
	
	`<div id="footer">`
	`    …`
	`</div>`
		Because some styles are different in the head.

Modal Window	`<a href="page.html#container" class="modal">`
	
	`    Open in modal window`
	
	`</a>`
		• `#container` is recommended to avoid HTML head parts
		• `modalWindow("HTML")` shows the HTML code in a modal window.

Slider	`<div class="slider" data-autoslide="5">`
	
	`    <div> … </div>`
	`    …`
	
	`</div>`
		• `.thumbnail` inside slides makes thumbnail navigation instead of numbered one.
		• `data-autoslide="5"` slides to next slide after a 5" delay
		• Create sliders dynamically with `makeSlider(el)`

natUIve framework

Element	Code	Options

Tooltip	``````
	
	 ``` Hover for a tip```
	 ``` Info ```
	 ``` …```
	
	 ``````	

Accordion	```<div class="accordion">```
	
	 ``` <label class="trigger" for="unique-id">```
	 ``` <input type="checkbox" class="trigger" id="unique-id">```
	
	 ``` <div> … </div>```
	
	 ```</div>```
		• Embedded accordions supported

Buttons	``` Call to Action ```	• .big, .yellow, .blue

natUIve framework

Element	Code	Options
Forms	<pre><code><form>

    <label>
         Description
        <input> // <textarea></textarea>
    </label>

    <div class="checkbox">
         Description
        <label>
            <input type="checkbox"> <b class="checkbox"> Specific description
        </label>
        …

    <label>

         Select Description

            <select> … </select>

    </label>
  …
    <input type="submit">

</form></code></pre> | • Description with Tooltip: Description
• <label class="mandatory">
• <form class="flat"> |
| **Lightbox** | <pre><code><div class="lightbox">

     Click for Image 1
     <img src="thumbnail.png" alt="Thumbnail">
    …

</div></code></pre> | When clicked, a `.lightbox` child link to image forms a common slider gallery with its siblings. |
| **Quote** | <pre><code><p class="quote">
    …
</p></code></pre> | |