natUIve framework

Element	Code	Options

Grid	`<div class="row">`
	
	    `<div> … </div>`
	    `…`
	
	`</div>`
		• Columns: just a `div`, `.column3`, `.column23`, `.column34` etc.
		• `.contain` constrains to standard page width
		• Columns have equal width automatically. If a column gets explicit width, the others divide the rest equally among themselves.

Mobile/Desktop Content	`<div class="narrow-screen">`
	    `…`
	`</div>`
	
	`<div class="wide-screen">`
	    `…`
	`</div>`	

Slider	`<div class="slider">`
	
	    `<div> … </div>`
	    `…`
	
	`</div>`
		• `.thumbnail` inside slides makes thumbnail navigation instead of numbered one.
		• Create sliders dynamically with `makeSlider(el)`

Banner Area	`<div class="banner">`
	
	    `<div class="contain">`
	      `…`
	    `</div>`
	
	`</div>`
		Because of differences in \<h1> colour etc.

Main Area	`<div id="main" class="contain">`
	
	    `…`
	
	`</div>`
		Because list styles etc are different than the head.

Element	Code	Options

Modal Window	``````
	
	``` Open in modal window```
	
	``````
		• `#container` is recommended to avoid HTML head parts

Tooltip	``````
	
	``` Info ```
	``` …```
	
	``````	

Accordion	```<div class="accordion">```
	
	``` <h3> Accordion Title </h3>```
	``` <div> … </div>```
	
	```</div>```
		• Embedded accordions supported

Buttons	``` Call to Action ```	• `.big, .yellow, .blue`

Forms	```<form>```
	
	``` <label>```
	``` Description ```
	``` <input>```
	``` </label>```
	
	``` <label>```
	
	``` Select Description ```
	``` ```
	``` <select> … </select>```
	``` ```
	
	``` </label>```
	``` …```
	``` <input type="submit">```
	
	```</form>```
		• Description with Tooltip: `<span class="tool">Description <span class="tip"> </span>`

Element	Code	Options

Lightbox	`<a href="1.png" class="lightbox"> 1 </a>`
	`<a href="2.png" class="lightbox"> 2 </a>`
	…
		When clicked it will form a common slider gallery with its `.lightbox` siblings.