

# natUlve framework

Element	Code	Options
<b>Grid</b>	<pre>&lt;div class="row"&gt;     &lt;div&gt; ... &lt;/div&gt;     ... &lt;/div&gt;</pre>	<ul style="list-style-type: none"><li>• Columns: just a div, <code>.column3</code>, <code>.column23</code>, <code>.column34</code> etc.</li><li>• <code>.contain</code> constrains to standard page width</li><li>• Columns have equal width automatically. If a column gets explicit width, the others divide the rest equally among themselves.</li><li>• <code>.row.wrap</code> wraps columns on multiple lines</li><li>• <code>.row.half</code> for 2-column row on mobile</li><li>• <code>.row.border</code> for column borders</li></ul>
<b>Mobile/Desktop Content</b>	<pre>&lt;div class="narrow-screen"&gt;     ... &lt;/div&gt;  &lt;div class="wide-screen"&gt;     ... &lt;/div&gt;</pre>	

# natUlive framework

Element	Code	Options
<b>Structure</b>	<pre>&lt;div id="head"&gt;   ... &lt;/div&gt;  &lt;div id="content"&gt;    &lt;div class="banner"&gt;    &lt;/div&gt;    &lt;div class="contain"&gt;     ...   &lt;/div&gt;   ... &lt;/div&gt;  &lt;div id="footer"&gt;   ... &lt;/div&gt;</pre>	Because some styles are different in the head.
<b>Modal Window</b>	<pre>&lt;a href="page.html#container" class="modal"&gt;    Open in modal window  &lt;/a&gt;</pre>	<ul style="list-style-type: none"><li>• #container is recommended to avoid HTML head parts</li><li>• modalWindow("HTML") shows the HTML code in a modal window.</li></ul>
<b>Slider</b>	<pre>&lt;div class="slider" data-autoslide="5"&gt;    &lt;div&gt; ... &lt;/div&gt;   ...  &lt;/div&gt;</pre>	<ul style="list-style-type: none"><li>• .thumbnail inside slides makes thumbnail navigation instead of numbered one.</li><li>• data-autoslide="5" slides to next slide after a 5" delay</li><li>• Create sliders dynamically with makeSlider(el)</li><li>• .slider.vertical-thumbnails option</li></ul>

# natUlive framework

Element	Code	Options
<b>Tooltip</b>	<pre>&lt;span class="tool"&gt;      Hover for a tip     &lt;span class="tip"&gt; Info &lt;/span&gt;     ...  &lt;/span&gt;</pre>	
<b>Accordion</b>	<pre>&lt;div class="accordion"&gt;      &lt;label class="trigger" for="unique- id"&gt;     &lt;input type="checkbox" class="trigger" id="unique-id"&gt;      &lt;div&gt; ... &lt;/div&gt;  &lt;/div&gt;</pre>	<ul style="list-style-type: none"><li>• Embedded accordions supported</li></ul>
<b>Buttons</b>	<pre>&lt;a href="#" class="button"&gt; Call to Action &lt;/a&gt;</pre>	<ul style="list-style-type: none"><li>• .big, .yellow, .blue</li></ul>

# natUlive framework

Element	Code	Options
<b>Forms</b>	<pre>&lt;form&gt;      &lt;label&gt;         &lt;span&gt; Description &lt;/span&gt;         &lt;input&gt; // &lt;textarea&gt;&lt;/ textarea&gt;     &lt;/label&gt;      &lt;div class="checkbox"&gt;         &lt;span&gt; Description &lt;/span&gt;         &lt;label&gt;             &lt;input type="checkbox"&gt; &lt;b class="checkbox"&gt; Specific description         &lt;/label&gt;         ...      &lt;label&gt;          &lt;span&gt; Select Description &lt;/ span&gt;         &lt;span class="selector"&gt;             &lt;select&gt; ... &lt;/select&gt;         &lt;/span&gt;      &lt;/label&gt;     ...     &lt;input type="submit"&gt;  &lt;/form&gt;</pre>	<ul style="list-style-type: none"><li>• Description with Tooltip: <code>&lt;span class="tool"&gt;Description &lt;span class="tip"&gt; &lt;/span&gt;</code></li><li>• <code>&lt;label class="mandatory"&gt;</code></li><li>• <code>&lt;form class="flat"&gt;</code></li></ul>
<b>Lightbox</b>	<pre>&lt;div class="lightbox"&gt;      &lt;a href="1.png" title="Image 1"&gt; Click for Image 1 &lt;/a&gt;     &lt;a href="2.png"&gt; &lt;img src="thumbnail.png" alt="Thumbnail"&gt; &lt;/a&gt;     ...  &lt;/div&gt;</pre>	When clicked, a .lightbox child link to image forms a common slider gallery with its siblings.
<b>Quote</b>	<pre>&lt;p class="quote"&gt;  ...  &lt;/p&gt;</pre>	