Manual test cases

Playwright TS Automation · 127 cases, one for each automated UI test (desktop and phone view) · case version 1.0 · written 2026-10-18 (updated for site v1.6.0)

Site	Address	App version
Substandard Monsters	https://substandard-monsters.com	1.6.0 (footer "v1.6.0")
Sauce Demo	https://www.saucedemo.com	Public demo site (not versioned)

Platform	Meaning
desktop	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
mobile	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
smallPhone	Mobile: small phone, 360 x 740 (DevTools device mode, responsive), Chrome or Edge
tablet	Tablet: 768 x 1024 (DevTools device mode, responsive), Chrome or Edge

Contents

Substandard Monsters · Desktop

MT-001	Home page loads with title, hero and every section	Home page	Critical
MT-002	Header link "Services" scrolls to its section	Home page > Navigation	Medium
MT-003	Header link "Gallery" scrolls to its section	Home page > Navigation	Medium
MT-004	Header link "How it works" scrolls to its section	Home page > Navigation	Medium
MT-005	Header link "About Us" scrolls to its section	Home page > Navigation	Medium
MT-006	Header link "Request a print" scrolls to its section	Home page > Navigation	Medium
MT-007	Footer shows the current year and safe Facebook links	Home page > Footer	Medium
MT-008	Footer shows the site version	Home page > Footer	Low
MT-009	Every image on the page loads	Home page	High
MT-010	Page has no JavaScript errors	Home page	Medium
MT-011	Resin gallery is shown by default	Gallery	Medium
MT-012	Each gallery tab shows only its own photos	Gallery	High
MT-013	Miniatures and Terrain tab opens sub-tabs and remembers the last one	Gallery	Medium
MT-014	Service card "Resin printing" opens its gallery	Gallery > Services	Medium
MT-015	Service card "FDM printing" opens its gallery	Gallery > Services	Medium
MT-016	Service card "Order a project design" opens its gallery	Gallery > Services	Medium
MT-017	Service card "Miniature painting" opens its gallery	Gallery > Services	Medium
MT-018	Link to #gallery-fdm opens the FDM gallery	Gallery	Medium
MT-019	Every photo has alt text and a caption	Gallery	Low
MT-020	Clicking a photo opens it enlarged with its caption	Gallery > Lightbox	High
MT-021	Enlarged photo closes with Escape, the X button and the backdrop, but not the photo	Gallery > Lightbox	Medium
MT-022	Switching from English to Polish and back	Languages	High
MT-023	Polish menu, gallery tabs and form are translated	Languages	Medium
MT-024	Polish request is sent in Polish and confirmed in Polish	Languages	Medium
MT-025	Polish 5-word rule message is in Polish	Languages	Medium
MT-026	English and Polish pages have the same photos and services	Languages	Low
MT-027	Facebook links open the Facebook page in a new tab (English)	Facebook	High
MT-028	Facebook links open the Facebook page in a new tab (Polish)	Facebook	High
MT-029	Request form shows every field, the required note and no message	Request a print	High
MT-030	Complete request is sent and a thank-you message is shown	Request a print	Critical
MT-031	Request can be sent with only the required fields	Request a print	Medium
MT-032	Form sends to the FormSubmit address	Request a print	Critical

MT-033	Service drop-down lists every service	Request a print	Low
MT-034	"Request a print" button in the hero leads to the form	Request a print	Medium
MT-035	Empty form cannot be sent	Request a print > Validation	High
MT-036	Missing "Your name" alone blocks sending	Request a print > Validation	Medium
MT-037	Missing "Email" alone blocks sending	Request a print > Validation	Medium
MT-038	Missing "Service" alone blocks sending	Request a print > Validation	Medium
MT-039	Missing "Describe what you need" alone blocks sending	Request a print > Validation	Medium
MT-040	Invalid email address is rejected	Request a print > Validation	Medium
MT-041	Quantity below 1 is rejected	Request a print > Validation	Medium
MT-042	Description needs at least 5 words	Request a print > Validation	High
MT-043	Hidden spam trap stays empty and out of reach	Request a print > Validation	Low
MT-044	"Sending..." is shown while the request is on its way	Request a print > Sending and errors	Medium
MT-045	FormSubmit's reason is shown when it rejects the request	Request a print > Sending and errors	High
MT-046	Error is shown when the network fails	Request a print > Sending and errors	Medium
MT-047	Error is shown when FormSubmit returns a broken reply	Request a print > Sending and errors	Low
MT-048	Request can be retried after an error and then succeeds	Request a print > Sending and errors	Medium
MT-049	Real submission reaches FormSubmit end to end	Request a print	Critical
MT-080	A red field clears its badge once fixed	Request a print > Validation	Medium
MT-081	Every limited field declares its limit	Request a print > Character limits	Low
MT-082	"Your name": typing stops at 50 characters	Request a print > Character limits	Medium
MT-083	"Your name": exactly 50 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-084	"Your name": over 50 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-085	"Email": typing stops at 50 characters	Request a print > Character limits	Medium
MT-086	"Email": exactly 50 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-087	"Email": over 50 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-088	"Link to your file or reference photos": typing stops at 1000 characters	Request a print > Character limits	Medium
MT-089	"Link to your file or reference photos": exactly 1000 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-090	"Link to your file or reference photos": over 1000 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-091	"Describe what you need": typing stops at 1000 characters	Request a print > Character limits	Medium
MT-092	"Describe what you need": exactly 1000 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-093	"Describe what you need": over 1000 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-094	Quantity 1 is accepted	Request a print > Character limits	Medium
MT-095	Quantity 10000 is accepted	Request a print > Character limits	Medium
MT-096	Quantity 0 is rejected	Request a print > Character limits	Medium
MT-097	Quantity -1 is rejected	Request a print > Character limits	Medium
MT-098	Quantity 10001 is rejected	Request a print > Character limits	Medium
MT-099	Quantity 2.5 is rejected	Request a print > Character limits	Medium
MT-100	Description counter shows characters used and warns near the limit	Request a print > Character limits	Medium
MT-101	Description counter resets after a successful send	Request a print > Character limits	Low
MT-102	Polish page shows the limit message in Polish	Request a print > Character limits	Low
MT-103	Text is readable against its background: English page	Readability (colour contrast)	High
MT-104	Text is readable against its background: Polish page	Readability (colour contrast)	Medium
MT-105	Text is readable against its background: Header and open menu	Readability (colour contrast)	Medium
MT-106	Text is readable against its background: Gallery: Resin printing	Readability (colour contrast)	Medium

MT-107	Text is readable against its background: Gallery: FDM printing	Readability (colour contrast)	Medium
MT-108	Text is readable against its background: Gallery: Design examples	Readability (colour contrast)	Medium
MT-109	Text is readable against its background: Gallery: Miniatures and Terrain	Readability (colour contrast)	Medium
MT-110	Text is readable against its background: Enlarged photo	Readability (colour contrast)	Medium
MT-111	Text is readable against its background: Form errors	Readability (colour contrast)	High
MT-112	Text is readable against its background: Form sending and sent	Readability (colour contrast)	Medium
MT-113	Text is readable against its background: Description counter warning	Readability (colour contrast)	Medium
MT-114	File link is optional and has a helpful placeholder	Request a print > File link	Low
MT-115	File link accepts a Thingiverse link and sends it unchanged	Request a print > File link	Medium
MT-116	File link accepts a Printables link and sends it unchanged	Request a print > File link	Medium
MT-117	File link accepts a Google Drive (with query) link and sends it unchanged	Request a print > File link	Medium
MT-118	File link accepts a Dropbox (with ?dl=0) link and sends it unchanged	Request a print > File link	Medium
MT-119	File link accepts a with a #section link and sends it unchanged	Request a print > File link	Medium
MT-120	File link accepts a http (not https) link and sends it unchanged	Request a print > File link	Medium
MT-121	File link accepts a encoded space link and sends it unchanged	Request a print > File link	Medium
MT-122	File link flags a malformed link: plain text	Request a print > File link	Medium
MT-123	File link flags a malformed link: typo in http	Request a print > File link	Medium
MT-124	File link flags a malformed link: scheme only	Request a print > File link	Medium
MT-125	File link flags a malformed link: javascript link	Request a print > File link	High
MT-126	File link flags a malformed link: missing slashes	Request a print > File link	Medium
MT-127	File link flags a malformed link: spaces inside	Request a print > File link	Medium

Substandard Monsters · Mobile

MT-050	Menu is collapsed behind the hamburger button	Mobile > Header and menu	High
MT-051	Hamburger opens the menu and a link closes it	Mobile > Header and menu	Medium
MT-052	Tapping the hamburger twice closes the menu	Mobile > Header and menu	Low
MT-053	Logo shows only the icon and the language switch fits	Mobile > Header and menu	Low
MT-054	Header stays at the top while scrolling	Mobile > Header and menu	Medium
MT-055	No sideways scrolling (English page)	Mobile > Layout	High
MT-056	No sideways scrolling (Polish page)	Mobile > Layout	Medium
MT-057	Service cards stack in one full-width column	Mobile > Layout	Medium
MT-058	Hero buttons are visible and easy to tap	Mobile > Layout	Medium
MT-059	Gallery photos fit the screen in one column	Mobile > Layout	Medium
MT-060	Contact text sits above the form and fields stack full width	Mobile > Request form	High
MT-061	Form fields open phone-friendly keyboards	Mobile > Request form	Low
MT-062	Request can be filled in and sent with taps	Mobile > Request form	Critical
MT-063	Validation messages show on a phone	Mobile > Request form	Medium
MT-064	Gallery tabs and enlarged photo work with taps	Mobile > Gallery	Medium
MT-065	Small phone (360 px): no sideways scroll, hamburger menu, single-column form	Mobile > Other screen sizes	Medium
MT-066	Tablet (768 px): no sideways scroll, hamburger menu, single-column form	Mobile > Other screen sizes	Medium

Sauce Demo · Desktop

MT-067	Standard user can log in	Sauce Demo > Login	Critical
MT-068	Locked-out user sees an error	Sauce Demo > Login	High
MT-069	Empty login form shows validation messages	Sauce Demo > Login	Medium
MT-070	User can log out	Sauce Demo > Login	High
MT-071	Every product card is complete	Sauce Demo > Products	Medium
MT-072	Sort products by price, low to high	Sauce Demo > Products	Medium
MT-073	Sort products by name, Z to A	Sauce Demo > Products	Medium
MT-074	Adding and removing products updates the cart badge	Sauce Demo > Products	High
MT-075	Complete a purchase	Sauce Demo > Checkout	Critical

MT-076	Shipping form requires every field	Sauce Demo > Checkout	Medium

Sauce Demo · Mobile

MT-077	Site works on a phone screen with touch	Sauce Demo > Mobile	Low
MT-078	Product cards stack in a single column	Sauce Demo > Mobile	Medium
MT-079	Menu and cart work with taps	Sauce Demo > Mobile	High

Substandard Monsters · Desktop

MT-001 Home page loads with title, hero and every section

Site / area	Substandard Monsters › Home page
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › loads with title, hero and every section

#	Step	Expected result
1	Look at the browser tab title.	Title reads "Substandard Monsters | 3D Printing Service".
2	Look at the top of the page.	Logo and heading "Monstrously good prints. Substandard prices." are shown.
3	Scroll down through the whole page.	Sections appear: About, Services, Gallery, How it works, Request a print; each has a heading.
4	Count the cards in Services.	4 service cards are shown.
5	Count the steps in How it works.	4 numbered steps are shown.

MT-002 Header link "Services" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › nav link scrolls to #services

#	Step	Expected result
1	Click "Services" in the header.	Page scrolls to the Services section.
2	Look at the address bar.	Address ends with "#services".
3	Look at the screen.	The section is visible without further scrolling.

MT-003 Header link "Gallery" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › nav link scrolls to #gallery

#	Step	Expected result
1	Click "Gallery" in the header.	Page scrolls to the Gallery section.
2	Look at the address bar.	Address ends with "#gallery".
3	Look at the screen.	The section is visible without further scrolling.

MT-004 Header link "How it works" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › nav link scrolls to #how

#	Step	Expected result
1	Click "How it works" in the header.	Page scrolls to the How it works section.
2	Look at the address bar.	Address ends with "#how".
3	Look at the screen.	The section is visible without further scrolling.

MT-005 Header link "About Us" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › nav link scrolls to #about

#	Step	Expected result
1	Click "About Us" in the header.	Page scrolls to the About Us section.
2	Look at the address bar.	Address ends with "#about".
3	Look at the screen.	The section is visible without further scrolling.

MT-006 Header link "Request a print" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › nav link scrolls to #contact

#	Step	Expected result
1	Click "Request a print" in the header.	Page scrolls to the Request a print (contact) section.
2	Look at the address bar.	Address ends with "#contact".
3	Look at the screen.	The section is visible without further scrolling.

MT-007 Footer shows the current year and safe Facebook links

Site / area	Substandard Monsters › Home page > Footer
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › footer shows the current year and Facebook links open safely

#	Step	Expected result
1	Scroll to the footer.	Copyright line shows the current year.
2	Right-click "Substandard Monsters on Facebook" (contact section) > Inspect.	Link goes to https://www.facebook.com/SubstandardMiniatures, has target="_blank" and rel="noopener".
3	Inspect the "Facebook" link in the footer.	Same address, target="_blank", rel="noopener".

MT-008 Footer shows the site version

Site / area	Substandard Monsters › Home page > Footer
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › footer shows the site version

#	Step	Expected result
1	Scroll to the footer, bottom left.	A version like "v1.6.0" is shown (three numbers separated by dots).

MT-009 Every image on the page loads

Site / area	Substandard Monsters › Home page
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Open DevTools (F12) > Network, filter "Img", tick "Disable cache".
Automated test	monsters/e2e/home.spec.ts › every image on the page loads

#	Step	Expected result
1	Reload the page.	Images load; none show a broken-image icon.
2	Click each gallery tab and sub-tab, scrolling through the photos.	Every photo appears.
3	Check the Network list.	All image requests have status 200 (no 404 or red rows).

MT-010 Page has no JavaScript errors

Site / area	Substandard Monsters › Home page
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open DevTools (F12) > Console, then open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › page has no JavaScript errors

#	Step	Expected result
1	Reload the page and wait for it to finish.	Console shows no red errors.
2	Click the "Miniatures and Terrain" gallery tab, open a photo, press Escape.	Still no red errors in the Console.

MT-011 Resin gallery is shown by default

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/gallery.spec.ts › resin gallery is shown by default

#	Step	Expected result
1	Scroll to the Gallery section.	"Resin printing" tab is highlighted as active.
2	Look at the photos.	Only resin photos are shown; the sub-tab row (Miniatures / Terrain) is hidden.

MT-012 Each gallery tab shows only its own photos

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery section.
Automated test	monsters/e2e/gallery.spec.ts › each tab shows only its own gallery

#	Step	Expected result
1	Click "Resin printing".	Only that tab is highlighted; resin photos are shown (at least one).
2	Click "FDM printing".	Only that tab is highlighted; FDM photos replace the previous ones.
3	Click "Design examples".	Only that tab is highlighted; design photos are shown.

MT-013 Miniatures and Terrain tab opens sub-tabs and remembers the last one

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery section.
Automated test	monsters/e2e/gallery.spec.ts › painting tab opens sub-tabs and remembers the last one

#	Step	Expected result
1	Click "Miniatures and Terrain".	Sub-tabs "Miniatures" and "Terrain" appear; "Miniatures" is active and its photos are shown.
2	Click the "Terrain" sub-tab.	Main tab stays highlighted; Terrain is active; terrain photos are shown.
3	Click "FDM printing".	Sub-tab row disappears; FDM photos are shown.
4	Click "Miniatures and Terrain" again.	Terrain (the last sub-tab used) is shown, not Miniatures.

MT-014 Service card "Resin printing" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › service card "resin" opens its gallery

#	Step	Expected result
1	Click the "Resin printing" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "Resin printing" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-resin".

MT-015 Service card "FDM printing" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › service card "fdm" opens its gallery

#	Step	Expected result
1	Click the "FDM printing" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "FDM printing" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-fdm".

MT-016 Service card "Order a project design" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › service card "design" opens its gallery

#	Step	Expected result
1	Click the "Order a project design" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "Design examples" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-design".

MT-017 Service card "Miniature painting" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › service card "painting" opens its gallery

#	Step	Expected result
1	Click the "Miniature painting" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "Miniatures and Terrain (Miniatures sub-tab)" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-painting".

MT-018 Link to #gallery-fdm opens the FDM gallery

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Fresh browser window.
Automated test	monsters/e2e/gallery.spec.ts › deep link #gallery-fdm opens the FDM gallery

#	Step	Expected result
1	Open https://substandard-monsters.com/#gallery-fdm.	Page opens scrolled to the Gallery.
2	Look at the tabs.	"FDM printing" is active and FDM photos are shown.

MT-019 Every photo has alt text and a caption

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery section.
Automated test	monsters/e2e/gallery.spec.ts › every photo has alt text and a caption

#	Step	Expected result
1	In each tab and sub-tab, check the text under every photo.	Every photo has a non-empty caption.
2	Right-click a few photos > Inspect.	Each <img> has a meaningful alt text.

MT-020 Clicking a photo opens it enlarged with its caption

Site / area	Substandard Monsters › Gallery > Lightbox
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery, open "Miniatures and Terrain" > Miniatures.
Automated test	monsters/e2e/gallery.spec.ts › opens the clicked photo with its caption

#	Step	Expected result
1	Note the caption of the second photo, then click that photo.	An overlay opens showing the same photo enlarged.
2	Read the text under the enlarged photo.	It matches the caption you noted.

MT-021 Enlarged photo closes with Escape, the X button and the backdrop, but not the photo

Site / area	Substandard Monsters › Gallery > Lightbox
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery.
Automated test	monsters/e2e/gallery.spec.ts › closes with Escape, the close button and the backdrop, but not the photo

#	Step	Expected result
1	Click a photo, then press Escape.	The overlay closes.
2	Click a photo, then click the X button.	The overlay closes.
3	Click a photo, then click the enlarged photo itself.	The overlay stays open.
4	Click the dark area around the photo (top-left corner).	The overlay closes.

MT-022 Switching from English to Polish and back

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/language.spec.ts › switches from English to Polish and back

#	Step	Expected result
1	Look at the EN / PL switch in the header.	EN is marked as the current language.
2	Click "PL".	Polish page opens (address ends "/pl" or "pl.html"); title contains "Usługi druku 3D"; heading reads "Potwornie dobre wydruki."; menu shows "Galeria".
3	Click "EN".	English page opens; heading reads "Monstrously good prints."

MT-023 Polish menu, gallery tabs and form are translated

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window.
Automated test	monsters/e2e/language.spec.ts › Polish nav, tabs and form are translated

#	Step	Expected result
1	Read the header menu.	Usługi, Galeria, Jak to działa, O nas, Zamów wydruk.
2	Read the gallery tabs.	Druk żywiczny, Druk FDM, Przykładowe projekty, Figurki i makiety.
3	Read the form button and note.	Button "Wyślij zapytanie"; note "* Pola obowiązkowe".
4	Open the "Usługa" drop-down.	Druk żywiczny, Druk FDM, Projekt (nie mam pliku), Malowanie figurek, Nie wiem.

MT-024 Polish request is sent in Polish and confirmed in Polish

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Real email: use TEST data, or block formsubmit.co as in other form cases and expect an error instead.
Automated test	monsters/e2e/language.spec.ts › Polish form sends in Polish and confirms in Polish

#	Step	Expected result
1	Fill in: Imię i nazwisko "TEST Tester", E-mail adamrzymowski@gmail.com, Usługa "Druk FDM", Opis "TEST - test ręczny formularza, proszę zignorować".	Fields accept the input.
2	Click "Wyślij zapytanie".	Message "Dziękuję! Zapytanie zostało wysłane. Wkrótce się odezwę." appears.
3	Check the inbox of the site owner.	Email subject is "Druk FDM request from TEST Tester - Substandard Monsters [PL]" and the Language field says "Polski".

MT-025 Polish 5-word rule message is in Polish

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Scroll to the form.
Automated test	monsters/e2e/language.spec.ts › Polish 5-word message is in Polish

#	Step	Expected result
1	Fill in name, e-mail and service; type a 3-word description.	Fields accept the input.
2	Click "Wyślij zapytanie".	Nothing is sent; the description shows the red badge "Min. 5 słów" and "Sprawdź pola zaznaczone na czerwono." appears.

MT-026 English and Polish pages have the same photos and services

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open the English and the Polish page side by side.
Automated test	monsters/e2e/language.spec.ts › EN and PL pages have the same photos and services

#	Step	Expected result
1	Compare the service cards.	Both pages have the same 4 services in the same order.
2	Compare each gallery tab and sub-tab.	Each gallery shows the same photos, in the same order, on both pages.

MT-027 Facebook links open the Facebook page in a new tab (English)

Site / area	Substandard Monsters › Facebook
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/facebook.spec.ts › each Facebook link opens the Facebook page in a new tab (en)

#	Step	Expected result
1	Click "Substandard Monsters on Facebook" in the contact section.	A new tab opens on facebook.com showing (or asking you to log in to) the SubstandardMiniatures page.
2	Go back to the first tab.	The shop page is still open, unchanged.
3	Click "Facebook" in the footer.	Same result: new tab, SubstandardMiniatures page; the shop stays open.

MT-028 Facebook links open the Facebook page in a new tab (Polish)

Site / area	Substandard Monsters › Facebook
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window.
Automated test	monsters/e2e/facebook.spec.ts › each Facebook link opens the Facebook page in a new tab (pl)

#	Step	Expected result
1	Click "Substandard Monsters na Facebooku" in the contact section.	A new tab opens on facebook.com showing (or asking you to log in to) the SubstandardMiniatures page.
2	Go back to the first tab.	The shop page is still open, unchanged.
3	Click "Facebook" in the footer.	Same result: new tab, SubstandardMiniatures page; the shop stays open.

MT-029 Request form shows every field, the required note and no message

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › shows every field, the required note and an empty status

#	Step	Expected result
1	Look at the form.	Fields: Your name *, Email *, Service *, Quantity, Link to your file or reference photos, Describe what you need * (min. 5 words), with a "0 / 1000" counter under the description.
2	Check Quantity.	Shows 1; the arrows stay between 1 and 10,000.
3	Read below the button.	Button "Send request"; note "* Required fields"; no success or error message yet.

MT-030 Complete request is sent and a thank-you message is shown

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". This sends a real email to the owner: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › sends every field and shows a thank-you message

#	Step	Expected result
1	Fill in every field: name "TEST Tester", email adamrzymowski@gmail.com, Service "Not sure", Quantity 2, link https://example.com, description "TEST manual check of the request form, please ignore".	All fields accept the input.
2	Click "Send request".	"Sending…" shows briefly, then "Thanks! Your request has been sent. I'll be in touch soon."
3	Look at the form.	All fields are cleared; Quantity is back to 1; the button is enabled.
4	Check the owner's inbox.	An email "Not sure request from TEST Tester - Substandard Monsters" lists every field and Language "English".

MT-031 Request can be sent with only the required fields

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › sends with only the required fields filled

#	Step	Expected result
1	Fill only name, email, service and a description of 5+ words.	Fields accept the input.
2	Click "Send request".	Thank-you message appears.
3	Check the email.	Quantity is 1; File link is empty.

MT-032 Form sends to the FormSubmit address

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Open DevTools (F12) > Network. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/request-form.spec.ts › posts to the FormSubmit address in the form

#	Step	Expected result
1	Fill in all required fields and click "Send request".	A POST request to https://formsubmit.co/ajax/… appears in Network.
2	Click that request > Headers.	Method POST; request header Accept: application/json; address matches the form's action attribute.

MT-033 Service drop-down lists every service

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › service dropdown lists every service

#	Step	Expected result
1	Open the Service drop-down.	Options: Choose one… (placeholder), Resin print, FDM print, Project design (no file yet), Miniature painting, Not sure.

MT-034 "Request a print" button in the hero leads to the form

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/request-form.spec.ts › "Request a print" buttons lead to the form

#	Step	Expected result
1	Click the "Request a print" button in the large top section.	Page scrolls to the form; address ends with "#contact".

MT-035 Empty form cannot be sent

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › required fields block sending

#	Step	Expected result
1	Without filling anything, click "Send request".	Name, Email, Service and Description turn red with badges "Enter your name", "Enter your email", "Choose a service", "Describe what you need"; "Please check the fields marked in red." appears under the button.
2	Check Network and the form.	No request to formsubmit.co is made; no message appears under the button.

MT-036 Missing "Your name" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › missing Name alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Your name".	Other fields accept the input.
2	Click "Send request".	Only "Your name" turns red with the badge "Enter your name"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-037 Missing "Email" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › missing email alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Email".	Other fields accept the input.
2	Click "Send request".	Only "Email" turns red with the badge "Enter your email"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-038 Missing "Service" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › missing Service alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Service" (leave "Choose one…").	Other fields accept the input.
2	Click "Send request".	Only "Service" turns red with the badge "Choose a service"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-039 Missing "Describe what you need" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › missing Description alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Describe what you need".	Other fields accept the input.
2	Click "Send request".	Only "Describe what you need" turns red with the badge "Describe what you need"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-040 Invalid email address is rejected

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › rejects an invalid email address

#	Step	Expected result
1	Fill in all fields correctly but type "not-an-email" as Email.	Field accepts the text.
2	Click "Send request".	Email turns red with the badge "Check the email"; nothing is sent.

MT-041 Quantity below 1 is rejected

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › quantity below 1 is rejected

#	Step	Expected result
1	Fill in the required fields and type 0 in Quantity.	Field shows 0.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-042 Description needs at least 5 words

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/request-form.spec.ts › description needs at least 5 words

#	Step	Expected result
1	Fill in the required fields with a 4-word description and click "Send request".	Nothing is sent; the description shows the red badge "At least 5 words".
2	Change the description to two words, several spaces, two more words.	Click Send again: still the "At least 5 words" badge (extra spaces do not count as words).
3	Change it to exactly 5 words and click "Send request".	The badge disappears and the request is sent (with formsubmit.co blocked: the red error message appears instead).

MT-043 Hidden spam trap stays empty and out of reach

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › hidden spam trap stays empty and out of reach

#	Step	Expected result
1	Click in "Your name" and press Tab repeatedly through the whole form.	Focus never lands on an invisible field.
2	Inspect the form (F12) and find input name="_honey".	It is hidden (display: none), has tabindex="-1" and is empty.

MT-044 "Sending..." is shown while the request is on its way

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network > throttling "Slow 3G". Sends a real email: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › shows the "Sending..." state while waiting

#	Step	Expected result
1	Fill in the required fields and click "Send request".	"Sending..." appears under the button and the button is disabled.
2	Wait for the reply.	The thank-you message replaces "Sending..."; the button is enabled again.

MT-045 FormSubmit's reason is shown when it rejects the request

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". In Chrome DevTools > Network, submit once with formsubmit.co blocked, then unblock it, right-click the formsubmit.co request > Override content, and set the body to {"success":"false","message":"This form needs Activation."}.
Automated test	monsters/e2e/request-form.spec.ts › shows FormSubmit's reason when it rejects the request

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red message: "Sorry, something went wrong. Please try again or message me on Facebook. (This form needs Activation.)"
2	Look at the form.	The typed text is kept; the button is enabled.

MT-046 Error is shown when the network fails

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network > Block request URL "formsubmit.co" (or set throttling to Offline after the page loads).
Automated test	monsters/e2e/request-form.spec.ts › shows an error when the network fails

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red message starting "Sorry, something went wrong. Please try again or message me on Facebook." (a reason in brackets may follow).
2	Look at the button.	It is enabled again.

MT-047 Error is shown when FormSubmit returns a broken reply

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". In Chrome DevTools > Network, override the formsubmit.co response with status 500 and body "<html>Server error</html>" (Override content).
Automated test	monsters/e2e/request-form.spec.ts › shows an error when FormSubmit returns a broken reply

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red "Sorry, something went wrong..." message; the button is enabled again.

MT-048 Request can be retried after an error and then succeeds

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network > Block request URL "formsubmit.co". Second attempt sends a real email: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › can retry after an error and then succeed

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red error message; text is kept.
2	Remove the block in DevTools and click "Send request" again.	Thank-you message appears (green).

MT-049 Real submission reaches FormSubmit end to end

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. DevTools > Network open. Sends a real email: use TEST data. Automated version is opt-in (SUBMIT_REAL_FORM=1).
Automated test	monsters/e2e/real-submit.spec.ts › request form really reaches FormSubmit

#	Step	Expected result
1	Fill in name "Playwright Test Bot", email adamrzymowski@gmail.com, Service "Not sure", a description starting "[AUTOMATED TEST - please ignore]", and click "Send request".	POST to formsubmit.co with Accept: application/json; payload has the subject "Not sure request from Playwright Test Bot - Substandard Monsters" and Language "English".
2	Open the request > Response.	Status 200; body {"success":"true","message":"The form was submitted successfully."}.
3	Look at the page.	Thank-you message; form cleared; button enabled.

MT-080 A red field clears its badge once fixed

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › a fixed field clears its badge while typing

#	Step	Expected result
1	Click "Send request" with the form empty.	Your name shows the red badge "Enter your name".
2	Type a name in Your name.	The badge disappears straight away; the field is no longer red.

MT-081 Every limited field declares its limit

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Elements.
Automated test	monsters/e2e/form-limits.spec.ts › every field declares its limit

#	Step	Expected result
1	Inspect Your name, Email, Link and Describe.	maxlength is 50, 50, 1000 and 1000.
2	Inspect Quantity.	min="1" and max="10000".

MT-082 "Your name": typing stops at 50 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › Name (max 50) › typing stops at the limit

#	Step	Expected result
1	Type (not paste) more than 50 characters into "Your name".	Typing stops at exactly 50 characters.

MT-083 "Your name": exactly 50 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › Name (max 50) › exactly the limit is accepted and sent in full

#	Step	Expected result
1	Fill in the other required fields, then: Enter 50 letters, e.g. 50 x "Z".	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 50 characters.

MT-084 "Your name": over 50 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › Name (max 50) › over the limit (autofill or script) is blocked with a badge

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-name"]').value = 'Z'.repeat(51)	The field now holds 51 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 50 characters"; "Please check the fields marked in red."; nothing is sent.

MT-085 "Email": typing stops at 50 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › email (max 50) › typing stops at the limit

#	Step	Expected result
1	Type (not paste) more than 50 characters into "Email".	Typing stops at exactly 50 characters.

MT-086 "Email": exactly 50 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › email (max 50) › exactly the limit is accepted and sent in full

#	Step	Expected result
1	Fill in the other required fields, then: Enter a 50-character address, e.g. 38 x "a" followed by "@example.com".	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 50 characters.

MT-087 "Email": over 50 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › email (max 50) › over the limit (autofill or script) is blocked with a badge

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-email"]').value = 'Z'.repeat(51)	The field now holds 51 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 50 characters"; "Please check the fields marked in red."; nothing is sent.

MT-088 "Link to your file or reference photos": typing stops at 1000 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › File link (max 1000) › typing stops at the limit

#	Step	Expected result
1	Type (not paste) more than 1000 characters into "Link to your file or reference photos".	Typing stops at exactly 1000 characters.

MT-089 "Link to your file or reference photos": exactly 1000 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › File link (max 1000) › exactly the limit is accepted and sent in full

#	Step	Expected result
1	Fill in the other required fields, then: Paste a 1000-character address starting https://www.printables.com/model/.	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 1000 characters.

MT-090 "Link to your file or reference photos": over 1000 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › File link (max 1000) › over the limit (autofill or script) is blocked with a badge

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-file-link"]').value = 'Z'.repeat(1001)	The field now holds 1001 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 1000 characters"; "Please check the fields marked in red."; nothing is sent.

MT-091 "Describe what you need": typing stops at 1000 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › Description (max 1000) › typing stops at the limit

#	Step	Expected result
1	Type (not paste) more than 1000 characters into "Describe what you need".	Typing stops at exactly 1000 characters.

MT-092 "Describe what you need": exactly 1000 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › Description (max 1000) › exactly the limit is accepted and sent in full

#	Step	Expected result
1	Fill in the other required fields, then: Paste 1000 characters of real words.	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 1000 characters.

MT-093 "Describe what you need": over 1000 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Request form limits › Description (max 1000) › over the limit (autofill or script) is blocked with a badge

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-description"]').value = 'Z'.repeat(1001)	The field now holds 1001 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 1000 characters"; "Please check the fields marked in red."; nothing is sent.

MT-094 Quantity 1 is accepted

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › 1 is accepted

#	Step	Expected result
1	Fill in the required fields and set Quantity to 1.	No red badge on Quantity.
2	Click "Send request".	The request is sent with Quantity 1.

MT-095 Quantity 10000 is accepted

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › 10000 is accepted

#	Step	Expected result
1	Fill in the required fields and set Quantity to 10000.	No red badge on Quantity.
2	Click "Send request".	The request is sent with Quantity 10000.

MT-096 Quantity 0 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › 0 is rejected

#	Step	Expected result
1	Fill in the required fields and type 0 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-097 Quantity -1 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › -1 is rejected

#	Step	Expected result
1	Fill in the required fields and type -1 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-098 Quantity 10001 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › 10001 is rejected

#	Step	Expected result
1	Fill in the required fields and type 10001 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-099 Quantity 2.5 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › 2.5 is rejected

#	Step	Expected result
1	Fill in the required fields and type 2.5 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-100 Description counter shows characters used and warns near the limit

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › description counter shows characters used and warns near the limit

#	Step	Expected result
1	Look under the description box.	Counter reads "0 / 1000".
2	Type "hello world".	Counter reads "11 / 1000" in the normal colour.
3	Paste text until the counter reads 899 / 1000.	Normal colour.
4	Add one more character (900 / 1000).	Counter changes to the warning colour.
5	Fill to 1000.	Counter reads "1000 / 1000"; typing stops.

MT-101 Description counter resets after a successful send

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data.
Automated test	monsters/e2e/form-limits.spec.ts › counter resets after a successful send

#	Step	Expected result
1	Fill in the required fields and send.	Thank-you message; the form clears and the counter is back to "0 / 1000".

MT-102 Polish page shows the limit message in Polish

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Scroll to the form; open DevTools > Console.
Automated test	monsters/e2e/form-limits.spec.ts › Polish page shows the limit message in Polish

#	Step	Expected result
1	Fill in the required fields; in the Console run: document.querySelector('[data-testid="form-name"]').value = 'Z'.repeat(51)	Name holds 51 characters.
2	Click "Wyślij zapytanie".	Name shows "Maks. 50 znaków"; "Sprawdź pola zaznaczone na czerwono." appears.

MT-103 Text is readable against its background: English page

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › English page: all text is readable

#	Step	Expected result
1	Scroll through the whole page.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-104 Text is readable against its background: Polish page

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Polish page: all text is readable

#	Step	Expected result
1	Scroll through the whole page.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-105 Text is readable against its background: Header and open menu

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › open menu is readable

#	Step	Expected result
1	Open the menu (☰ on a narrow window) and look at the header.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-106 Text is readable against its background: Gallery: Resin printing

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › gallery tab "resin" and captions are readable

#	Step	Expected result
1	Open Gallery > Resin printing.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-107 Text is readable against its background: Gallery: FDM printing

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › gallery tab "fdm" and captions are readable

#	Step	Expected result
1	Open Gallery > FDM printing.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-108 Text is readable against its background: Gallery: Design examples

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › gallery tab "design" and captions are readable

#	Step	Expected result
1	Open Gallery > Design examples.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-109 Text is readable against its background: Gallery: Miniatures and Terrain

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › gallery tab "painting" and captions are readable

#	Step	Expected result
1	Open Gallery > Miniatures and Terrain.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-110 Text is readable against its background: Enlarged photo

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › enlarged photo caption is readable

#	Step	Expected result
1	Open any photo in the gallery.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-111 Text is readable against its background: Form errors

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › form error badges and the red message are readable

#	Step	Expected result
1	Click "Send request" on the empty form.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-112 Text is readable against its background: Form sending and sent

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › form "Sending…" and thank-you messages are readable

#	Step	Expected result
1	Send a TEST request on a slow connection (DevTools > Network > Slow 3G).	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-113 Text is readable against its background: Description counter warning

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › description counter warning is readable

#	Step	Expected result
1	Paste 950 characters into the description.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-114 File link is optional and has a helpful placeholder

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › field is optional and has a helpful placeholder

#	Step	Expected result
1	Look at "Link to your file or reference photos".	Not marked *; placeholder mentions Thingiverse, Printables, Google Drive, Dropbox.
2	Send a request with the link left empty.	It is sent normally; File link arrives empty.

MT-115 File link accepts a Thingiverse link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a Thingiverse link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.thingiverse.com/thing:2187167 as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-116 File link accepts a Printables link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a Printables link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.printables.com/model/3161-3d-benchy as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-117 File link accepts a Google Drive (with query) link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a Google Drive (with query) link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://drive.google.com/file/d/1AbCdEfGhIjKlMnOpQrStUvWxYz/view?usp=sharing as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-118 File link accepts a Dropbox (with ?dl=0) link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a Dropbox (with ?dl=0) link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.dropbox.com/scl/fi/abc123/dragon.stl?rlkey=xyz789&dl=0 as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-119 File link accepts a with a #section link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a with a #section link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.myminifactory.com/object/3d-print-dragon-12345#comments as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-120 File link accepts a http (not https) link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a http (not https) link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste http://example.com/models/dragon.3mf as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-121 File link accepts a encoded space link and sends it unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › accepts a encoded space link and sends it unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://example.com/my%20files/dragon%20v2.stl as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-122 File link flags a malformed link: plain text

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable). NOTE: site v1.6.0 does not check link format yet, so this case currently fails.
Automated test	monsters/e2e/file-link.spec.ts › flags a malformed link: plain text

#	Step	Expected result
1	Fill in the required fields and type "my dragon file" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with a badge asking for a valid web address (http:// or https://); nothing is sent.

MT-123 File link flags a malformed link: typo in http

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable). NOTE: site v1.6.0 does not check link format yet, so this case currently fails.
Automated test	monsters/e2e/file-link.spec.ts › flags a malformed link: typo in http

#	Step	Expected result
1	Fill in the required fields and type "http://www.thingiverse.com/thing:123" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with a badge asking for a valid web address (http:// or https://); nothing is sent.

MT-124 File link flags a malformed link: scheme only

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable). NOTE: site v1.6.0 does not check link format yet, so this case currently fails.
Automated test	monsters/e2e/file-link.spec.ts › flags a malformed link: scheme only

#	Step	Expected result
1	Fill in the required fields and type "https://" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with a badge asking for a valid web address (http:// or https://); nothing is sent.

MT-125 File link flags a malformed link: javascript link

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable). NOTE: site v1.6.0 does not check link format yet, so this case currently fails.
Automated test	monsters/e2e/file-link.spec.ts › flags a malformed link: javascript link

#	Step	Expected result
1	Fill in the required fields and type "javascript:alert(document.cookie)" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with a badge asking for a valid web address (http:// or https://); nothing is sent.

MT-126 File link flags a malformed link: missing slashes

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable). NOTE: site v1.6.0 does not check link format yet, so this case currently fails.
Automated test	monsters/e2e/file-link.spec.ts › flags a malformed link: missing slashes

#	Step	Expected result
1	Fill in the required fields and type "https:www.printables.com/model/1" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with a badge asking for a valid web address (http:// or https://); nothing is sent.

MT-127 File link flags a malformed link: spaces inside

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable). NOTE: site v1.6.0 does not check link format yet, so this case currently fails.
Automated test	monsters/e2e/file-link.spec.ts › flags a malformed link: spaces inside

#	Step	Expected result
1	Fill in the required fields and type "https://www.printables.com/model/1 2 3" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with a badge asking for a valid web address (http:// or https://); nothing is sent.

Substandard Monsters · Mobile

MT-050 Menu is collapsed behind the hamburger button

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › menu is collapsed behind the hamburger button

#	Step	Expected result
1	Look at the header.	A ☰ button labelled "Open menu" is shown; the menu links are hidden.

MT-051 Hamburger opens the menu and a link closes it

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › tapping the hamburger opens the menu and a link closes it

#	Step	Expected result
1	Tap ☰.	Menu opens with Services, Gallery, How it works, About Us, Request a print.
2	Tap "Gallery".	Menu closes; page scrolls to the Gallery; address ends "#gallery".

MT-052 Tapping the hamburger twice closes the menu

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › tapping the hamburger twice closes the menu

#	Step	Expected result
1	Tap ☰ twice.	Menu opens, then closes; links are hidden again.

MT-053 Logo shows only the icon and the language switch fits

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › logo shows the icon only and the language switch fits

#	Step	Expected result
1	Look at the logo.	Only the monster icon is shown, without the "Substandard Monsters" text.
2	Look at EN / PL.	Both are fully visible, inside the screen.

MT-054 Header stays at the top while scrolling

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › header stays at the top while scrolling

#	Step	Expected result
1	Scroll down to "How it works".	The header (with ☰) stays pinned at the top of the screen.

MT-055 No sideways scrolling (English page)

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › no sideways scrolling (en)

#	Step	Expected result
1	Scroll the whole page and try swiping left/right.	The page never scrolls sideways; nothing is cut off at the right edge.

MT-056 No sideways scrolling (Polish page)

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl on the phone.
Automated test	monsters/mobile/mobile.spec.ts › no sideways scrolling (pl)

#	Step	Expected result
1	Scroll the whole page and try swiping left/right.	The page never scrolls sideways.

MT-057 Service cards stack in one full-width column

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › service cards stack in one full-width column

#	Step	Expected result
1	Scroll to Services.	The 4 cards are stacked one under another, each almost the full screen width.

MT-058 Hero buttons are visible and easy to tap

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › hero buttons are visible and tappable

#	Step	Expected result
1	Look at the top section.	Buttons "About us", "Request a print" and "See the gallery" are visible and at least a finger-tip tall (about 40 px).

MT-059 Gallery photos fit the screen in one column

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › gallery photos fit the screen in one column

#	Step	Expected result
1	Go to the Gallery, open "Miniatures and Terrain".	Photos are shown one per row.
2	Check the edges.	Every photo fits inside the screen width.

MT-060 Contact text sits above the form and fields stack full width

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › contact text sits above the form and fields stack full width

#	Step	Expected result
1	Tap ☰ > "Request a print".	The "Request a print" text and Facebook button are above the form.
2	Look at the form.	Email is under Your name (not side by side); every field is nearly the full form width.

MT-061 Form fields open phone-friendly keyboards

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › fields use phone-friendly keyboards

#	Step	Expected result
1	Tap Email.	The email keyboard (with @) opens.
2	Tap Quantity.	The number keyboard opens.

MT-062 Request can be filled in and sent with taps

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Critical
Preconditions	Sends a real email: use TEST data (or block formsubmit.co and expect the error message).
Automated test	monsters/mobile/mobile.spec.ts › a request can be filled and sent with taps

#	Step	Expected result
1	Tap ☰ > "Request a print".	The form is on screen.
2	Fill in all required fields with TEST data and tap "Send request".	Thank-you message appears and is visible without scrolling.

MT-063 Validation messages show on a phone

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › validation messages show on a phone

#	Step	Expected result
1	Fill in the required fields with the description "too short" and tap "Send request".	The description shows the red badge "At least 5 words", visible on the phone screen.

MT-064 Gallery tabs and enlarged photo work with taps

Site / area	Substandard Monsters › Mobile > Gallery
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › gallery tabs and lightbox work with taps

#	Step	Expected result
1	Go to the Gallery, tap "Miniatures and Terrain", then "Terrain".	Terrain photos are shown.
2	Tap a photo.	It opens enlarged and fits the screen width.
3	Tap the X.	The overlay closes.

MT-065 Small phone (360 px): no sideways scroll, hamburger menu, single-column form

Site / area	Substandard Monsters › Mobile > Other screen sizes
Platform	Mobile: small phone, 360 x 740 (DevTools device mode, responsive), Chrome or Edge
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › small phone (360px): no sideways scroll, hamburger menu, single-column form

#	Step	Expected result
1	Open the page at 360 x 740 and scroll to the form.	No sideways scrolling; ☰ button shown.
2	Look at the form.	Email is under Your name.

MT-066 Tablet (768 px): no sideways scroll, hamburger menu, single-column form

Site / area	Substandard Monsters › Mobile > Other screen sizes
Platform	Tablet: 768 x 1024 (DevTools device mode, responsive), Chrome or Edge
Version	App 1.6.0 (footer "v1.6.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › tablet (768px): no sideways scroll, hamburger menu, single-column form

#	Step	Expected result
1	Open the page at 768 x 1024 and scroll to the form.	No sideways scrolling; ☰ button shown.
2	Look at the form.	Email is under Your name.

Sauce Demo · Desktop

MT-067 Standard user can log in

Site / area	Sauce Demo › Sauce Demo > Login
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Critical
Preconditions	Open https://www.saucedemo.com.
Automated test	saucedemo/e2e/login.spec.ts › standard user can log in

#	Step	Expected result
1	Enter standard_user / secret_sauce and click Login.	Products page opens (address ends "inventory.html").
2	Look at the page.	Title "Products"; 6 products listed; no number on the cart icon.

MT-068 Locked-out user sees an error

Site / area	Sauce Demo › Sauce Demo > Login
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	High
Preconditions	Open https://www.saucedemo.com.
Automated test	saucedemo/e2e/login.spec.ts › locked out user sees an error

#	Step	Expected result
1	Enter locked_out_user / secret_sauce and click Login.	Stays on the login page; error "Epic sadface: Sorry, this user has been locked out."

MT-069 Empty login form shows validation messages

Site / area	Sauce Demo › Sauce Demo > Login
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Medium
Preconditions	Open https://www.saucedemo.com.
Automated test	saucedemo/e2e/login.spec.ts › empty form shows validation messages

#	Step	Expected result
1	Click Login with both fields empty.	Error "Username is required".
2	Enter standard_user only and click Login.	Error "Password is required".

MT-070 User can log out

Site / area	Sauce Demo › Sauce Demo > Login
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	High
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce.
Automated test	saucedemo/e2e/login.spec.ts › user can log out

#	Step	Expected result
1	Open the ☰ menu and click Logout.	Login page is shown with the Login button.

MT-071 Every product card is complete

Site / area	Sauce Demo › Sauce Demo > Products
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Medium
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce.
Automated test	saucedemo/e2e/inventory.spec.ts › every product card is complete

#	Step	Expected result
1	Check each of the 6 product cards.	Each has a name, description, price like "$29.99", an image and an enabled "Add to cart" button.

MT-072 Sort products by price, low to high

Site / area	Sauce Demo › Sauce Demo > Products
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Medium
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce.
Automated test	saucedemo/e2e/inventory.spec.ts › sort by price, low to high

#	Step	Expected result
1	Choose "Price (low to high)" in the sort box.	Prices go up from top to bottom.

MT-073 Sort products by name, Z to A

Site / area	Sauce Demo › Sauce Demo > Products
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Medium
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce.
Automated test	saucedemo/e2e/inventory.spec.ts › sort by name, Z to A

#	Step	Expected result
1	Choose "Name (Z to A)" in the sort box.	Names are in reverse alphabetical order; the sort box shows "Name (Z to A)".

MT-074 Adding and removing products updates the cart badge

Site / area	Sauce Demo › Sauce Demo > Products
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	High
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce.
Automated test	saucedemo/e2e/inventory.spec.ts › add and remove products updates the cart badge

#	Step	Expected result
1	Add "Sauce Labs Backpack" and "Sauce Labs Bike Light" to the cart.	Cart icon shows 2.
2	Click Remove on the backpack.	Cart icon shows 1.
3	Click Remove on the bike light.	Cart icon shows no number.

MT-075 Complete a purchase

Site / area	Sauce Demo › Sauce Demo > Checkout
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Critical
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce.
Automated test	saucedemo/e2e/checkout.spec.ts › complete purchase with Faker shipping details

#	Step	Expected result
1	Add "Sauce Labs Backpack" and "Sauce Labs Bolt T-Shirt", open the cart.	Cart lists both products.
2	Click Checkout, enter any first name, last name and postal code, click Continue.	"Checkout: Overview" page opens.
3	Check the totals.	Item total equals the sum of the prices; tax is above 0; Total = item total + tax.
4	Click Finish.	"Thank you for your order!" is shown; the cart icon is empty.

MT-076 Shipping form requires every field

Site / area	Sauce Demo › Sauce Demo > Checkout
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App Public demo site (not versioned) · test case 1.0
Priority	Medium
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce. Add one product, open the cart and click Checkout.
Automated test	saucedemo/e2e/checkout.spec.ts › shipping form requires every field

#	Step	Expected result
1	Leave First Name empty, fill the rest, click Continue.	Error "First Name is required".
2	Fill First Name, clear Last Name, click Continue.	Error "Last Name is required".
3	Fill Last Name, clear Postal Code, click Continue.	Error "Postal Code is required".

Sauce Demo · Mobile

MT-077 Site works on a phone screen with touch

Site / area	Sauce Demo › Sauce Demo > Mobile
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App Public demo site (not versioned) · test case 1.0
Priority	Low
Preconditions	Use a phone (or DevTools device mode "Pixel 7").
Automated test	saucedemo/mobile/mobile.spec.ts › runs with a phone viewport and touch

#	Step	Expected result
1	Open https://www.saucedemo.com.	Page fits the narrow screen (under 500 px wide) and responds to taps.

MT-078 Product cards stack in a single column

Site / area	Sauce Demo › Sauce Demo > Mobile
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App Public demo site (not versioned) · test case 1.0
Priority	Medium
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce. (on the phone)
Automated test	saucedemo/mobile/mobile.spec.ts › product cards stack in a single column

#	Step	Expected result
1	Look at the product list.	One product per row; cards fit inside the screen; no sideways scrolling.

MT-079 Menu and cart work with taps

Site / area	Sauce Demo › Sauce Demo > Mobile
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App Public demo site (not versioned) · test case 1.0
Priority	High
Preconditions	Open https://www.saucedemo.com and log in as standard_user / secret_sauce. (on the phone)
Automated test	saucedemo/mobile/mobile.spec.ts › menu and cart work with taps

#	Step	Expected result
1	Tap "Add to cart" on Sauce Labs Backpack.	Cart icon shows 1.
2	Tap the cart icon.	Cart lists Sauce Labs Backpack.
3	Tap ☰ > Logout.	Login page is shown.