Manual test cases

Playwright TS Automation · 148 cases, one for each automated UI test (desktop and phone view) · case version 1.0 · written 2026-10-18 (updated for site v1.7.0 / v1.8.0)

Site	Address	App version
Substandard Monsters	https://substandard-monsters.com	1.8.0 (footer "v1.8.0")

Platform	Meaning
desktop	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
mobile	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
smallPhone	Mobile: small phone, 360 x 740 (DevTools device mode, responsive), Chrome or Edge
tablet	Tablet: 768 x 1024 (DevTools device mode, responsive), Chrome or Edge

Contents

Substandard Monsters · Desktop

MT-001	Home page loads with title, hero and every section	Home page	Critical
MT-002	Header link "Services" scrolls to its section	Home page > Navigation	Medium
MT-003	Header link "Gallery" scrolls to its section	Home page > Navigation	Medium
MT-004	Header link "How it works" scrolls to its section	Home page > Navigation	Medium
MT-005	Header link "About Us" scrolls to its section	Home page > Navigation	Medium
MT-006	Header link "Request a print" scrolls to its section	Home page > Navigation	Medium
MT-007	Footer shows the current year and safe Facebook links	Home page > Footer	Medium
MT-008	Footer shows the site version	Home page > Footer	Low
MT-009	Every image on the page loads	Home page	High
MT-010	Page has no JavaScript errors	Home page	Medium
MT-011	Resin gallery is shown by default	Gallery	Medium
MT-012	Each gallery tab shows only its own photos	Gallery	High
MT-013	Miniatures and Terrain tab opens sub-tabs and remembers the last one	Gallery	Medium
MT-014	Service card "Resin printing" opens its gallery	Gallery > Services	Medium
MT-015	Service card "FDM printing" opens its gallery	Gallery > Services	Medium
MT-016	Service card "Order a project design" opens its gallery	Gallery > Services	Medium
MT-017	Service card "Miniature painting" opens its gallery	Gallery > Services	Medium
MT-018	Link to #gallery-fdm opens the FDM gallery	Gallery	Medium
MT-019	Every photo has alt text and a caption	Gallery	Low
MT-020	Clicking a photo opens it enlarged with its caption	Gallery > Lightbox	High
MT-021	Enlarged photo closes with Escape, the X button and the backdrop, but not the photo	Gallery > Lightbox	Medium
MT-022	Switching from English to Polish and back	Languages	High
MT-023	Polish menu, gallery tabs and form are translated	Languages	Medium
MT-024	Polish request is sent in Polish and confirmed in Polish	Languages	Medium
MT-025	Polish 5-word rule message is in Polish	Languages	Medium
MT-026	English and Polish pages have the same photos and services	Languages	Low
MT-027	Facebook links open the Facebook page in a new tab (English)	Facebook	High
MT-028	Facebook links open the Facebook page in a new tab (Polish)	Facebook	High
MT-029	Request form shows every field, the required note and no message	Request a print	High
MT-030	Complete request is sent and a thank-you message is shown	Request a print	Critical
MT-031	Request can be sent with only the required fields	Request a print	Medium
MT-032	Form sends to the FormSubmit address	Request a print	Critical
MT-033	Service drop-down lists every service	Request a print	Low

MT-034	"Request a print" button in the hero leads to the form	Request a print	Medium
MT-035	Empty form cannot be sent	Request a print > Validation	High
MT-036	Missing "Your name" alone blocks sending	Request a print > Validation	Medium
MT-037	Missing "Email" alone blocks sending	Request a print > Validation	Medium
MT-038	Missing "Service" alone blocks sending	Request a print > Validation	Medium
MT-039	Missing "Describe what you need" alone blocks sending	Request a print > Validation	Medium
MT-040	Invalid email address is rejected	Request a print > Validation	Medium
MT-041	Quantity below 1 is rejected	Request a print > Validation	Medium
MT-042	Description needs at least 5 words	Request a print > Validation	High
MT-043	Hidden spam trap stays empty and out of reach	Request a print > Validation	Low
MT-044	"Sending..." is shown while the request is on its way	Request a print > Sending and errors	Medium
MT-045	FormSubmit's reason is shown when it rejects the request	Request a print > Sending and errors	High
MT-046	Error is shown when the network fails	Request a print > Sending and errors	Medium
MT-047	Error is shown when FormSubmit returns a broken reply	Request a print > Sending and errors	Low
MT-048	Request can be retried after an error and then succeeds	Request a print > Sending and errors	Medium
MT-049	Real submission reaches FormSubmit end to end	Request a print	Critical
MT-080	A red field clears its badge once fixed	Request a print > Validation	Medium
MT-081	Every limited field declares its limit	Request a print > Character limits	Low
MT-082	"Your name": typing stops at 50 characters	Request a print > Character limits	Medium
MT-083	"Your name": exactly 50 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-084	"Your name": over 50 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-085	"Email": typing stops at 50 characters	Request a print > Character limits	Medium
MT-086	"Email": exactly 50 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-087	"Email": over 50 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-088	"Link to your file or reference photos": typing stops at 1000 characters	Request a print > Character limits	Medium
MT-089	"Link to your file or reference photos": exactly 1000 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-090	"Link to your file or reference photos": over 1000 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-091	"Describe what you need": typing stops at 1000 characters	Request a print > Character limits	Medium
MT-092	"Describe what you need": exactly 1000 characters are accepted and sent in full	Request a print > Character limits	Medium
MT-093	"Describe what you need": over 1000 characters from autofill or a script is blocked	Request a print > Character limits	Low
MT-094	Quantity 1 is accepted	Request a print > Character limits	Medium
MT-095	Quantity 10000 is accepted	Request a print > Character limits	Medium
MT-096	Quantity 0 is rejected	Request a print > Character limits	Medium
MT-097	Quantity -1 is rejected	Request a print > Character limits	Medium
MT-098	Quantity 10001 is rejected	Request a print > Character limits	Medium
MT-099	Quantity 2.5 is rejected	Request a print > Character limits	Medium
MT-100	Description counter shows characters used and warns near the limit	Request a print > Character limits	Medium
MT-101	Description counter resets after a successful send	Request a print > Character limits	Low
MT-102	Polish page shows the limit message in Polish	Request a print > Character limits	Low
MT-103	Text is readable against its background: English page	Readability (colour contrast)	High
MT-104	Text is readable against its background: Polish page	Readability (colour contrast)	Medium
MT-105	Text is readable against its background: Header and open menu	Readability (colour contrast)	Medium
MT-106	Text is readable against its background: Gallery: Resin printing	Readability (colour contrast)	Medium
MT-107	Text is readable against its background: Gallery: FDM printing	Readability (colour contrast)	Medium

MT-108	Text is readable against its background: Gallery: Design examples	Readability (colour contrast)	Medium
MT-109	Text is readable against its background: Gallery: Miniatures and Terrain	Readability (colour contrast)	Medium
MT-110	Text is readable against its background: Enlarged photo	Readability (colour contrast)	Medium
MT-111	Text is readable against its background: Form errors	Readability (colour contrast)	High
MT-112	Text is readable against its background: Form sending and sent	Readability (colour contrast)	Medium
MT-113	Text is readable against its background: Description counter warning	Readability (colour contrast)	Medium
MT-114	File link is optional and has a helpful placeholder	Request a print > File link	Low
MT-115	File link accepts a Thingiverse link unchanged	Request a print > File link	Medium
MT-116	File link accepts a Printables link unchanged	Request a print > File link	Medium
MT-117	File link accepts a Google Drive link with a query unchanged	Request a print > File link	Medium
MT-118	File link accepts a Dropbox link with ?dl=0 unchanged	Request a print > File link	Medium
MT-119	File link accepts a link with a #section unchanged	Request a print > File link	Medium
MT-120	File link accepts an http link unchanged	Request a print > File link	Medium
MT-121	File link accepts a link with an encoded space unchanged	Request a print > File link	Medium
MT-122	File link accepts a link without https:// unchanged	Request a print > File link	Medium
MT-123	File link accepts two links unchanged	Request a print > File link	Medium
MT-124	File link rejects plain text	Request a print > File link	Medium
MT-125	File link rejects a typo in http	Request a print > File link	Medium
MT-126	File link rejects a scheme with no address	Request a print > File link	Medium
MT-127	File link rejects a javascript: link	Request a print > File link	High
MT-128	File link rejects missing slashes	Request a print > File link	Medium
MT-129	File link rejects spaces inside a link	Request a print > File link	Medium
MT-130	Success pop-up appears after a request is sent	Request a print > Success pop-up	Critical
MT-131	Success pop-up is modal: focus on its button, page behind blocked	Request a print > Success pop-up	Medium
MT-132	Success pop-up closes with the "Great, thanks" button	Request a print > Success pop-up	Medium
MT-133	Success pop-up closes with the × button	Request a print > Success pop-up	Medium
MT-134	Success pop-up closes with the Escape key	Request a print > Success pop-up	Medium
MT-135	Success pop-up closes with the dark backdrop	Request a print > Success pop-up	Medium
MT-136	Success pop-up stays open when clicking inside it	Request a print > Success pop-up	Low
MT-137	Success pop-up does not appear when sending fails or the form has errors	Request a print > Success pop-up	High
MT-138	Success pop-up appears again for a second request	Request a print > Success pop-up	Low
MT-139	Success pop-up fits on the screen and is readable	Request a print > Success pop-up	Medium
MT-140	Success pop-up is in Polish on the Polish page	Request a print > Success pop-up	Medium
MT-141	SQL guard blocks always-true login trick in the description	Security > SQL guard	High
MT-142	SQL guard blocks numeric always-true in the description	Security > SQL guard	High
MT-143	SQL guard blocks UNION SELECT in the description	Security > SQL guard	High
MT-144	SQL guard blocks DROP TABLE in the description	Security > SQL guard	High
MT-145	SQL guard blocks SELECT * FROM in the description	Security > SQL guard	High
MT-146	SQL guard blocks DELETE FROM … WHERE in the description	Security > SQL guard	High
MT-147	SQL guard blocks INSERT INTO … VALUES in the description	Security > SQL guard	High
MT-148	SQL guard blocks UPDATE … SET in the description	Security > SQL guard	High
MT-149	SQL guard blocks time delay probe in the description	Security > SQL guard	High
MT-150	SQL guard blocks comment after a quote in the description	Security > SQL guard	High
MT-151	SQL guard blocks SQL in the Your name field	Security > SQL guard	Medium
MT-152	SQL guard blocks SQL in the link field	Security > SQL guard	Medium
MT-153	SQL guard lets normal text through: select … from	Security > SQL guard	High
MT-154	SQL guard lets normal text through: "drop table" (gaming)	Security > SQL guard	High
MT-155	SQL guard lets normal text through: "delete from"	Security > SQL guard	High
MT-156	SQL guard lets normal text through: "insert into"	Security > SQL guard	High
MT-157	SQL guard lets normal text through: apostrophes and dashes	Security > SQL guard	High

MT-158	SQL guard lets normal text through: quotes and equals	Security > SQL guard	High
MT-159	SQL warning clears once the text is fixed	Security > SQL guard	Medium
MT-160	SQL warning is in Polish on the Polish page	Security > SQL guard	Medium
MT-161	SQL warning block is readable	Security > SQL guard	Low

Substandard Monsters · Mobile

MT-050	Menu is collapsed behind the hamburger button	Mobile > Header and menu	High
MT-051	Hamburger opens the menu and a link closes it	Mobile > Header and menu	Medium
MT-052	Tapping the hamburger twice closes the menu	Mobile > Header and menu	Low
MT-053	Logo shows only the icon and the language switch fits	Mobile > Header and menu	Low
MT-054	Header stays at the top while scrolling	Mobile > Header and menu	Medium
MT-055	No sideways scrolling (English page)	Mobile > Layout	High
MT-056	No sideways scrolling (Polish page)	Mobile > Layout	Medium
MT-057	Service cards stack in one full-width column	Mobile > Layout	Medium
MT-058	Hero buttons are visible and easy to tap	Mobile > Layout	Medium
MT-059	Gallery photos fit the screen in one column	Mobile > Layout	Medium
MT-060	Contact text sits above the form and fields stack full width	Mobile > Request form	High
MT-061	Form fields open phone-friendly keyboards	Mobile > Request form	Low
MT-062	Request can be filled in and sent with taps	Mobile > Request form	Critical
MT-063	Validation messages show on a phone	Mobile > Request form	Medium
MT-064	Gallery tabs and enlarged photo work with taps	Mobile > Gallery	Medium
MT-065	Small phone (360 px): no sideways scroll, hamburger menu, single-column form	Mobile > Other screen sizes	Medium
MT-066	Tablet (768 px): no sideways scroll, hamburger menu, single-column form	Mobile > Other screen sizes	Medium

Substandard Monsters · Desktop

MT-001 Home page loads with title, hero and every section

Site / area	Substandard Monsters › Home page
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Home page loads with title, hero and all sections

#	Step	Expected result
1	Look at the browser tab title.	Title reads "Substandard Monsters | 3D Printing Service".
2	Look at the top of the page.	Logo and heading "Monstrously good prints. Substandard prices." are shown.
3	Scroll down through the whole page.	Sections appear: About, Services, Gallery, How it works, Request a print; each has a heading.
4	Count the cards in Services.	4 service cards are shown.
5	Count the steps in How it works.	4 numbered steps are shown.

MT-002 Header link "Services" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Menu link scrolls to the #services section

#	Step	Expected result
1	Click "Services" in the header.	Page scrolls to the Services section.
2	Look at the address bar.	Address ends with "#services".
3	Look at the screen.	The section is visible without further scrolling.

MT-003 Header link "Gallery" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Menu link scrolls to the #gallery section

#	Step	Expected result
1	Click "Gallery" in the header.	Page scrolls to the Gallery section.
2	Look at the address bar.	Address ends with "#gallery".
3	Look at the screen.	The section is visible without further scrolling.

MT-004 Header link "How it works" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Menu link scrolls to the #how section

#	Step	Expected result
1	Click "How it works" in the header.	Page scrolls to the How it works section.
2	Look at the address bar.	Address ends with "#how".
3	Look at the screen.	The section is visible without further scrolling.

MT-005 Header link "About Us" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Menu link scrolls to the #about section

#	Step	Expected result
1	Click "About Us" in the header.	Page scrolls to the About Us section.
2	Look at the address bar.	Address ends with "#about".
3	Look at the screen.	The section is visible without further scrolling.

MT-006 Header link "Request a print" scrolls to its section

Site / area	Substandard Monsters › Home page > Navigation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Menu link scrolls to the #contact section

#	Step	Expected result
1	Click "Request a print" in the header.	Page scrolls to the Request a print (contact) section.
2	Look at the address bar.	Address ends with "#contact".
3	Look at the screen.	The section is visible without further scrolling.

MT-007 Footer shows the current year and safe Facebook links

Site / area	Substandard Monsters › Home page > Footer
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Footer shows the current year and safe Facebook links

#	Step	Expected result
1	Scroll to the footer.	Copyright line shows the current year.
2	Right-click "Substandard Monsters on Facebook" (contact section) > Inspect.	Link goes to https://www.facebook.com/SubstandardMiniatures, has target="_blank" and rel="noopener".
3	Inspect the "Facebook" link in the footer.	Same address, target="_blank", rel="noopener".

MT-008 Footer shows the site version

Site / area	Substandard Monsters › Home page > Footer
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Footer shows the site version

#	Step	Expected result
1	Scroll to the footer, bottom left.	A version like "v1.7.0" is shown (three numbers separated by dots).

MT-009 Every image on the page loads

Site / area	Substandard Monsters › Home page
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Open DevTools (F12) > Network, filter "Img", tick "Disable cache".
Automated test	monsters/e2e/home.spec.ts › Every image on the page loads

#	Step	Expected result
1	Reload the page.	Images load; none show a broken-image icon.
2	Click each gallery tab and sub-tab, scrolling through the photos.	Every photo appears.
3	Check the Network list.	All image requests have status 200 (no 404 or red rows).

MT-010 Page has no JavaScript errors

Site / area	Substandard Monsters › Home page
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open DevTools (F12) > Console, then open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/home.spec.ts › Page runs without JavaScript errors

#	Step	Expected result
1	Reload the page and wait for it to finish.	Console shows no red errors.
2	Click the "Miniatures and Terrain" gallery tab, open a photo, press Escape.	Still no red errors in the Console.

MT-011 Resin gallery is shown by default

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/gallery.spec.ts › Resin gallery is shown by default

#	Step	Expected result
1	Scroll to the Gallery section.	"Resin printing" tab is highlighted as active.
2	Look at the photos.	Only resin photos are shown; the sub-tab row (Miniatures / Terrain) is hidden.

MT-012 Each gallery tab shows only its own photos

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery section.
Automated test	monsters/e2e/gallery.spec.ts › Each gallery tab shows only its own photos

#	Step	Expected result
1	Click "Resin printing".	Only that tab is highlighted; resin photos are shown (at least one).
2	Click "FDM printing".	Only that tab is highlighted; FDM photos replace the previous ones.
3	Click "Design examples".	Only that tab is highlighted; design photos are shown.

MT-013 Miniatures and Terrain tab opens sub-tabs and remembers the last one

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery section.
Automated test	monsters/e2e/gallery.spec.ts › Miniatures and Terrain tab remembers the last sub-tab

#	Step	Expected result
1	Click "Miniatures and Terrain".	Sub-tabs "Miniatures" and "Terrain" appear; "Miniatures" is active and its photos are shown.
2	Click the "Terrain" sub-tab.	Main tab stays highlighted; Terrain is active; terrain photos are shown.
3	Click "FDM printing".	Sub-tab row disappears; FDM photos are shown.
4	Click "Miniatures and Terrain" again.	Terrain (the last sub-tab used) is shown, not Miniatures.

MT-014 Service card "Resin printing" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › Service card "resin" opens its gallery

#	Step	Expected result
1	Click the "Resin printing" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "Resin printing" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-resin".

MT-015 Service card "FDM printing" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › Service card "fdm" opens its gallery

#	Step	Expected result
1	Click the "FDM printing" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "FDM printing" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-fdm".

MT-016 Service card "Order a project design" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › Service card "design" opens its gallery

#	Step	Expected result
1	Click the "Order a project design" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "Design examples" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-design".

MT-017 Service card "Miniature painting" opens its gallery

Site / area	Substandard Monsters › Gallery > Services
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to Services.
Automated test	monsters/e2e/gallery.spec.ts › Service card "painting" opens its gallery

#	Step	Expected result
1	Click the "Miniature painting" card.	Page scrolls to the Gallery section.
2	Look at the gallery.	The "Miniatures and Terrain (Miniatures sub-tab)" photos are shown.
3	Look at the address bar.	Address ends with "#gallery-painting".

MT-018 Link to #gallery-fdm opens the FDM gallery

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Fresh browser window.
Automated test	monsters/e2e/gallery.spec.ts › Link to #gallery-fdm opens the FDM gallery

#	Step	Expected result
1	Open https://substandard-monsters.com/#gallery-fdm.	Page opens scrolled to the Gallery.
2	Look at the tabs.	"FDM printing" is active and FDM photos are shown.

MT-019 Every photo has alt text and a caption

Site / area	Substandard Monsters › Gallery
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery section.
Automated test	monsters/e2e/gallery.spec.ts › Every gallery photo has alt text and a caption

#	Step	Expected result
1	In each tab and sub-tab, check the text under every photo.	Every photo has a non-empty caption.
2	Right-click a few photos > Inspect.	Each <img> has a meaningful alt text.

MT-020 Clicking a photo opens it enlarged with its caption

Site / area	Substandard Monsters › Gallery > Lightbox
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery, open "Miniatures and Terrain" > Miniatures.
Automated test	monsters/e2e/gallery.spec.ts › Clicking a photo enlarges it with its caption

#	Step	Expected result
1	Note the caption of the second photo, then click that photo.	An overlay opens showing the same photo enlarged.
2	Read the text under the enlarged photo.	It matches the caption you noted.

MT-021 Enlarged photo closes with Escape, the X button and the backdrop, but not the photo

Site / area	Substandard Monsters › Gallery > Lightbox
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Scroll to the Gallery.
Automated test	monsters/e2e/gallery.spec.ts › Enlarged photo closes with Escape, × or backdrop

#	Step	Expected result
1	Click a photo, then press Escape.	The overlay closes.
2	Click a photo, then click the X button.	The overlay closes.
3	Click a photo, then click the enlarged photo itself.	The overlay stays open.
4	Click the dark area around the photo (top-left corner).	The overlay closes.

MT-022 Switching from English to Polish and back

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/language.spec.ts › Language switch goes from English to Polish and back

#	Step	Expected result
1	Look at the EN / PL switch in the header.	EN is marked as the current language.
2	Click "PL".	Polish page opens (address ends "/pl" or "pl.html"); title contains "Usługi druku 3D"; heading reads "Potwornie dobre wydruki."; menu shows "Galeria".
3	Click "EN".	English page opens; heading reads "Monstrously good prints."

MT-023 Polish menu, gallery tabs and form are translated

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window.
Automated test	monsters/e2e/language.spec.ts › Polish menu, tabs and form are translated

#	Step	Expected result
1	Read the header menu.	Usługi, Galeria, Jak to działa, O nas, Zamów wydruk.
2	Read the gallery tabs.	Druk żywiczny, Druk FDM, Przykładowe projekty, Figurki i makiety.
3	Read the form button and note.	Button "Wyślij zapytanie"; note "* Pola obowiązkowe".
4	Open the "Usługa" drop-down.	Druk żywiczny, Druk FDM, Projekt (nie mam pliku), Malowanie figurek, Nie wiem.

MT-024 Polish request is sent in Polish and confirmed in Polish

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Real email: use TEST data, or block formsubmit.co as in other form cases and expect an error instead.
Automated test	monsters/e2e/language.spec.ts › Polish form sends a Polish request and confirms in Polish

#	Step	Expected result
1	Fill in: Imię i nazwisko "TEST Tester", E-mail adamrzymowski@gmail.com, Usługa "Druk FDM", Opis "TEST - test ręczny formularza, proszę zignorować".	Fields accept the input.
2	Click "Wyślij zapytanie".	Message "Dziękuję! Zapytanie zostało wysłane. Wkrótce się odezwę." appears.
3	Check the inbox of the site owner.	Email subject is "Druk FDM request from TEST Tester - Substandard Monsters [PL]" and the Language field says "Polski".

MT-025 Polish 5-word rule message is in Polish

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Scroll to the form.
Automated test	monsters/e2e/language.spec.ts › 5-word rule message is in Polish on the Polish page

#	Step	Expected result
1	Fill in name, e-mail and service; type a 3-word description.	Fields accept the input.
2	Click "Wyślij zapytanie".	Nothing is sent; the description shows the red badge "Min. 5 słów" and "Sprawdź pola zaznaczone na czerwono." appears.

MT-026 English and Polish pages have the same photos and services

Site / area	Substandard Monsters › Languages
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open the English and the Polish page side by side.
Automated test	monsters/e2e/language.spec.ts › EN and PL pages show the same photos and services

#	Step	Expected result
1	Compare the service cards.	Both pages have the same 4 services in the same order.
2	Compare each gallery tab and sub-tab.	Each gallery shows the same photos, in the same order, on both pages.

MT-027 Facebook links open the Facebook page in a new tab (English)

Site / area	Substandard Monsters › Facebook
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/facebook.spec.ts › Facebook links open the Facebook page in a new tab (en)

#	Step	Expected result
1	Click "Substandard Monsters on Facebook" in the contact section.	A new tab opens on facebook.com showing (or asking you to log in to) the SubstandardMiniatures page.
2	Go back to the first tab.	The shop page is still open, unchanged.
3	Click "Facebook" in the footer.	Same result: new tab, SubstandardMiniatures page; the shop stays open.

MT-028 Facebook links open the Facebook page in a new tab (Polish)

Site / area	Substandard Monsters › Facebook
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window.
Automated test	monsters/e2e/facebook.spec.ts › Facebook links open the Facebook page in a new tab (pl)

#	Step	Expected result
1	Click "Substandard Monsters na Facebooku" in the contact section.	A new tab opens on facebook.com showing (or asking you to log in to) the SubstandardMiniatures page.
2	Go back to the first tab.	The shop page is still open, unchanged.
3	Click "Facebook" in the footer.	Same result: new tab, SubstandardMiniatures page; the shop stays open.

MT-029 Request form shows every field, the required note and no message

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › Form shows all fields, the required note and no message

#	Step	Expected result
1	Look at the form.	Fields: Your name *, Email *, Service *, Quantity, Link to your file or reference photos, Describe what you need * (min. 5 words), with a "0 / 1000" counter under the description.
2	Check Quantity.	Shows 1; the arrows stay between 1 and 10,000.
3	Read below the button.	Button "Send request"; note "* Required fields"; no success or error message yet.

MT-030 Complete request is sent and a thank-you message is shown

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". This sends a real email to the owner: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › Complete request sends every field and thanks the visitor

#	Step	Expected result
1	Fill in every field: name "TEST Tester", email adamrzymowski@gmail.com, Service "Not sure", Quantity 2, link https://example.com, description "TEST manual check of the request form, please ignore".	All fields accept the input.
2	Click "Send request".	"Sending…" shows briefly, then the "Request sent!" pop-up opens; behind it the form says "Thanks! Your request has been sent. I'll be in touch soon."
3	Click "Great, thanks".	The pop-up closes.
4	Look at the form.	All fields are cleared; Quantity is back to 1; the button is enabled.
5	Check the owner's inbox.	An email "Not sure request from TEST Tester - Substandard Monsters" lists every field and Language "English".

MT-031 Request can be sent with only the required fields

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › Request with only required fields is sent

#	Step	Expected result
1	Fill only name, email, service and a description of 5+ words.	Fields accept the input.
2	Click "Send request".	Thank-you message appears.
3	Check the email.	Quantity is 1; File link is empty.

MT-032 Form sends to the FormSubmit address

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Open DevTools (F12) > Network. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/request-form.spec.ts › Form posts to its FormSubmit address

#	Step	Expected result
1	Fill in all required fields and click "Send request".	A POST request to https://formsubmit.co/ajax/... appears in Network.
2	Click that request > Headers.	Method POST; request header Accept: application/json; address matches the form's action attribute.

MT-033 Service drop-down lists every service

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › Service dropdown lists every service

#	Step	Expected result
1	Open the Service drop-down.	Options: Choose one... (placeholder), Resin print, FDM print, Project design (no file yet), Miniature painting, Not sure.

MT-034 "Request a print" button in the hero leads to the form

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window.
Automated test	monsters/e2e/request-form.spec.ts › "Request a print" button leads to the form

#	Step	Expected result
1	Click the "Request a print" button in the large top section.	Page scrolls to the form; address ends with "#contact".

MT-035 Empty form cannot be sent

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Empty required fields block sending

#	Step	Expected result
1	Without filling anything, click "Send request".	Name, Email, Service and Description turn red with badges "Enter your name", "Enter your email", "Choose a service", "Describe what you need"; "Please check the fields marked in red." appears under the button.
2	Check Network and the form.	No request to formsubmit.co is made; no message appears under the button.

MT-036 Missing "Your name" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Missing Name alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Your name".	Other fields accept the input.
2	Click "Send request".	Only "Your name" turns red with the badge "Enter your name"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-037 Missing "Email" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Missing email alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Email".	Other fields accept the input.
2	Click "Send request".	Only "Email" turns red with the badge "Enter your email"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-038 Missing "Service" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Missing Service alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Service" (leave "Choose one...").	Other fields accept the input.
2	Click "Send request".	Only "Service" turns red with the badge "Choose a service"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-039 Missing "Describe what you need" alone blocks sending

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Missing Description alone blocks sending

#	Step	Expected result
1	Fill in every required field except "Describe what you need".	Other fields accept the input.
2	Click "Send request".	Only "Describe what you need" turns red with the badge "Describe what you need"; "Please check the fields marked in red." appears; nothing is sent to formsubmit.co.

MT-040 Invalid email address is rejected

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Invalid email address is rejected

#	Step	Expected result
1	Fill in all fields correctly but type "not-an-email" as Email.	Field accepts the text.
2	Click "Send request".	Email turns red with the badge "Check the email"; nothing is sent.

MT-041 Quantity below 1 is rejected

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools > Network.
Automated test	monsters/e2e/request-form.spec.ts › Quantity below 1 is rejected

#	Step	Expected result
1	Fill in the required fields and type 0 in Quantity.	Field shows 0.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-042 Description needs at least 5 words

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/request-form.spec.ts › Description needs at least 5 words

#	Step	Expected result
1	Fill in the required fields with a 4-word description and click "Send request".	Nothing is sent; the description shows the red badge "At least 5 words".
2	Change the description to two words, several spaces, two more words.	Click Send again: still the "At least 5 words" badge (extra spaces do not count as words).
3	Change it to exactly 5 words and click "Send request".	The badge disappears and the request is sent (with formsubmit.co blocked: the red error message appears instead).

MT-043 Hidden spam trap stays empty and out of reach

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › Hidden spam trap stays empty and unreachable

#	Step	Expected result
1	Click in "Your name" and press Tab repeatedly through the whole form.	Focus never lands on an invisible field.
2	Inspect the form (F12) and find input name="_honey".	It is hidden (display: none), has tabindex="-1" and is empty.

MT-044 "Sending..." is shown while the request is on its way

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network > throttling "Slow 3G". Sends a real email: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › Form shows "Sending..." while waiting

#	Step	Expected result
1	Fill in the required fields and click "Send request".	"Sending..." appears under the button and the button is disabled.
2	Wait for the reply.	The thank-you message replaces "Sending..."; the button is enabled again.

MT-045 FormSubmit's reason is shown when it rejects the request

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". In Chrome DevTools > Network, submit once with formsubmit.co blocked, then unblock it, right-click the formsubmit.co request > Override content, and set the body to {"success":"false","message":"This form needs Activation."}.
Automated test	monsters/e2e/request-form.spec.ts › Form shows FormSubmit's reason for a rejection

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red message: "Sorry, something went wrong. Please try again or message me on Facebook. (This form needs Activation.)"
2	Look at the form.	The typed text is kept; the button is enabled.

MT-046 Error is shown when the network fails

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network > Block request URL "formsubmit.co" (or set throttling to Offline after the page loads).
Automated test	monsters/e2e/request-form.spec.ts › Form shows an error when the network fails

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red message starting "Sorry, something went wrong. Please try again or message me on Facebook." (a reason in brackets may follow).
2	Look at the button.	It is enabled again.

MT-047 Error is shown when FormSubmit returns a broken reply

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". In Chrome DevTools > Network, override the formsubmit.co response with status 500 and body "<html>Server error</html>" (Override content).
Automated test	monsters/e2e/request-form.spec.ts › Form shows an error for a broken reply

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red "Sorry, something went wrong..." message; the button is enabled again.

MT-048 Request can be retried after an error and then succeeds

Site / area	Substandard Monsters › Request a print > Sending and errors
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network > Block request URL "formsubmit.co". Second attempt sends a real email: use TEST data.
Automated test	monsters/e2e/request-form.spec.ts › Form can be resent after an error

#	Step	Expected result
1	Fill in the required fields and click "Send request".	Red error message; text is kept.
2	Remove the block in DevTools and click "Send request" again.	Thank-you message appears (green).

MT-049 Real submission reaches FormSubmit end to end

Site / area	Substandard Monsters › Request a print
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. DevTools > Network open. Sends a real email: use TEST data. Automated version is opt-in (SUBMIT_REAL_FORM=1).
Automated test	monsters/e2e/real-submit.spec.ts › Real request reaches FormSubmit and shows success

#	Step	Expected result
1	Fill in name "Playwright Test Bot", email adamrzymowski@gmail.com, Service "Not sure", a description starting "[AUTOMATED TEST - please ignore]", and click "Send request".	POST to formsubmit.co with Accept: application/json; payload has the subject "Not sure request from Playwright Test Bot - Substandard Monsters" and Language "English".
2	Open the request > Response.	Status 200; body {"success":"true","message":"The form was submitted successfully."}.
3	Look at the page.	Thank-you message; form cleared; button enabled.

MT-080 A red field clears its badge once fixed

Site / area	Substandard Monsters › Request a print > Validation
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/request-form.spec.ts › Error badge clears once the field is fixed

#	Step	Expected result
1	Click "Send request" with the form empty.	Your name shows the red badge "Enter your name".
2	Type a name in Your name.	The badge disappears straight away; the field is no longer red.

MT-081 Every limited field declares its limit

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Elements.
Automated test	monsters/e2e/form-limits.spec.ts › Form fields declare their character limits

#	Step	Expected result
1	Inspect Your name, Email, Link and Describe.	maxlength is 50, 50, 1000 and 1000.
2	Inspect Quantity.	min="1" and max="10000".

MT-082 "Your name": typing stops at 50 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Name stops accepting typing at 50 characters

#	Step	Expected result
1	Type (not paste) more than 50 characters into "Your name".	Typing stops at exactly 50 characters.

MT-083 "Your name": exactly 50 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Name accepts exactly 50 characters

#	Step	Expected result
1	Fill in the other required fields, then: Enter 50 letters, e.g. 50 x "Z".	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 50 characters.

MT-084 "Your name": over 50 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Name over 50 characters is blocked

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-name"]').value = 'Z'.repeat(51)	The field now holds 51 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 50 characters"; "Please check the fields marked in red."; nothing is sent.

MT-085 "Email": typing stops at 50 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Email stops accepting typing at 50 characters

#	Step	Expected result
1	Type (not paste) more than 50 characters into "Email".	Typing stops at exactly 50 characters.

MT-086 "Email": exactly 50 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Email accepts exactly 50 characters

#	Step	Expected result
1	Fill in the other required fields, then: Enter a 50-character address, e.g. 38 x "a" followed by "@example.com".	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 50 characters.

MT-087 "Email": over 50 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Email over 50 characters is blocked

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-email"]').value = 'Z'.repeat(51)	The field now holds 51 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 50 characters"; "Please check the fields marked in red."; nothing is sent.

MT-088 "Link to your file or reference photos": typing stops at 1000 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › File link stops accepting typing at 1000 characters

#	Step	Expected result
1	Type (not paste) more than 1000 characters into "Link to your file or reference photos".	Typing stops at exactly 1000 characters.

MT-089 "Link to your file or reference photos": exactly 1000 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › File link accepts exactly 1000 characters

#	Step	Expected result
1	Fill in the other required fields, then: Paste a 1000-character address starting https://www.printables.com/model/.	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 1000 characters.

MT-090 "Link to your file or reference photos": over 1000 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › File link over 1000 characters is blocked

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-file-link"]').value = 'Z'.repeat(1001)	The field now holds 1001 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 1000 characters"; "Please check the fields marked in red."; nothing is sent.

MT-091 "Describe what you need": typing stops at 1000 characters

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Description stops accepting typing at 1000 characters

#	Step	Expected result
1	Type (not paste) more than 1000 characters into "Describe what you need".	Typing stops at exactly 1000 characters.

MT-092 "Describe what you need": exactly 1000 characters are accepted and sent in full

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Description accepts exactly 1000 characters

#	Step	Expected result
1	Fill in the other required fields, then: Paste 1000 characters of real words.	No red badge appears.
2	Click "Send request" and check the formsubmit.co request in DevTools > Network > Payload.	The field arrives complete, all 1000 characters.

MT-093 "Describe what you need": over 1000 characters from autofill or a script is blocked

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Open DevTools (F12) > Console. Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Description over 1000 characters is blocked

#	Step	Expected result
1	Fill in the other required fields.	Fields accept the input.
2	In the Console run: document.querySelector('[data-testid="form-description"]').value = 'Z'.repeat(1001)	The field now holds 1001 characters (the console bypasses the limit, as autofill can).
3	Click "Send request".	The field turns red with the badge "Max. 1000 characters"; "Please check the fields marked in red."; nothing is sent.

MT-094 Quantity 1 is accepted

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Quantity 1 is accepted

#	Step	Expected result
1	Fill in the required fields and set Quantity to 1.	No red badge on Quantity.
2	Click "Send request".	The request is sent with Quantity 1.

MT-095 Quantity 10000 is accepted

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/form-limits.spec.ts › Quantity 10000 is accepted

#	Step	Expected result
1	Fill in the required fields and set Quantity to 10000.	No red badge on Quantity.
2	Click "Send request".	The request is sent with Quantity 10000.

MT-096 Quantity 0 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Quantity 0 is rejected

#	Step	Expected result
1	Fill in the required fields and type 0 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-097 Quantity -1 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Quantity -1 is rejected

#	Step	Expected result
1	Fill in the required fields and type -1 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-098 Quantity 10001 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Quantity 10001 is rejected

#	Step	Expected result
1	Fill in the required fields and type 10001 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-099 Quantity 2.5 is rejected

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Quantity 2.5 is rejected

#	Step	Expected result
1	Fill in the required fields and type 2.5 in Quantity.	The field shows the value.
2	Click "Send request".	Quantity turns red with the badge "Enter 1 to 10,000"; nothing is sent.

MT-100 Description counter shows characters used and warns near the limit

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/form-limits.spec.ts › Description counter counts characters and warns near the limit

#	Step	Expected result
1	Look under the description box.	Counter reads "0 / 1000".
2	Type "hello world".	Counter reads "11 / 1000" in the normal colour.
3	Paste text until the counter reads 899 / 1000.	Normal colour.
4	Add one more character (900 / 1000).	Counter changes to the warning colour.
5	Fill to 1000.	Counter reads "1000 / 1000"; typing stops.

MT-101 Description counter resets after a successful send

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data.
Automated test	monsters/e2e/form-limits.spec.ts › Description counter resets after sending

#	Step	Expected result
1	Fill in the required fields and send.	Thank-you message; the form clears and the counter is back to "0 / 1000".

MT-102 Polish page shows the limit message in Polish

Site / area	Substandard Monsters › Request a print > Character limits
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Scroll to the form; open DevTools > Console.
Automated test	monsters/e2e/form-limits.spec.ts › Character limit message is in Polish on the Polish page

#	Step	Expected result
1	Fill in the required fields; in the Console run: document.querySelector('[data-testid="form-name"]').value = 'Z'.repeat(51)	Name holds 51 characters.
2	Click "Wyślij zapytanie".	Name shows "Maks. 50 znaków"; "Sprawdź pola zaznaczone na czerwono." appears.

MT-103 Text is readable against its background: English page

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › English page text has enough contrast

#	Step	Expected result
1	Scroll through the whole page.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-104 Text is readable against its background: Polish page

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Polish page text has enough contrast

#	Step	Expected result
1	Scroll through the whole page.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-105 Text is readable against its background: Header and open menu

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Open menu text has enough contrast

#	Step	Expected result
1	Open the menu (☰ on a narrow window) and look at the header.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-106 Text is readable against its background: Gallery: Resin printing

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Gallery "resin" tab and captions have enough contrast

#	Step	Expected result
1	Open Gallery > Resin printing.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-107 Text is readable against its background: Gallery: FDM printing

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Gallery "fdm" tab and captions have enough contrast

#	Step	Expected result
1	Open Gallery > FDM printing.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-108 Text is readable against its background: Gallery: Design examples

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Gallery "design" tab and captions have enough contrast

#	Step	Expected result
1	Open Gallery > Design examples.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-109 Text is readable against its background: Gallery: Miniatures and Terrain

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Gallery "painting" tab and captions have enough contrast

#	Step	Expected result
1	Open Gallery > Miniatures and Terrain.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-110 Text is readable against its background: Enlarged photo

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Enlarged photo caption has enough contrast

#	Step	Expected result
1	Open any photo in the gallery.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-111 Text is readable against its background: Form errors

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Form error badges and message have enough contrast

#	Step	Expected result
1	Click "Send request" on the empty form.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-112 Text is readable against its background: Form sending and sent

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Form sending and thank-you messages have enough contrast

#	Step	Expected result
1	Send a TEST request on a slow connection (DevTools > Network > Slow 3G).	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-113 Text is readable against its background: Description counter warning

Site / area	Substandard Monsters › Readability (colour contrast)
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Use Chrome DevTools: Elements > pick a text element > Styles shows a contrast ratio next to "color".
Automated test	monsters/e2e/contrast.spec.ts › Description counter warning has enough contrast

#	Step	Expected result
1	Paste 950 characters into the description.	All text is clearly readable at a normal viewing distance.
2	Check the contrast ratio of the text in that area in DevTools (at least the smallest and lightest text).	At least 4.5:1 for normal text and 3:1 for large text (about 24 px, or 19 px bold).

MT-114 File link is optional and has a helpful placeholder

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link field is optional with a helpful placeholder

#	Step	Expected result
1	Look at "Link to your file or reference photos".	Not marked *; placeholder mentions Thingiverse, Printables, Google Drive, Dropbox.
2	Send a request with the link left empty.	It is sent normally; File link arrives empty.

MT-115 File link accepts a Thingiverse link unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a Thingiverse link unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.thingiverse.com/thing:2187167 as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-116 File link accepts a Printables link unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a Printables link unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.printables.com/model/3161-3d-benchy as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-117 File link accepts a Google Drive link with a query unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a Google Drive link with a query unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://drive.google.com/file/d/1AbCdEfGhIjKlMnOpQrStUvWxYz/view?usp=sharing as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-118 File link accepts a Dropbox link with ?dl=0 unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a Dropbox link with ?dl=0 unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.dropbox.com/scl/fi/abc123/dragon.stl?rlkey=xyz789&dl=0 as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-119 File link accepts a link with a #section unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a link with a #section unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.myminifactory.com/object/3d-print-dragon-12345#comments as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-120 File link accepts an http link unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts an http link unchanged

#	Step	Expected result
1	Fill in the required fields and paste http://example.com/models/dragon.3mf as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-121 File link accepts a link with an encoded space unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a link with an encoded space unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://example.com/my%20files/dragon%20v2.stl as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-122 File link accepts a link without https:// unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts a link without https:// unchanged

#	Step	Expected result
1	Fill in the required fields and paste drive.google.com/file/d/1AbCdEf/view as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-123 File link accepts two links unchanged

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link accepts two links unchanged

#	Step	Expected result
1	Fill in the required fields and paste https://www.thingiverse.com/thing:2187167, https://www.printables.com/model/3161-3d-benchy as the link.	No red badge on the link field.
2	Click "Send request" and check the request payload in DevTools > Network.	File link is sent exactly as pasted.

MT-124 File link rejects plain text

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link rejects plain text

#	Step	Expected result
1	Fill in the required fields and type "my dragon file" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with the badge "Enter a valid link"; nothing is sent.

MT-125 File link rejects a typo in http

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link rejects a typo in http

#	Step	Expected result
1	Fill in the required fields and type "http://www.thingiverse.com/thing:123" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with the badge "Enter a valid link"; nothing is sent.

MT-126 File link rejects a scheme with no address

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link rejects a scheme with no address

#	Step	Expected result
1	Fill in the required fields and type "https://" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with the badge "Enter a valid link"; nothing is sent.

MT-127 File link rejects a javascript: link

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link rejects a javascript: link

#	Step	Expected result
1	Fill in the required fields and type "javascript:alert(document.cookie)" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with the badge "Enter a valid link"; nothing is sent.

MT-128 File link rejects missing slashes

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link rejects missing slashes

#	Step	Expected result
1	Fill in the required fields and type "https:www.printables.com/model/1" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with the badge "Enter a valid link"; nothing is sent.

MT-129 File link rejects spaces inside a link

Site / area	Substandard Monsters › Request a print > File link
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Real submissions email the site owner. Unless the case says otherwise, block the form service first: DevTools (F12) > Network > right-click any request > Block request URL, enter "formsubmit.co" (or use test data marked TEST if a real email is acceptable).
Automated test	monsters/e2e/file-link.spec.ts › File link rejects spaces inside a link

#	Step	Expected result
1	Fill in the required fields and type "https://www.printables.com/model/1 2 3" as the link.	Field accepts the text.
2	Click "Send request".	The link field turns red with the badge "Enter a valid link"; nothing is sent.

MT-130 Success pop-up appears after a request is sent

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Critical
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up appears with the right content

#	Step	Expected result
1	Fill in the required fields and click "Send request".	A pop-up opens over the page: tick icon, title "Request sent!", text "Thanks for your request. I'll get back to you with a quote, usually within a day or two. Keep an eye on your inbox (and spam folder).", button "Great, thanks" and an × in the corner.
2	Look behind the pop-up.	The form is cleared and says "Thanks! Your request has been sent. I'll be in touch soon."

MT-131 Success pop-up is modal: focus on its button, page behind blocked

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up takes focus and blocks the page behind

#	Step	Expected result
1	Send a request.	The "Great, thanks" button has keyboard focus (focus ring visible after pressing Tab/Shift+Tab).
2	Try to click the form behind the pop-up.	Nothing behind it reacts while the pop-up is open.

MT-132 Success pop-up closes with the "Great, thanks" button

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Send a TEST request so the pop-up opens.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up closes with the "Great, thanks" button

#	Step	Expected result
1	Click "Great, thanks".	The pop-up closes.
2	Type in Your name.	The page works normally again.

MT-133 Success pop-up closes with the × button

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Send a TEST request so the pop-up opens.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up closes with the × button

#	Step	Expected result
1	Click the × in the corner.	The pop-up closes.
2	Type in Your name.	The page works normally again.

MT-134 Success pop-up closes with the Escape key

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Send a TEST request so the pop-up opens.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up closes with the Escape key

#	Step	Expected result
1	Press Escape.	The pop-up closes.
2	Type in Your name.	The page works normally again.

MT-135 Success pop-up closes with the dark backdrop

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Send a TEST request so the pop-up opens.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up closes with the dark backdrop

#	Step	Expected result
1	Click the dark area outside the pop-up.	The pop-up closes.
2	Type in Your name.	The page works normally again.

MT-136 Success pop-up stays open when clicking inside it

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Send a TEST request so the pop-up opens.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up stays open when clicked inside

#	Step	Expected result
1	Click the pop-up's text.	The pop-up stays open.

MT-137 Success pop-up does not appear when sending fails or the form has errors

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". DevTools > Network ready to block "formsubmit.co".
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up does not appear on errors

#	Step	Expected result
1	Click "Send request" on the empty form.	Red badges and "Please check the fields marked in red."; no pop-up.
2	Block formsubmit.co, fill in the form correctly and send.	Red error message; no pop-up.

MT-138 Success pop-up appears again for a second request

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Sends two real emails: use TEST data.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up appears again for a second request

#	Step	Expected result
1	Send a request and close the pop-up.	The pop-up closes.
2	Fill in the form again and send.	The pop-up opens again.

MT-139 Success pop-up fits on the screen and is readable

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Send a TEST request. Repeat at phone size (DevTools device mode).
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up fits the screen and is readable

#	Step	Expected result
1	Look at the pop-up on desktop and on a phone screen.	It is fully on screen, the button is visible without scrolling, and all text is clearly readable.

MT-140 Success pop-up is in Polish on the Polish page

Site / area	Substandard Monsters › Request a print > Success pop-up
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Send a TEST request.
Automated test	monsters/e2e/success-dialog.spec.ts › Success pop-up is in Polish on the Polish page

#	Step	Expected result
1	Read the pop-up.	Title "Zapytanie wysłane!", text starting "Dziękuję za zapytanie.", button "Super, dzięki", × labelled "Zamknij".

MT-141 SQL guard blocks always-true login trick in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks always-true login trick in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: admin' OR '1'='1	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-142 SQL guard blocks numeric always-true in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks numeric always-true in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: ' OR 1=1 --	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-143 SQL guard blocks UNION SELECT in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks UNION SELECT in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: 1 UNION SELECT username, password FROM users	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-144 SQL guard blocks DROP TABLE in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks DROP TABLE in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: '; DROP TABLE users; --	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-145 SQL guard blocks SELECT * FROM in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks SELECT * FROM in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: SELECT * FROM orders	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-146 SQL guard blocks DELETE FROM … WHERE in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks DELETE FROM … WHERE in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: DELETE FROM orders WHERE 1=1	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-147 SQL guard blocks INSERT INTO ... VALUES in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks INSERT INTO ... VALUES in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: INSERT INTO users (name) VALUES ('x')	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-148 SQL guard blocks UPDATE ... SET in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks UPDATE ... SET in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: UPDATE users SET role='admin' WHERE id=1	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-149 SQL guard blocks time delay probe in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks time delay probe in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: 1 AND SLEEP(5)	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-150 SQL guard blocks comment after a quote in the description

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" in DevTools > Network as a safety net (nothing should be sent anyway).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks comment after a quote in the description

#	Step	Expected result
1	Fill in the required fields; in the description type a normal sentence followed by: admin'--	Fields accept the input.
2	Click "Send request".	The description shows the red badge "Looks like database code"; the warning "Part of your request looks like database code (SQL), so it was not sent. Please describe what you need in plain words." appears above the button; no pop-up; no request in the Network tab.

MT-151 SQL guard blocks SQL in the Your name field

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" as a safety net.
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks SQL in the Name field

#	Step	Expected result
1	Fill in the form correctly, then type x'; DROP TABLE users; -- in Your name.	Field accepts the input.
2	Click "Send request".	That field shows "Looks like database code"; the SQL warning appears; nothing is sent.

MT-152 SQL guard blocks SQL in the link field

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Block "formsubmit.co" as a safety net.
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard blocks SQL in the File link field

#	Step	Expected result
1	Fill in the form correctly, then type x'; DROP TABLE users; -- in the link field.	Field accepts the input.
2	Click "Send request".	That field shows "Looks like database code"; the SQL warning appears; nothing is sent.

MT-153 SQL guard lets normal text through: select ... from

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data (or block formsubmit.co and expect the network error instead of success).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard lets normal text through: select ... from

#	Step	Expected result
1	Fill in the required fields with the description: Please select a colour from the list, black or red, for this dragon.	No red badge, no SQL warning.
2	Click "Send request".	The request is sent normally (thank-you message and pop-up).

MT-154 SQL guard lets normal text through: "drop table" (gaming)

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data (or block formsubmit.co and expect the network error instead of success).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard lets normal text through: "drop table" (gaming)

#	Step	Expected result
1	Fill in the required fields with the description: I need a drop table for my D&D game, printed in grey PLA please.	No red badge, no SQL warning.
2	Click "Send request".	The request is sent normally (thank-you message and pop-up).

MT-155 SQL guard lets normal text through: "delete from"

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data (or block formsubmit.co and expect the network error instead of success).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard lets normal text through: "delete from"

#	Step	Expected result
1	Fill in the required fields with the description: Can you delete from the order the second dragon and make it bigger?	No red badge, no SQL warning.
2	Click "Send request".	The request is sent normally (thank-you message and pop-up).

MT-156 SQL guard lets normal text through: "insert into"

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data (or block formsubmit.co and expect the network error instead of success).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard lets normal text through: "insert into"

#	Step	Expected result
1	Fill in the required fields with the description: Insert into the base two magnets please, so the model sticks to the board.	No red badge, no SQL warning.
2	Click "Send request".	The request is sent normally (thank-you message and pop-up).

MT-157 SQL guard lets normal text through: apostrophes and dashes

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data (or block formsubmit.co and expect the network error instead of success).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard lets normal text through: apostrophes and dashes

#	Step	Expected result
1	Fill in the required fields with the description: It's for my son's birthday (he's 7); the 'big' one -- thanks a lot!	No red badge, no SQL warning.
2	Click "Send request".	The request is sent normally (thank-you message and pop-up).

MT-158 SQL guard lets normal text through: quotes and equals

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print". Sends a real email: use TEST data (or block formsubmit.co and expect the network error instead of success).
Automated test	monsters/e2e/sql-guard.spec.ts › SQL guard lets normal text through: quotes and equals

#	Step	Expected result
1	Fill in the required fields with the description: Print 'Dragon' or 'Wyvern' = whichever is cheaper, in red PETG please.	No red badge, no SQL warning.
2	Click "Send request".	The request is sent normally (thank-you message and pop-up).

MT-159 SQL warning clears once the text is fixed

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Click "Request a print".
Automated test	monsters/e2e/sql-guard.spec.ts › SQL warning clears once the text is fixed

#	Step	Expected result
1	Send with a description ending in SELECT * FROM users.	SQL warning and badge appear; nothing sent.
2	Replace the description with a normal sentence.	Warning and badge disappear while typing.
3	Click "Send request" (TEST data).	The request is sent normally.

MT-160 SQL warning is in Polish on the Polish page

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl in a fresh browser window. Scroll to the form. Block "formsubmit.co" as a safety net.
Automated test	monsters/e2e/sql-guard.spec.ts › SQL warning is in Polish on the Polish page

#	Step	Expected result
1	Fill in the form; end the description with ' OR 1=1 -- and click "Wyślij zapytanie".	Badge "Wygląda jak kod bazy danych" and warning "Część zapytania wygląda jak kod bazy danych (SQL), więc nie zostało wysłane. ..."; nothing sent.

MT-161 SQL warning block is readable

Site / area	Substandard Monsters › Security > SQL guard
Platform	Desktop: Chrome, Firefox and Edge (latest), window at least 1280 x 720
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com in a fresh browser window. Trigger the SQL warning as above.
Automated test	monsters/e2e/sql-guard.spec.ts › SQL warning has enough contrast

#	Step	Expected result
1	Check the warning's contrast in DevTools.	Light text on dark red, at least 4.5:1.

Substandard Monsters · Mobile

MT-050 Menu is collapsed behind the hamburger button

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Menu is hidden behind the hamburger button

#	Step	Expected result
1	Look at the header.	A ☰ button labelled "Open menu" is shown; the menu links are hidden.

MT-051 Hamburger opens the menu and a link closes it

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Hamburger opens the menu and a link closes it

#	Step	Expected result
1	Tap ☰.	Menu opens with Services, Gallery, How it works, About Us, Request a print.
2	Tap "Gallery".	Menu closes; page scrolls to the Gallery; address ends "#gallery".

MT-052 Tapping the hamburger twice closes the menu

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Tapping the hamburger twice closes the menu

#	Step	Expected result
1	Tap ☰ twice.	Menu opens, then closes; links are hidden again.

MT-053 Logo shows only the icon and the language switch fits

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Logo shows only the icon and the language switch fits

#	Step	Expected result
1	Look at the logo.	Only the monster icon is shown, without the "Substandard Monsters" text.
2	Look at EN / PL.	Both are fully visible, inside the screen.

MT-054 Header stays at the top while scrolling

Site / area	Substandard Monsters › Mobile > Header and menu
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Header stays at the top while scrolling

#	Step	Expected result
1	Scroll down to "How it works".	The header (with ☰) stays pinned at the top of the screen.

MT-055 No sideways scrolling (English page)

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Page has no sideways scrolling (en)

#	Step	Expected result
1	Scroll the whole page and try swiping left/right.	The page never scrolls sideways; nothing is cut off at the right edge.

MT-056 No sideways scrolling (Polish page)

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com/pl on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Page has no sideways scrolling (pl)

#	Step	Expected result
1	Scroll the whole page and try swiping left/right.	The page never scrolls sideways.

MT-057 Service cards stack in one full-width column

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Service cards stack in one full-width column

#	Step	Expected result
1	Scroll to Services.	The 4 cards are stacked one under another, each almost the full screen width.

MT-058 Hero buttons are visible and easy to tap

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Hero buttons are visible and easy to tap

#	Step	Expected result
1	Look at the top section.	Buttons "About us", "Request a print" and "See the gallery" are visible and at least a finger-tip tall (about 40 px).

MT-059 Gallery photos fit the screen in one column

Site / area	Substandard Monsters › Mobile > Layout
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Gallery photos fit the screen in one column

#	Step	Expected result
1	Go to the Gallery, open "Miniatures and Terrain".	Photos are shown one per row.
2	Check the edges.	Every photo fits inside the screen width.

MT-060 Contact text sits above the form and fields stack full width

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	High
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Form sits below the contact text with full-width fields

#	Step	Expected result
1	Tap ☰ > "Request a print".	The "Request a print" text and Facebook button are above the form.
2	Look at the form.	Email is under Your name (not side by side); every field is nearly the full form width.

MT-061 Form fields open phone-friendly keyboards

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Low
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Form fields open phone-friendly keyboards

#	Step	Expected result
1	Tap Email.	The email keyboard (with @) opens.
2	Tap Quantity.	The number keyboard opens.

MT-062 Request can be filled in and sent with taps

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Critical
Preconditions	Sends a real email: use TEST data (or block formsubmit.co and expect the error message).
Automated test	monsters/mobile/mobile.spec.ts › Request can be filled in and sent with taps

#	Step	Expected result
1	Tap ☰ > "Request a print".	The form is on screen.
2	Fill in all required fields with TEST data and tap "Send request".	Thank-you message appears and is visible without scrolling.

MT-063 Validation messages show on a phone

Site / area	Substandard Monsters › Mobile > Request form
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Validation badges show on a phone

#	Step	Expected result
1	Fill in the required fields with the description "too short" and tap "Send request".	The description shows the red badge "At least 5 words", visible on the phone screen.

MT-064 Gallery tabs and enlarged photo work with taps

Site / area	Substandard Monsters › Mobile > Gallery
Platform	Mobile: Chrome and Edge on an Android phone (or DevTools device mode "Pixel 7", 412 x 915), touch input
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Gallery tabs and enlarged photo work with taps

#	Step	Expected result
1	Go to the Gallery, tap "Miniatures and Terrain", then "Terrain".	Terrain photos are shown.
2	Tap a photo.	It opens enlarged and fits the screen width.
3	Tap the X.	The overlay closes.

MT-065 Small phone (360 px): no sideways scroll, hamburger menu, single-column form

Site / area	Substandard Monsters › Mobile > Other screen sizes
Platform	Mobile: small phone, 360 x 740 (DevTools device mode, responsive), Chrome or Edge
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Small phone (360px) layout has no sideways scroll and a single-column form

#	Step	Expected result
1	Open the page at 360 x 740 and scroll to the form.	No sideways scrolling; ☰ button shown.
2	Look at the form.	Email is under Your name.

MT-066 Tablet (768 px): no sideways scroll, hamburger menu, single-column form

Site / area	Substandard Monsters › Mobile > Other screen sizes
Platform	Tablet: 768 x 1024 (DevTools device mode, responsive), Chrome or Edge
Version	App 1.8.0 (footer "v1.8.0") · test case 1.0
Priority	Medium
Preconditions	Open https://substandard-monsters.com on the phone.
Automated test	monsters/mobile/mobile.spec.ts › Tablet (768px) layout has no sideways scroll and a single-column form

#	Step	Expected result
1	Open the page at 768 x 1024 and scroll to the form.	No sideways scrolling; ☰ button shown.
2	Look at the form.	Email is under Your name.