


LEG: SIP-H323



SIP provider should change call state, but still must wait for rxAddr


This was really sent immediately after IncomingCall  
localMediaCaps are remoteMediaCaps from other call

localMediaCaps are remoteMediaCaps from other call

txCodec is rxCodec from other call

This was really sent immediately after IncomingCall  
rxAddr is txAddr from other call





LEG: SIP-JTAPI

This was really sent immediately after IncomingCall

localMediaCaps are remoteMediaCaps from other call

JTAPI ignores caps sets

localMediaCaps contains only the rxCodec from other call

txCodec is rxCodec from other call


This was really sent immediately after IncomingCall

rxAddr is txAddr from other call

SIP sends this reflexively because it does not support asymmetric media

txCodec is rxCodec from other call


JTAPI ignores codec



SIP provider should change call state, but still must wait for rxAddr

rxAddr is txAddr from other call

LEG: SIP-SCCP




This was really sent immediately after IncomingCall  
localMediaCaps are remoteMediaCaps from other call  
SCCP ignores caps sets

localMediaCaps contains only the rxCodec from other call  
txCodec is rxCodec from other call


This was really sent immediately after IncomingCall  
rxAddr is txAddr from other call

SIP sends this reflexively because it does not support asymmetric media  
txCodec is rxCodec from other call  
SCCP ignores codec


This is sent immediately after sending ORC\_Ack  
SIP provider should change call state, but still must wait for rxAddr



rxAddr is txAddr from other call




LEG: SCCP-H323



localMediaCaps are remoteMediaCaps from other call  
SCCP ignores caps sets


localMediaCaps contains only the rxCodec from other call  
txCodec is rxCodec from other call





Interprotocol P2P Media (CallControl - Interprotocol P2P Media - SCCP-SIP)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 10)

LEG: SCCP-SIP



Interprotocol P2P Media (CallControl - Interprotocol P2P Media - H323-JTAPI)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 11)


SETUP

MakeCall\_Complete  
callId2

LEG: H323-JTAPI

Interprotocol P2P Media (CallControl - Interprotocol P2P Media - H323-SCCP)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 12)

LEG: H323-SCCP



Interprotocol P2P Media (CallControl - Interprotocol P2P Media - H323-SIP)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 13)


SETUP

MakeCall\_Complete  
callId2

LEG: H323-SIP


Interprotocol P2P Media (CallControl - Interprotocol P2P Media - JTAPI-SIP)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 14)

LEG: JTAPI-SIP



Interprotocol P2P Media (CallControl - Interprotocol P2P Media - JTAPI-H323)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 15)

LEG: JTAPI-H323



Interprotocol P2P Media (CallControl - Interprotocol P2P Media - JTAPI-SCCP)						
World	MCE				World2	EventHelix.com/EventStudio 2.5
phone1	App Server				phone2	
phone1	provider1	tel Man	app	provider2	phone2	05-Oct-05 18:41 (Page 16)

LEG: JTAPI-SCCP

