OpenSky Corp (OS Corp)

Executive company brief

Strategy · Product · Market · Morocco launch

Company	OpenSky Corp (OS Corp)
Product (working name)	OS Atlas
Version	1.1 — executive edition
Date	5 October 2026
Status	Internal — investors, partners, leadership
Phase 0 market	Kingdom of Morocco

How to read this document

Section	Audience	Time
[Executive snapshot](#executive-snapshot)	Board, investors, ministers	3 min
[Part I — Company](#part-i--company)	All stakeholders	5 min
[Part II — Market & customers](#part-ii--market--customers)	Sales, GTM, strategy	8 min
[Part III — Product E2E](#part-iii--product-end-to-end)	Product, engineering, technical buyers	12 min
[Part IV — Commercial plan](#part-iv--commercial-plan)	Finance, operations	8 min
[Part V — Governance & risk](#part-v--governance--risk)	Legal, security, compliance	5 min
[Appendix](#appendix)	Reference	As needed

Executive snapshot

What we are building

OpenSky Corp delivers **sovereign, mission-grade situational awareness** for governments and critical-infrastructure operators. We fuse **satellite sensing**, **ground and maritime feeds**, and (in Phase 1) **uncrewed aerial systems (UAS)** into one operations picture: **plan → monitor live → replay and prove**.

Core promise

> **One mission clock. One map. One evidence trail.**

> From space to surface to air.

Why now

- Critical-infrastructure and cyber-physical monitoring markets are growing at **~9–15% CAGR** (industry estimates).
- Commercial satellite tasking and analytics are affordable enough for **national and industrial** programs.
- Morocco combines **mining, ports, EEZ, energy corridors, and border** needs in one strategic geography.

How we are different

Others	OpenSky Corp
Public “open globe” demos	**Closed, tenant-scoped** enterprise platform
Flat GIS or camera-only VMS	**3D tactical COP** + mission lifecycle
Satellite dashboards alone	**Satellite-first**, then **UAS confirmation** on same mission object
Heavy defence SI timelines	**Browser-based ops** + modular adapters

Launch plan (summary)

Phase	Timeline	Focus
0	Months 0–6	Morocco pilot; satellite + surface fusion; auth; evidence
1	Months 6–12	UAS adapter; live video; second pilot
2	Months 12–24	Scale; optional defence enclave; regional expansion

Ask (internal alignment)

1. Confirm **anchor vertical** for Morocco pilot (mining **or** port/maritime **or** corridor).
2. Confirm **deployment** model (in-country cloud vs on-prem).
3. Register legal entity and **trade-name** clearance for “OpenSky Corp.”

Part I — Company

1. The idea

Mines, ports, borders, and energy sites produce **fragmented data**: satellite imagery, AIS, CCTV, weather, IoT, patrol reports—and later drone video. Each lives in a different console. Leaders lose **minutes to hours** aligning “what space saw,” “what cameras saw,” and “what the field reported.”

OS Corp unifies these under **mission objects** (areas of interest, objectives, patrols, incidents)—not anonymous global layers.

Satellite → wide-area persistence and change detection.

UAS (Phase 1) → high-resolution custody of targets and corridors.

Platform → single timeline, alerts, and exportable evidence.

Naming: “OpenSky” means **expanded visibility for authorized operators**, not public OSINT. Conduct legal review before trademark filing (potential overlap with aviation data brands).

---

2. Vision

Authorized eyes on every critical domain—nations and infrastructure owners detect threats, environmental risk, and operational failure early enough to act with **confidence and accountability**.

---

3. Mission

Build an **integrated intelligence operations platform** that:

1. Fuses **satellite**, **terrestrial**, and **aerial** data into a live **common operating picture (COP)**.
2. Covers the full **mission lifecycle**: brief, execute, monitor, replay, export evidence.
3. Supports **sovereign deployments** (data residency, on-prem option).
4. Scales from **single industrial sites** to **multi-region** maritime and border programs.

---

4. Values

Value	In practice
Sovereignty	Customer owns mission data; no dependence on public demo feeds.
Truth over theater	Stale or uncertain data is labeled; no fake precision.
Accountability	RBAC, audit logs, evidence chains for HSE and legal review.

| **Modularity** | Satellites and UAS integrate via adapters—not globe rewrites. |

| **Operational speed** | Browser COP for command staff; edge gateways for thin links. |

| **Restraint** | Decision support only; rules of engagement stay with the customer. |

Part II — Market & customers

5. Problem & opportunity

Problems

1. Fragmented GEOINT and physical security (no shared mission timeline).

2. Coverage gaps between satellite revisit and fixed cameras.

3. Weak post-incident reconstruction for regulators and insurers.

4. OT / perimeter / external movement not fused in one SOC workflow.

5. Monolithic C2 vs point solutions—slow or incomplete.

Opportunity: Target the **software fusion layer** (fastest-growing CIP segment per industry analysts)—not airframe manufacturing in Phase 0.

Differentiation: Satellite-first **3D COP** · Morocco-first **FR/AR** ops · One mission model into UAS Phase 1.

---

6. Market research (directional)

Figures are third-party industry estimates for planning—not OS Corp financial forecasts.

| Segment | Scale (indicative) | Growth | Fit |

| --- | --- | --- | --- |

| Critical infrastructure monitoring | ~USD 29B (2026) → ~USD 64B (2035) | ~9.4% CAGR | Core TAM |

| OT + physical surveillance | ~USD 4.6B (2025) → ~USD 16.8B (2034) | ~15.4% CAGR | Mining, utilities |

| CIP software | Fastest-growing CIP component | ~8.9% CAGR | Fusion, analytics |

| Commercial earth observation | Multi-billion | Strong | Tasking, change detection |

Macro drivers: Regulation (NIS2-class), climate stress, maritime security, Sahel-adjacent border pressure, falling SAT costs.

Competitive categories

| Category | Gap we fill |

| --- | --- |

| Satellite analytics only | Live COP + replay + UAS path |

| VMS / CCTV only | Space + maritime + air tracks |

| Legacy defence GIS | Modern UX, faster site onboarding |

| Public OSINT globes | Closed, auditable, customer feeds |

Sources: Morgan Reed Insights, MarketIntelo, Persistence Market Research (verify before investor decks).

---

7. Target customers

Morocco Phase 0 — primary segments

| Segment | Buyer | Pain | Our value |

| --- | --- | --- | --- |

| **Mining & phosphates** | VP Security, HSE, COO | Theft, intrusion, tailings risk | Site COP, geofences, SAT change + CCTV, evidence |

| **Ports & logistics** | Port security, harbor master | Traffic, smuggling, weather | AIS + SAT + pier CCTV, watchlists |

| **Maritime / EEZ** | Navy, coast guard, fisheries | Patrol cost, persistence | SAT tip → UAS confirm (Ph.1) |

| **Energy & utilities** | Grid / pipeline operators | Sabotage, fire | Corridors, weather, OT-aware alerts |

| **Transport** | Rail / highway ops | Intrusion, landslide | Linear AOIs, repeat passes |

| **Defence & border** | Military, gendarmerie | Corridor intel | Classified enclave, team layers |

Ideal customer profile (ICP)

- Asset or corridor **> 50 km²** or strategic **coastline / border** segment.

- Already spends on **cameras, guards, or patrol aviation** but lacks fused GEOINT.

- Will run a **90-day pilot** with KPIs (detect time, coverage %, evidence pack time).

- Accepts **Morocco hosting** or on-prem.

Expansion (later)

MENA / West Africa mining and ports · Insurance (verified timelines) · Civil environmental missions (export-controlled features off).

Part III — Product end-to-end

8. Product overview — OS Atlas

OS Atlas is the mission operations product (codename may change).

Eight pillars

#	Pillar	Capability
1	**Mission**	Briefs, AOIs, objectives, approvals, assets
2	**Globe**	3D terrain, tactical HUD, track custody
3	**Space**	SAT tasking, change layers, weather
4	**Surface**	AIS, CCTV/VMS, IoT, radar (customer)
5	**Air**	UAS telemetry/video (Phase 1)
6	**Evidence**	Replay, annotate, export, audit
7	**Assist**	Voice / analyst on **authorized** context only
8	**Alerts**	Geofence, dwell, correlation rules

Deployment

- **Sovereign SaaS** (single-tenant, in-country cloud)
- **On-prem / air-gap** (defence-adjacent)
- **Hybrid** (edge at site + central mission store)

What we are not

Public surveillance toy · OSINT aggregator · Airframe OEM in Phase 0.

---

9. Mission lifecycle (E2E user journey)

```
┌──────────────────────────────────────────────────────────────────────────┐
│                  OS Atlas — Mission lifecycle                            │
├──────────────────────────┬──────────────────────────┬────────────────────┤
│  PRE-MISSION             │  LIVE OPS                │  POST-MISSION      │
│  Brief & AOI             │  COP + alerts            │  Replay + evidence │
│  Asset plan              │  Multi-source            │  Coverage analytics│
│  Approvals               │  Roles + assist          │  HSE / legal export│
└──────────────────────────┴──────────────────────────┴────────────────────┘
```

▲

Fusion engine + ingest adapters

(Satellite · Surface · UAS Phase 1)

```

**Operator journey (typical day)**

1. **Brief** — Supervisor defines AOIs and objectives; assigns sensors and shifts.
2. **Live** — Analyst monitors fused tracks; alerts triaged; incidents opened.
3. **Review** — Supervisor replays timeline; exports evidence pack for HSE or authority.

---

## 10. Technical architecture (layers)

| Layer | Components |
| --- | --- |
| **Client (browser)** | 3D globe, mission UI, cockpit/follow, replay, FR/AR |
| **Application services** | API gateway, mission service, fusion, ingest proxy, alerts, evidence, assist |
| **Data** | Mission DB, time-series tracks, imagery/video object store, audit log |
| **Edge (optional)** | Site gateway (CCTV/UAS buffer), local AIS/ADS-B where legal |

**Foundation:** Internal geospatial intelligence codebase—modular layers, server-brokered secrets, scene replay—**reconfigured for tenant-only operations**.

---

## 11. Data strategy: satellite first, UAS second

### Phase 0 — ingest

| Source | Use | Pattern |
| --- | --- | --- |
| Optical EO | Change, intrusion | Tasking → globe overlay |
| SAR | Cloud/night corridor | Tiles + AOI registration |
| Weather / lightning | Safety | Timeline layers |
| AIS | Port / EEZ | Stream + staleness flags |
| CCTV / VMS | Perimeter | RTSP/ONVIF via gateway |
| IoT / SCADA (read-only) | Gates, levels | Edge MQTT / OPC-UA |

**Satellite ops concept:** Baseline mosaic → change alerts → (Phase 1) tip-to-UAS custody.
```

Phase 1 — Vehicle Adapter SDK

| API | Purpose |

| --- | --- |

| `registerAsset()` | Airframe, payload, link type |

| `uploadMission()` | Waypoints / orbits from mission object |

| `telemetryStream()` | Position, mode, link quality |

| `videoStream()` | H.264/H.265 + metadata |

| `detectionStream()` | Onboard AI boxes (optional) |

| `health()` | GCS / SATCOM vs RLOS |

UAS classes (via partners): Small VTOL (site) · Tactical FW/VTOL (corridor) · Long-endurance patrol (customer-funded, BLOS).

Correlation (differentiator): SAT change → patrol suggestion · AIS gap + cue → reviewed workflow · CCTV + geofence → incident clip · all logged for replay.

Part IV — Commercial plan

12. Morocco go-to-market

Positioning: *Mission intelligence for Morocco's critical domains. Space-wide awareness. Surface truth. Aerial confirmation—sovereign data.*

| Step | Action |

| --- | --- |

| 1 | One **anchor pilot** (mining or major port)—named executive sponsor |

| 2 | **90-day KPI** contract (detect, false positive, evidence time, training) |

| 3 | **Local partners** — VMS integrator, SAT reseller, in-country host |

| 4 | **Reference** second site → adjacent vertical |

Procurement: Direct B2B · SI frameworks · Phase 1 OEM bundle (UAS + OS Atlas).

Trust: FR/AR UI and training · data residency in contract · Moroccan legal alignment.

---

13. Business model

| Revenue stream | Phase |

| --- | --- |

| Platform subscription (site / AOI / seat) | 0 |

| Satellite tasking margin / managed quota | 0 |

| Professional services (integration, training) | 0 |

| Managed operations (24/7 cell) | 1 |

| UAS integration certification | 1 |

| Multi-year government programs | 2 |

Philosophy: Land with **software + satellite** (lower capex than aviation); grow ARPU with UAS and managed ops.

---

14. Roadmap & KPIs

Phase 0 (months 0–6)

- Enterprise hardening (auth, no public OSINT defaults)
- Tenant + mission model; Morocco site pack v1
- SAT change pipeline; AIS + CCTV; alerts v1
- Evidence export v1; FR/AR shell
- **First paid pilot signed**

Phase 1 (months 6–12)

- Vehicle Adapter SDK + one UAS vendor
- Live video on globe; replay with video sync
- Coverage heatmap; **second pilot**

Phase 2 (months 12–24)

- Long-endurance UAS partner; TAK optional
- On-prem defence bundle; **second country**

Pilot success metrics

| Metric | Target |

| --- | --- |

| Alert acknowledgment | < 60 seconds |

| Incident replay availability | 100% of logged incidents |

| SaaS uptime | 99.5% |

| Operator competency | ≤ 10 training days |

---

15. Organization & partners

| Function | Role |

| --- | --- |

| Product & GEOINT | Mission workflows, SAT partners |

| Platform engineering | Globe, fusion, adapters, edge |

| Security & compliance | IAM, audit, sovereignty |

| Morocco GTM | Enterprise sales, GR, SI partnerships |

| Operations | Pilot support, training, SOC (optional) |

| Legal | Export control, aviation, IP |

Partners: SAT operators · VMS integrators · UAS OEMs (Ph.1) · in-country cloud / cyber firms.

Part V — Governance & risk

16. Security & sovereignty

- Zero trust; mTLS inside cluster
- **No anonymous production access**
- Classification-ready segmentation; HSM option
- Export control on dual-use features
- PII minimization and video redaction
- Customer = **UAS operator of record** unless OS Corp certified via partnership

---

17. Risks & mitigations

| Risk | Mitigation |

| --- | --- |

| SAT cost overrun | Quotas; mix weather + paid EO |

| Trade-name conflict | Legal review; “OS Corp” on contracts |

| UAS regulation | Software-only Phase 0; partner as operator |

| Single SAT vendor | Multi-provider adapters |

| Talent gaps | Morocco + diaspora; SI partners |

| Over-trust in AI | Human-in-the-loop; uncertainty labels |

Appendix

A. Glossary

| Term | Definition |

| --- | --- |

| AOI | Area of interest tied to a mission |

| COP | Common operating picture |

| EO / SAR | Optical / radar satellite imagery |

| EEZ | Exclusive economic zone |

| UAS / GCS | Uncrewed system / ground control |

| GEOINT | Geospatial intelligence |

| HSE | Health, safety, environment |

| BLOS | Beyond line-of-sight communications |

| MAME | Medium-altitude medium-endurance patrol class |

B. Document control

| Version | Date | Changes |

| --- | --- | --- |

| 1.0 | 2026-10-05 | Initial draft |

| 1.1 | 2026-10-05 | Executive structure and readability |

C. Disclaimer

This brief describes intended business and architecture. It is not an offer or contract. Market figures are directional until backed by primary research.
