

Lab 8: Breast Cancer Mini Project

Adam Bisharat

PREFACE:

It is important to consider scaling your data before analysis such as PCA

```
head(mtcars)
```

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160	110	3.90	2.620	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6	160	110	3.90	2.875	17.02	0	1	4	4
Datsun 710	22.8	4	108	93	3.85	2.320	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258	110	3.08	3.215	19.44	1	0	3	1
Hornet Sportabout	18.7	8	360	175	3.15	3.440	17.02	0	0	3	2
Valiant	18.1	6	225	105	2.76	3.460	20.22	1	0	3	1

```
colMeans(mtcars)
```

mpg	cyl	disp	hp	drat	wt	qsec
20.090625	6.187500	230.721875	146.687500	3.596563	3.217250	17.848750
vs	am	gear	carb			
0.437500	0.406250	3.687500	2.812500			

```
apply(mtcars, 2, sd)
```

mpg	cyl	disp	hp	drat	wt
6.0269481	1.7859216	123.9386938	68.5628685	0.5346787	0.9784574
qsec	vs	am	gear	carb	
1.7869432	0.5040161	0.4989909	0.7378041	1.6152000	

```
x <- scale(mtcars)
head(x)
```

	mpg	cyl	disp	hp	drat
Mazda RX4	0.1508848	-0.1049878	-0.57061982	-0.5350928	0.5675137
Mazda RX4 Wag	0.1508848	-0.1049878	-0.57061982	-0.5350928	0.5675137
Datsun 710	0.4495434	-1.2248578	-0.99018209	-0.7830405	0.4739996
Hornet 4 Drive	0.2172534	-0.1049878	0.22009369	-0.5350928	-0.9661175
Hornet Sportabout	-0.2307345	1.0148821	1.04308123	0.4129422	-0.8351978
Valiant	-0.3302874	-0.1049878	-0.04616698	-0.6080186	-1.5646078

	wt	qsec	vs	am	gear
Mazda RX4	-0.610399567	-0.7771651	-0.8680278	1.1899014	0.4235542
Mazda RX4 Wag	-0.349785269	-0.4637808	-0.8680278	1.1899014	0.4235542
Datsun 710	-0.917004624	0.4260068	1.1160357	1.1899014	0.4235542
Hornet 4 Drive	-0.002299538	0.8904872	1.1160357	-0.8141431	-0.9318192
Hornet Sportabout	0.227654255	-0.4637808	-0.8680278	-0.8141431	-0.9318192
Valiant	0.248094592	1.3269868	1.1160357	-0.8141431	-0.9318192

	carb
Mazda RX4	0.7352031
Mazda RX4 Wag	0.7352031
Datsun 710	-1.1221521
Hornet 4 Drive	-1.1221521
Hornet Sportabout	-0.5030337
Valiant	-1.1221521

```
round(colMeans(x),2)
```

mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
0	0	0	0	0	0	0	0	0	0	0

```
wisc.df <- read.csv("WisconsinCancer.csv", row.names=1)
```

```
head(wisc.df)
```

	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean
842302	M	17.99	10.38	122.80	1001.0
842517	M	20.57	17.77	132.90	1326.0
84300903	M	19.69	21.25	130.00	1203.0
84348301	M	11.42	20.38	77.58	386.1
84358402	M	20.29	14.34	135.10	1297.0

843786	M	12.45	15.70	82.57	477.1
	smoothness_mean	compactness_mean	concavity_mean	concave.points_mean	
842302	0.11840	0.27760	0.3001	0.14710	
842517	0.08474	0.07864	0.0869	0.07017	
84300903	0.10960	0.15990	0.1974	0.12790	
84348301	0.14250	0.28390	0.2414	0.10520	
84358402	0.10030	0.13280	0.1980	0.10430	
843786	0.12780	0.17000	0.1578	0.08089	
	symmetry_mean	fractal_dimension_mean	radius_se	texture_se	perimeter_se
842302	0.2419	0.07871	1.0950	0.9053	8.589
842517	0.1812	0.05667	0.5435	0.7339	3.398
84300903	0.2069	0.05999	0.7456	0.7869	4.585
84348301	0.2597	0.09744	0.4956	1.1560	3.445
84358402	0.1809	0.05883	0.7572	0.7813	5.438
843786	0.2087	0.07613	0.3345	0.8902	2.217
	area_se	smoothness_se	compactness_se	concavity_se	concave.points_se
842302	153.40	0.006399	0.04904	0.05373	0.01587
842517	74.08	0.005225	0.01308	0.01860	0.01340
84300903	94.03	0.006150	0.04006	0.03832	0.02058
84348301	27.23	0.009110	0.07458	0.05661	0.01867
84358402	94.44	0.011490	0.02461	0.05688	0.01885
843786	27.19	0.007510	0.03345	0.03672	0.01137
	symmetry_se	fractal_dimension_se	radius_worst	texture_worst	
842302	0.03003	0.006193	25.38	17.33	
842517	0.01389	0.003532	24.99	23.41	
84300903	0.02250	0.004571	23.57	25.53	
84348301	0.05963	0.009208	14.91	26.50	
84358402	0.01756	0.005115	22.54	16.67	
843786	0.02165	0.005082	15.47	23.75	
	perimeter_worst	area_worst	smoothness_worst	compactness_worst	
842302	184.60	2019.0	0.1622	0.6656	
842517	158.80	1956.0	0.1238	0.1866	
84300903	152.50	1709.0	0.1444	0.4245	
84348301	98.87	567.7	0.2098	0.8663	
84358402	152.20	1575.0	0.1374	0.2050	
843786	103.40	741.6	0.1791	0.5249	
	concavity_worst	concave.points_worst	symmetry_worst		
842302	0.7119	0.2654	0.4601		
842517	0.2416	0.1860	0.2750		
84300903	0.4504	0.2430	0.3613		
84348301	0.6869	0.2575	0.6638		
84358402	0.4000	0.1625	0.2364		
843786	0.5355	0.1741	0.3985		

	fractal_dimension_worst
842302	0.11890
842517	0.08902
84300903	0.08758
84348301	0.17300
84358402	0.07678
843786	0.12440

```
diagnosis <- wisc.df[,1]
table (diagnosis)
```

```
diagnosis
  B   M
357 212
```

```
wisc.data <- wisc.df[,-1]
head(wisc.data)
```

	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean
842302	17.99	10.38	122.80	1001.0	0.11840
842517	20.57	17.77	132.90	1326.0	0.08474
84300903	19.69	21.25	130.00	1203.0	0.10960
84348301	11.42	20.38	77.58	386.1	0.14250
84358402	20.29	14.34	135.10	1297.0	0.10030
843786	12.45	15.70	82.57	477.1	0.12780

	compactness_mean	concavity_mean	concave.points_mean	symmetry_mean
842302	0.27760	0.3001	0.14710	0.2419
842517	0.07864	0.0869	0.07017	0.1812
84300903	0.15990	0.1974	0.12790	0.2069
84348301	0.28390	0.2414	0.10520	0.2597
84358402	0.13280	0.1980	0.10430	0.1809
843786	0.17000	0.1578	0.08089	0.2087

	fractal_dimension_mean	radius_se	texture_se	perimeter_se	area_se
842302	0.07871	1.0950	0.9053	8.589	153.40
842517	0.05667	0.5435	0.7339	3.398	74.08
84300903	0.05999	0.7456	0.7869	4.585	94.03
84348301	0.09744	0.4956	1.1560	3.445	27.23
84358402	0.05883	0.7572	0.7813	5.438	94.44
843786	0.07613	0.3345	0.8902	2.217	27.19

	smoothness_se	compactness_se	concavity_se	concave.points_se
842302	0.006399	0.04904	0.05373	0.01587

842517	0.005225	0.01308	0.01860	0.01340
84300903	0.006150	0.04006	0.03832	0.02058
84348301	0.009110	0.07458	0.05661	0.01867
84358402	0.011490	0.02461	0.05688	0.01885
843786	0.007510	0.03345	0.03672	0.01137
	symmetry_se	fractal_dimension_se	radius_worst	texture_worst
842302	0.03003	0.006193	25.38	17.33
842517	0.01389	0.003532	24.99	23.41
84300903	0.02250	0.004571	23.57	25.53
84348301	0.05963	0.009208	14.91	26.50
84358402	0.01756	0.005115	22.54	16.67
843786	0.02165	0.005082	15.47	23.75
	perimeter_worst	area_worst	smoothness_worst	compactness_worst
842302	184.60	2019.0	0.1622	0.6656
842517	158.80	1956.0	0.1238	0.1866
84300903	152.50	1709.0	0.1444	0.4245
84348301	98.87	567.7	0.2098	0.8663
84358402	152.20	1575.0	0.1374	0.2050
843786	103.40	741.6	0.1791	0.5249
	concavity_worst	concave.points_worst	symmetry_worst	
842302	0.7119	0.2654	0.4601	
842517	0.2416	0.1860	0.2750	
84300903	0.4504	0.2430	0.3613	
84348301	0.6869	0.2575	0.6638	
84358402	0.4000	0.1625	0.2364	
843786	0.5355	0.1741	0.3985	
	fractal_dimension_worst			
842302	0.11890			
842517	0.08902			
84300903	0.08758			
84348301	0.17300			
84358402	0.07678			
843786	0.12440			

Q1. How many observations are in this dataset?

```
dim(wisc.data)
```

```
[1] 569 30
```

There are 569 observations in this data set.

Q2. How many of the observations have a malignant diagnosis?

```
table (diagnosis)
```

```
diagnosis
  B    M
357 212
```

212 observations have a malignant diagnosis

Q3. How many variables/features in the data are suffixed with `__mean`?

```
length(grep("__mean", colnames(wisc.data)))
```

```
[1] 10
```

There are 10 variables with the suffix “`__mean`”

Principle Component Analysis

```
wisc.pr <- prcomp(wisc.data, scale=T)
summary(wisc.pr)
```


Importance of components:

	PC1	PC2	PC3	PC4	PC5	PC6	PC7
Standard deviation	3.6444	2.3857	1.67867	1.40735	1.28403	1.09880	0.82172
Proportion of Variance	0.4427	0.1897	0.09393	0.06602	0.05496	0.04025	0.02251
Cumulative Proportion	0.4427	0.6324	0.72636	0.79239	0.84734	0.88759	0.91010
	PC8	PC9	PC10	PC11	PC12	PC13	PC14
Standard deviation	0.69037	0.6457	0.59219	0.5421	0.51104	0.49128	0.39624
Proportion of Variance	0.01589	0.0139	0.01169	0.0098	0.00871	0.00805	0.00523
Cumulative Proportion	0.92598	0.9399	0.95157	0.9614	0.97007	0.97812	0.98335
	PC15	PC16	PC17	PC18	PC19	PC20	PC21
Standard deviation	0.30681	0.28260	0.24372	0.22939	0.22244	0.17652	0.1731
Proportion of Variance	0.00314	0.00266	0.00198	0.00175	0.00165	0.00104	0.0010
Cumulative Proportion	0.98649	0.98915	0.99113	0.99288	0.99453	0.99557	0.9966
	PC22	PC23	PC24	PC25	PC26	PC27	PC28
Standard deviation	0.16565	0.15602	0.1344	0.12442	0.09043	0.08307	0.03987
Proportion of Variance	0.00091	0.00081	0.0006	0.00052	0.00027	0.00023	0.00005
Cumulative Proportion	0.99749	0.99830	0.9989	0.99942	0.99969	0.99992	0.99997

Q7. What stands out to you about this plot? Is it easy or difficult to understand? Why?


This plot is extremely difficult to understand, it looks like one big blob of data.

```
plot(wisc.pr$x[,1], wisc.pr$x[,2], col=as.factor(diagnosis), xlab = "PC1", ylab = "PC2")
```



Q8. Generate a similar plot for principal components 1 and 3. What do you notice about these plots?

```
plot(wisc.pr$x[,1], wisc.pr$x[,3], col=as.factor(diagnosis), xlab = "PC1", ylab = "PC3")
```




I notice that these plots have a distinguishable separation (within reasonable error) of patients with malignant and benign tumours.


```
df <- as.data.frame(wisc.pr$x)
df$diagnosis <- diagnosis

library(ggplot2)

ggplot(df) +
  aes(PC1, PC2, col=as.factor(diagnosis))+geom_point()
```



```
pr.var <- wisc.pr$sdev^2
head(pr.var)
```

```
[1] 13.281608  5.691355  2.817949  1.980640  1.648731  1.207357
```


```
sum(pr.var)
```

```
[1] 30
```


```
pve <- pr.var / sum(pr.var)
pve
```

```
[1] 4.427203e-01 1.897118e-01 9.393163e-02 6.602135e-02 5.495768e-02
[6] 4.024522e-02 2.250734e-02 1.588724e-02 1.389649e-02 1.168978e-02
[11] 9.797190e-03 8.705379e-03 8.045250e-03 5.233657e-03 3.137832e-03
[16] 2.662093e-03 1.979968e-03 1.753959e-03 1.649253e-03 1.038647e-03
[21] 9.990965e-04 9.146468e-04 8.113613e-04 6.018336e-04 5.160424e-04
[26] 2.725880e-04 2.300155e-04 5.297793e-05 2.496010e-05 4.434827e-06
```

```
plot(pve, xlab = "Principal Component",
     ylab = "Proportion of Variance Explained",
     ylim = c(0, 1), type = "o")
```



```
barplot(pve, ylab = "Precent of Variance Explained",
        names.arg=paste0("PC",1:length(pve)), las=2, axes = FALSE)
axis(2, at=pve, labels=round(pve,2)*100 )
```



Q9. For the first principal component, what is the component of the loading vector (i.e. `wisc.pr$rotation[,1]`) for the feature `concave.points_mean`?

```
CLV <- (wisc.pr$rotation[,1])
```

CLV

radius_mean	texture_mean	perimeter_mean
-0.21890244	-0.10372458	-0.22753729
area_mean	smoothness_mean	compactness_mean
-0.22099499	-0.14258969	-0.23928535
concavity_mean	concave.points_mean	symmetry_mean
-0.25840048	-0.26085376	-0.13816696
fractal_dimension_mean	radius_se	texture_se
-0.06436335	-0.20597878	-0.01742803
perimeter_se	area_se	smoothness_se
-0.21132592	-0.20286964	-0.01453145
compactness_se	concavity_se	concave.points_se
-0.17039345	-0.15358979	-0.18341740
symmetry_se	fractal_dimension_se	radius_worst
-0.04249842	-0.10256832	-0.22799663
texture_worst	perimeter_worst	area_worst
-0.10446933	-0.23663968	-0.22487053
smoothness_worst	compactness_worst	concavity_worst
-0.12795256	-0.21009588	-0.22876753
concave.points_worst	symmetry_worst	fractal_dimension_worst
-0.25088597	-0.12290456	-0.13178394

The component of the loading vector for the feature `concave.points_mean` in the first principal component is -0.26085376.

Q10. What is the minimum number of principal components required to explain 80% of the variance of the data?

```
summary(wisc.pr)
```

Importance of components:

	PC1	PC2	PC3	PC4	PC5	PC6	PC7
Standard deviation	3.6444	2.3857	1.67867	1.40735	1.28403	1.09880	0.82172
Proportion of Variance	0.4427	0.1897	0.09393	0.06602	0.05496	0.04025	0.02251
Cumulative Proportion	0.4427	0.6324	0.72636	0.79239	0.84734	0.88759	0.91010
	PC8	PC9	PC10	PC11	PC12	PC13	PC14
Standard deviation	0.69037	0.6457	0.59219	0.5421	0.51104	0.49128	0.39624
Proportion of Variance	0.01589	0.0139	0.01169	0.0098	0.00871	0.00805	0.00523
Cumulative Proportion	0.92598	0.9399	0.95157	0.9614	0.97007	0.97812	0.98335
	PC15	PC16	PC17	PC18	PC19	PC20	PC21
Standard deviation	0.30681	0.28260	0.24372	0.22939	0.22244	0.17652	0.1731
Proportion of Variance	0.00314	0.00266	0.00198	0.00175	0.00165	0.00104	0.0010
Cumulative Proportion	0.98649	0.98915	0.99113	0.99288	0.99453	0.99557	0.9966
	PC22	PC23	PC24	PC25	PC26	PC27	PC28
Standard deviation	0.16565	0.15602	0.1344	0.12442	0.09043	0.08307	0.03987
Proportion of Variance	0.00091	0.00081	0.0006	0.00052	0.00027	0.00023	0.00005
Cumulative Proportion	0.99749	0.99830	0.9989	0.99942	0.99969	0.99992	0.99997
	PC29	PC30					
Standard deviation	0.02736	0.01153					
Proportion of Variance	0.00002	0.00000					
Cumulative Proportion	1.00000	1.00000					

```
#alternative method as explained by IA
explained_variance <- cumsum(wisc.pr$sdev^2) / sum(wisc.pr$sdev^2)
min_components <- which(explained_variance >= 0.80)[1]
min_components
```

```
[1] 5
```

The minimum number of PVs to explain 80% of the variance in the data is 5.

```
data.scaled <- scale(wisc.data)
```

```
data.dist <- dist(data.scaled)
```

```
wisc.hclust <- hclust(data.dist, method="complete")
```


Q11. Using the `plot()` and `abline()` functions, what is the height at which the clustering model has 4 clusters?

19 (see below)

```
plot(wisc.hclust)
```

```
abline(h = 19, col = "red", lty = 2)
```

Cluster Dendrogram



data.dist
hclust (*, "complete")


```
d<-dist(wisc.pr$x[,1:3])
```

```
hc <- hclust(d, method = "ward.D2")
```

```
plot(hc)
```

```
abline(h = 30, col = "red", lty = 2)
```

Cluster Dendrogram



d
hclust (*, "ward.D2")


```
wisc.hclust.clusters <- cutree(wisc.hclust, k=2)
```

```
table(diagnosis, wisc.hclust.clusters)
```

```
      wisc.hclust.clusters
diagnosis  1  2
B 357    0
M 210    2
```

Q12. Can you find a better cluster vs diagnoses match by cutting into a different number of clusters between 2 and 10?

```
grps <- cutree(hc, k=4)
plot(wisc.pr$x, col=grps)
```




Q13. Which method gives your favorite results for the same data.dist dataset?
Explain your reasoning.

```
HCcomplete <- hclust(data.dist, method = "complete")
HCaverage <- hclust(data.dist, method = "average")
HCsingle <- hclust(data.dist, method = "single")
HCcentroid <- hclust(data.dist, method = "centroid")

plot(HCcomplete)
```

Cluster Dendrogram




```
data.dist
hclust (*, "complete")
```



```
plot (HCaverage)
```


Cluster Dendrogram



```
data.dist  
hclust (*, "average")
```


```
plot(HCsingle)
```

Cluster Dendrogram



```
data.dist  
hclust (*, "single")
```

```
plot(HCcentroid)
```



```
data.dist  
hclust (*, "centroid")
```

With this specific analysis the “complete” method gave my favorite results. It provided the cleanest plot and was much easier to use to find the a specific number of clusters (as was asked in question 11).