

Company Analytics

HR Monthly Report

Generated on: August 11, 2025 at 04:02 PM

Executive Summary

Metric	Value	Description
Files Analyzed	1	Total Excel files processed
Total Records	175	Combined data rows across all files
Data Columns	10	Unique column types identified
Numeric Fields	3	Quantitative analysis columns
Category Fields	7	Classification/grouping columns
Date Fields	0	Temporal analysis columns


Key Data Insights

- Analyzed 1 Excel files containing 175 total data records
- Found 3 numeric columns for quantitative analysis
- Identified 7 categorical columns for distribution analysis
- Year: Mean = 2,024.08, Std Dev = 1.20, Range = 2,022.00 - 2,026.00
- Week: Mean = 21.95, Std Dev = 15.58, Range = 1.00 - 48.00
- Absence Bradford PAIN: Mean = 0.01, Std Dev = 0.02, Range = 0.00 - 0.04
- Month: Most frequent value is 'January' (20.0% of data, 35 records)
- Absence Bradford PAGO: Most frequent value is '11.0%' (23.5% of data, 4 records)
- Absence Bradford PASI: Most frequent value is '15.2%' (11.8% of data, 2 records)
- Absence Bradford PARA: Most frequent value is '10.0%' (23.5% of data, 4 records)
- Absence Bradford PAGE: Most frequent value is '6.0%' (26.7% of data, 4 records)
- Absence Bradford PACA: Most frequent value is '1.00%' (23.5% of data, 4 records)
- Absence Bradford PAST: Most frequent value is '2.60%' (11.8% of data, 2 records)

■ Categorical Data Analysis

■ Month Analysis


Most common values: January (20.0%), April (16.0%), July (16.0%)



■ Absence Bradford PAGO Analysis

Most common values: 11.0% (23.5%), 13.0% (11.8%), 9.0% (11.8%)


Absence Bradford PAGO Distribution
Total Records: 17 | Showing Top 20 Categories



■ Absence Bradford PASI Analysis


Most common values: 15.2% (11.8%), 13.0% (11.8%), 10.9% (11.8%)

Absence Bradford PASI Distribution
Total Records: 17 | Showing Top 20 Categories



Absence Bradford PARA Analysis


Most common values: 10.0% (23.5%), 7.0% (23.5%), 8.0% (17.6%)



Absence Bradford PAGE Analysis

Most common values: 6.0% (26.7%), 5.0% (13.3%), 10.0% (13.3%)


Absence Bradford PAGE Distribution
Total Records: 15 | Showing Top 20 Categories



■ Absence Bradford PACA Analysis

Most common values: 1.00% (23.5%), 0.00% (17.6%), 2.00% (17.6%)


Absence Bradford PACA Distribution
Total Records: 17 | Showing Top 20 Categories



■ Numeric Data Analysis

■ Year Statistical Analysis


Mean: 2,024.08 | Median: 2,025.00 | Range: 2,022.00 - 2,026.00 | Std Deviation: 1.20



■ Week Statistical Analysis

Mean: 21.95 | Median: 22.00 | Range: 1.00 - 48.00 | Std Deviation: 15.58

Week Distribution Analysis
Sample Size: 175 records



Absence Bradford PAIN Statistical Analysis

Mean: 0.01 | Median: 0.00 | Range: 0.00 - 0.04 | Std Deviation: 0.02

Absence Bradford PAIN Distribution Analysis
Sample Size: 17 records

