

# Plasman

## HR Monthly Report

Generated on: August 10, 2025 at 03:09 PM

### ■ Executive Summary

■ Metric	■ Value	■ Description
Files Analyzed	1	Total Excel files processed
Total Records	175	Combined data rows across all files
Data Columns	10	Unique column types identified
Numeric Fields	3	Quantitative analysis columns
Category Fields	7	Classification/grouping columns
Date Fields	0	Temporal analysis columns


### ■ Key Data Insights

1. ■ Analyzed 1 Excel files containing 175 total data records
2. ■ Found 3 numeric columns for quantitative analysis
3. ■ Identified 7 categorical columns for distribution analysis
4. ■ Year: Mean = 2,024.08, Std Dev = 1.20, Range = 2,022.00 - 2,026.00
5. ■ Week: Mean = 21.95, Std Dev = 15.58, Range = 1.00 - 48.00
6. ■ Absence Bradford PAIN: Mean = 0.01, Std Dev = 0.02, Range = 0.00 - 0.04
7. ■ Month: Most frequent value is 'January' (20.0% of data, 35 records)
8. ■ Absence Bradford PAGO: Most frequent value is '11.0%' (23.5% of data, 4 records)
9. ■ Absence Bradford PASI: Most frequent value is '15.2%' (11.8% of data, 2 records)
10. ■ Absence Bradford PARA: Most frequent value is '10.0%' (23.5% of data, 4 records)
11. ■ Absence Bradford PAGE: Most frequent value is '6.0%' (26.7% of data, 4 records)
12. ■ Absence Bradford PACA: Most frequent value is '1.00%' (23.5% of data, 4 records)
13. ■ Absence Bradford PAST: Most frequent value is '2.60%' (11.8% of data, 2 records)

## ■ Categorical Data Analysis

### ■ Month Analysis


Most common values: January (20.0%), April (16.0%), July (16.0%)



### ■ Absence Bradford PAGO Analysis

Most common values: 11.0% (23.5%), 13.0% (11.8%), 9.0% (11.8%)


**Absence Bradford PAGO Distribution**  
Total Records: 17 | Showing Top 20 Categories



## ■ Absence Bradford PASI Analysis


Most common values: 15.2% (11.8%), 13.0% (11.8%), 10.9% (11.8%)

**Absence Bradford PASI Distribution**  
Total Records: 17 | Showing Top 20 Categories



## Absence Bradford PARA Analysis


Most common values: 10.0% (23.5%), 7.0% (23.5%), 8.0% (17.6%)



## Absence Bradford PAGE Analysis

Most common values: 6.0% (26.7%), 5.0% (13.3%), 10.0% (13.3%)


**Absence Bradford PAGE Distribution**  
Total Records: 15 | Showing Top 20 Categories



## ■ Absence Bradford PACA Analysis

Most common values: 1.00% (23.5%), 0.00% (17.6%), 2.00% (17.6%)

**Absence Bradford PACA Distribution**  
Total Records: 17 | Showing Top 20 Categories






## ■ Numeric Data Analysis

### ■ Year Statistical Analysis


Mean: 2,024.08 | Median: 2,025.00 | Range: 2,022.00 - 2,026.00 | Std Deviation: 1.20



### ■ Week Statistical Analysis

Mean: 21.95 | Median: 22.00 | Range: 1.00 - 48.00 | Std Deviation: 15.58

Week Distribution Analysis  
Sample Size: 175 records



## Absence Bradford PAIN Statistical Analysis

Mean: 0.01 | Median: 0.00 | Range: 0.00 - 0.04 | Std Deviation: 0.02

Absence Bradford PAIN Distribution Analysis  
Sample Size: 17 records

