

# Week 1 - Ec2 Instance & Putty Deployment

The screenshot displays the AWS Academy Learner Lab interface. The browser address bar shows the URL `awsacademy.instructure.com/courses/151631/modules/items/14728013`. The page title is "ALLv2EN-US-LTI13-151631 > Modules > AWS Academy Learner Lab". The main content area features a terminal window with the prompt `eee_w_5556519@runweb204928:~$`. To the right of the terminal is a sidebar with a dropdown menu set to "EN-US" and a section titled "Learner Lab" containing links for "Environment", "Overview", and "Environment". Above the terminal, there are buttons for "Start Lab", "End Lab", "AWS Details", "Readme", and "Reset", along with a status indicator "AWS" and a timer "Used \$0 of \$50" and "00:00". The left sidebar contains navigation links: "Home", "Modules", "Discussions", "Grades", and "Lucid (Whiteboard)". The bottom of the screen shows a Windows taskbar with various application icons and system information including "23°C" and "11:50 10-01-2026".

Course Invitation - sam1304056 x Launch AWS Academy Learner x Console Home | Console Home x +

us-east-1.console.aws.amazon.com/console/home?region=us-east-1#

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072:sam1304056@gmail.com

### Console Home

Reset to default layout + Add widgets

#### Recently visited

No recently visited services

Explore one of these commonly visited AWS services.

[EC2](#) [S3](#) [Aurora and RDS](#) [Lambda](#)

[View all services](#)

#### Applications (0)

Region: US East (N. Virginia)

Select Region: us-east-1 (Current Region) Find applications

| Name            | Description | Region | Original |
|-----------------|-------------|--------|----------|
| No applications |             |        |          |

Get started by creating an application.

[Create application](#)

[Go to myApplications](#)

#### Welcome to AWS

[Getting started with AWS](#)

#### AWS Health

[Open issues](#)

#### Cost and usage

Current month: \$0.00

Cost breakdown: No cost data available

CloudShell Feedback

Type here to search

23°C 11:53 10-01-2026

Course Invitation - sam1304056 x Launch AWS Academy Learner x Dashboard | EC2 | us-east-1 x +

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Home

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072:sam1304056@gmail.com

### EC2

Dashboard [EC2 Global View](#) [Events](#)

Instances [Instances](#) [Instance Types](#) [Launch Templates](#) [Spot Requests](#) [Savings Plans](#) [Reserved Instances](#) [Dedicated Hosts](#) [Capacity Reservations](#) [Capacity Manager](#)

Images [AMIs](#) [AMI Catalog](#)

Elastic Block Store [Volumes](#) [Snapshots](#)

#### Resources

You are using the following Amazon EC2 resources in the United States (N. Virginia) Region:

|                                       |                                       |                                         |
|---------------------------------------|---------------------------------------|-----------------------------------------|
| <a href="#">Instances (running)</a> 0 | <a href="#">Auto Scaling Groups</a> 0 | <a href="#">Capacity Reservations</a> 0 |
| <a href="#">Dedicated Hosts</a> 0     | <a href="#">Elastic IPs</a> 0         | <a href="#">Instances</a> 0             |
| <a href="#">Key pairs</a> 1           | <a href="#">Load balancers</a> 0      | <a href="#">Placement groups</a> 0      |
| <a href="#">Security groups</a> 1     | <a href="#">Snapshots</a> 0           | <a href="#">Volumes</a> 0               |

[EC2 Global View](#)

#### Launch instance

To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.

[Launch instance](#) [Migrate a server](#)

Note: Your instances will launch in the United States (N. Virginia) Region

#### Service health

[AWS Health Dashboard](#)

Region: United States (N. Virginia)

Status: [This service is operating normally.](#)

#### Zones

| Zone name  | Zone ID  |
|------------|----------|
| us-east-1a | use1-az2 |

#### Account attributes

[Default VPC](#) vpc-0b1286da5de9b0ddb

#### Settings

[Data protection and security](#) [Allowed AMIs](#) [Zones](#) [EC2 Serial Console](#) [Default credit specification](#) [EC2 console preferences](#)

#### Explore AWS

[Amazon GuardDuty Malware Protection](#) GuardDuty now provides agentless malware detection in Amazon EC2 & EC2 container workloads. [Learn more](#)

[Enable Best Price-Performance with AWS Graviton2](#) AWS Graviton2 powered EC2 instances enable up to 40% better price performance for a broad spectrum of cloud workloads. [Learn more](#)

[10 Things You Can Do Today to Reduce AWS Costs](#)

CloudShell Feedback

Type here to search

23°C 11:53 10-01-2026

Course Invitation - sam1304056

Launch AWS Academy Learner

Launch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool III-I PROJECT & PUB... Paper Publications campus mail GATE

Search [Alt+S]

United States (N. Virginia)

Account ID: 3672-4862-2889  
voclabo/user4578072=sam1304056@gmail.com

EC2 > Instances > Launch an instance

Instance type

Instance type

t3.micro

Family: t3 2 vCPU 1 GiB Memory Current generation: true

On-Demand Ubuntu Pro base pricing: 0.0719 USD per Hour On-Demand SUSE base pricing: 0.0719 USD per Hour

On-Demand Linux base pricing: 0.0704 USD per Hour On-Demand RHEL base pricing: 0.0719 USD per Hour

On-Demand Windows base pricing: 0.0719 USD per Hour

Additional costs apply for AMIs with pre-installed software

Key pair (login)

You can use a key pair to securely connect to your instance. Ensure that you have the private key file available on your local computer.

Key pair name - required

Select

Network settings

Network

vpc-0b1286da5de9b0ddb

Subnet

No preference (Default subnet in any availability zone)

Auto-assign public IP

Create key pair

Key pair name

Key pairs allow you to connect to your instance securely.

IAWSLAB

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type

☒ RSA  
RSA encrypted private and public key pair

☐ ED25519  
ED25519 encrypted private and public key pair

Private key file format

☒ .pem  
For use with OpenSSH

☐ .ppk  
For use with PuTTY

When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. [Learn more](#)

Cancel Create key pair

Summary

Number of instances

1

Software Image (AMI)

amazon Linux 2023 AMI 2023.10...[read more](#)

ami-07982358b8717116

Virtual server type (instance type)

t3.micro

Firewall (security group)

new security group

Storage (volumes)


1 volume(s) - 8 GiB

Cancel Launch instance Preview code



CloudShell Feedback

Type here to search

23°C 11:56 10-01-2026







Course InvitationLaunch AWS AcadLaunch an instancInstances | EC2 | uEC2 Instance ConnCloudShell | us-east-1

us-east-1.console.aws.amazon.com/cloudshell/home?region=us-east-1#

3-1ChatGPTPerplexityML-ExercisesTelescope 4.2KMIT ResultsProjectSchoolIII-I PROJECT & PUB...Paper Publicationscampus mailGATE

Search[Alt+S]

United States (N. Virginia)Account ID: 3672-4862-2889vodafoneuser4578072:sam1304056@gmail.com

CloudShellus-east-1

us-east-1

+

```
- $ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS   NAMES
- $ ssh -i "IAWSLAB.pem" ec2-user@ec2-54-227-188-181.compute-1.amazonaws.com
Warning: Identity file IAWSLAB.pem not accessible: No such file or directory.
The authenticity of host 'ec2-54-227-188-181.compute-1.amazonaws.com (54.227.188.181)' can't be established.
ED25519 key fingerprint is: 50c256c14C5010UWeymZ3d7f60PvX5re0k0zng51pcv1A.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-54-227-188-181.compute-1.amazonaws.com' (ED25519) to the list of known hosts.
ec2-user@ec2-54-227-188-181.compute-1.amazonaws.com: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).
- $ open
-bash: open: command not found
- $ ls
IAWSLAB.pem
- $ ssh -i "IAWSLAB.pem" ec2-user@ec2-54-227-188-181.compute-1.amazonaws.com
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
WARNING: UNPROTECTED PRIVATE KEY FILE!
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions 0644 for 'IAWSLAB.pem' are too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "IAWSLAB.pem": bad permissions
ec2-user@ec2-54-227-188-181.compute-1.amazonaws.com: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).
- $ chmod 400 IAWSLAB.pem
- $ ssh -i "IAWSLAB.pem" ec2-user@ec2-54-227-188-181.compute-1.amazonaws.com

      _ _ _ _ _
     /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /
    /___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/
   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /
  /___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/
 /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /   /
/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/___/

Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023

Last login: Sat Jan 18 06:38:52 2026 from 18.206.187.27
[ec2-user@ip-172-31-27-225 ~]$
```

File upload successful  
IAWSLAB.pem was successfully uploaded to the following directory: /home/cloudshell-user.

Feedback© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

Type here to search23°CENG12:1910-01-2026

Course Invitation - sam130405... Launch AWS Academy Learner... Launch an instance | EC2 | us-east-1... Connect to instance | EC2 | us-east-1...  
us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ConnectToInstance:instanceId=i-0a14da10a60fe5627

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool III-I PROJECT & PUB... Paper Publications campus mail GATE

Search [Alt+S] United States (N. Virginia) Account ID: 3432-4862-2889 vodaba,user4578072:sam1304056@gmail.com

### Connect info

Connect to an instance using the browser-based client.

EC2 Instance Connect Session Manager **SSH client** EC2 serial console

**Instance ID**  
i-0a14da10a60fe5627 (puttytask)



1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is puttytask.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.  
chmod 400 "puttytask.pem"
4. Connect to your instance using its Public DNS:  
ec2-54-159-52-212.compute-1.amazonaws.com


Example:  
ssh -i "puttytask.pem" ubuntu@ec2-54-159-52-212.compute-1.amazonaws.com

**Note:** In most cases, the guessed username is correct. However, read your AMI usage instructions for details.

```
ubuntu@ip-172-31-21-23: ~$  
Expanded Security Maintenance for Applications is not enabled.  
0 updates can be applied immediately.  
Enable ESM Apps to receive additional future security updates.  
See https://ubuntu.com/esm or run: sudo pro status  
The list of available updates is more than a week old.  
To check for new updates run: sudo apt update  
The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/*/copyright.  
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.  
To run a command as administrator (user "root"), use "sudo <command>".  
See "man sudo_root" for details.  
ubuntu@ip-172-31-21-23:~$
```

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 10:27 12-01-2026





## Week 2 - EBS Scaling and Snapshot

Unit 2.pdf

AWS experiment assistance

Launch AWS Academy Learner

Launch an Instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

3-1ChatGPTPerplexityML ExercisesTelescope 4.2KMIT ResultsProjectSchoolHackerEarthIII-I PROJECT & PUB...Paper Publicationscampus mail

Search[Alt+S]

United States (N. Virginia)

Account ID: 3672-4562-2859

voclabs/user4578072:sam1304056@gmail.com

EC2InstancesLaunch an Instance

Name and tags

Name

ebsinst

Add additional tags

Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.

Search our full catalog including 1000s of application and OS images

RecentsQuick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.10...read more

ami-0c1fe732b5494dc14

Virtual server type (instance type)

t2.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

CancelLaunch instancePreview code

Amazon Machine Image (AMI)

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search21°C10:1713-02-2026



us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

EC2 > Instances > Launch an Instance

**Security group**

☒ Create security group ☐ Select existing security group

We'll create a new security group called 'launch-wizard-7' with the following rules:

- ☒ Allow SSH traffic from Anywhere (0.0.0.0/0)
- ☐ Allow HTTPS traffic from the internet
- ☐ Allow HTTP traffic from the internet

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

**Configure storage**

1x 8 GiB gp3 Root volume, 3000 IOPS, Not encrypted

[Add new volume](#)

**Summary**

- Number of instances: 1
- Software Image (AMI): Amazon Linux 2023 AMI 2023.10...read more
- Virtual server type (instance type): t2.micro
- Firewall (security group): New security group
- Storage (volumes): 1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

EC2 > Instances > Launch an Instance

**Success**

Successfully initiated launch of instance (i-06dda78cb687746ba)

**Launch log**

**Next Steps**

What would you like to do next with this instance, for example "create alarm" or "create backup"

**Create billing usage alerts**

To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.

[Create billing alerts](#)

**Connect to your instance**

Once your instance is running, log into it from your local computer.

[Connect to instance](#)

[Learn more](#)

**Connect an RDS database**

Configure the connection between an EC2 instance and a database to allow traffic flow between them.

[Connect an RDS database](#)

[Create a new RDS database](#)

[Learn more](#)

**Create EBS snapshot policy**

Create a policy that automates the creation, retention, and deletion of EBS snapshots.

[Create EBS snapshot policy](#)

AWS experiment assistance x Launch AWS Academy Learner x Launch an instance | EC2 | us-east-1 x Instance details | EC2 | us-east-1 x

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#InstanceDetails:instanceId=i-06dda78cb687746ba

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabt/user4578072+sam1104056@gmail.com

EC2 > Instances > i-06dda78cb687746ba

### EC2

- Dashboard
- EC2 Global View
- Events
- Instances
  - Instances
  - Instance Types
  - Launch Templates
  - Spot Requests
  - Savings Plans
  - Reserved Instances
  - Dedicated Hosts
  - Capacity Reservations
  - Capacity Manager [New](#)
- Images
  - AMIs
  - AMI Catalog
- Elastic Block Store

### Instance summary for i-06dda78cb687746ba (ebsinst)

Updated less than a minute ago

[Connect](#) [Instance state](#) [Actions](#)

|                                                                |                                                                                        |                                                                                                                         |
|----------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Instance ID</b><br>i-06dda78cb687746ba                      | <b>Public IPv4 address</b><br>52.201.213.181 <a href="#">open address</a>              | <b>Private IPv4 addresses</b><br>172.31.20.145                                                                          |
| <b>IPv6 address</b><br>-                                       | <b>Instance state</b><br>Running                                                       | <b>Public DNS</b><br>ec2-52-201-213-181.compute-1.amazonaws.com <a href="#">open address</a>                            |
| <b>Hostname type</b><br>IP name: ip-172-31-20-145.ec2.internal | <b>Private IP DNS name (IPv4 only)</b><br>ip-172-31-20-145.ec2.internal                | <b>Elastic IP addresses</b><br>-                                                                                        |
| <b>Answer private resource DNS name</b><br>IPv4 (A)            | <b>Instance type</b><br>t2.micro                                                       | <b>AWS Compute Optimizer finding</b><br>Opt-in to AWS Compute Optimizer for recommendations. <a href="#">Learn more</a> |
| <b>Auto-assigned IP address</b><br>52.201.213.181 [Public IP]  | <b>VPC ID</b><br>vpc-0b1286da5de9b0ddb                                                 | <b>Auto Scaling Group name</b><br>-                                                                                     |
| <b>IAM role</b><br>-                                           | <b>Subnet ID</b><br>subnet-0bab8d3138c30d505                                           | <b>Managed</b><br>false                                                                                                 |
| <b>IMDSv2</b><br>Required                                      | <b>Instance ARN</b><br>arn:aws:ec2:us-east-1:367248622889:instance/i-06dda78cb687746ba |                                                                                                                         |

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

10:24 13-02-2026



us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volumes:

Successfully created volume vol-087e57ebdb3e545c0.

### Volumes (6) Info

Last updated less than a minute ago

Recycle Bin Actions Create volume

Saved filter sets Choose filter set Search

|                          | Name | Volume ID             | Type | Size   | IOPS | Throughput | Snapshot ID     | Source volume ID | Created                   | Av  |
|--------------------------|------|-----------------------|------|--------|------|------------|-----------------|------------------|---------------------------|-----|
| <input type="checkbox"/> |      | vol-0782f336e2301e7dc | gp3  | 8 GiB  | 3000 | 125        | snap-04fa8e9... | -                | 2026/01/20 12:30 GMT+5... | usi |
| <input type="checkbox"/> |      | vol-0a610b40f784e882c | gp3  | 8 GiB  | 3000 | 125        | snap-0698578... | -                | 2026/02/13 10:23 GMT+5... | usi |
| <input type="checkbox"/> |      | vol-0ccfa1f1867a2d72b | gp3  | 8 GiB  | 3000 | 125        | snap-04fa8e9... | -                | 2026/01/20 12:35 GMT+5... | usi |
| <input type="checkbox"/> |      | vol-0d1f8df038502c5bf | gp3  | 8 GiB  | 3000 | 125        | snap-01e432c... | -                | 2026/01/12 10:23 GMT+5... | usi |
| <input type="checkbox"/> |      | vol-0ff996ca94e995c0e | gp3  | 30 GiB | 3000 | 125        | snap-0d227ab... | -                | 2026/01/12 10:54 GMT+5... | usi |
| <input type="checkbox"/> |      | vol-06d645628c74d8488 | gp3  | 8 GiB  | 3000 | 125        | snap-01e432c... | -                | 2026/01/12 10:47 GMT+5... | usi |

Fault tolerance for all volumes in this Region

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

21°C 10:28 13-02-2026

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volumes:

Account ID: 3672-4862-2889  
voclabs/user4578072:sam1304056@gmail.com

EC2

Dashboard  
EC2 Global View  
Events

▼ Instances  
Instances  
Instance Types  
Launch Templates  
Spot Requests  
Savings Plans  
Reserved Instances  
Dedicated Hosts  
Capacity Reservations  
Capacity Manager

▼ Images  
AMIs  
AMI Catalog

▼ Elastic Block Store  
Volumes  
Snapshots

Volumes (1/7) Info

Save filter sets  
Choose filter set

Search

Last updated less than a minute ago

Recycle Bin Actions Create volume

|                                     | Name | Volume ID             | Type | Size    | IOPS | Throughput | Snapshot ID     | Size | Avail |
|-------------------------------------|------|-----------------------|------|---------|------|------------|-----------------|------|-------|
| <input type="checkbox"/>            |      | vol-0782f336e2301e7dc | gp3  | 8 GiB   | 3000 | 125        | snap-04fa8e9... | -    | -     |
| <input checked="" type="checkbox"/> |      | vol-087e57ebdb3e545c0 | gp3  | 100 GiB | 3000 | 125        | -               | -    | -     |
| <input type="checkbox"/>            |      | vol-0a610b40f784e882c | gp3  | 8 GiB   | 3000 | 125        | snap-0698578... | -    | -     |
| <input type="checkbox"/>            |      | vol-0ccfa1f1867a2d72b | gp3  | 8 GiB   | 3000 | 125        | snap-04fa8e9... | -    | -     |
| <input type="checkbox"/>            |      | vol-0d1ffdf038502c5bf | gp3  | 8 GiB   | 3000 | 125        | snap-01e432c... | -    | -     |
| <input type="checkbox"/>            |      | vol-0ff996ca94e995c0e | gp3  | 30 GiB  | 3000 | 125        | snap-0d227ab... | -    | -     |
| <input type="checkbox"/>            |      | vol-06d645628c74d8488 | gp3  | 8 GiB   | 3000 | 125        | snap-01e432c... | -    | -     |

Modify volume  
Create snapshot  
Create snapshot lifecycle policy  
Delete volume  
Attach volume  
Detach volume  
Force detach volume  
Manage auto-enabled I/O  
Copy volume - new  
Manage tags  
Resilience testing  
Previously fault injection

Volume ID: vol-087e57ebdb3e545c0

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

21°C

10:29

13-02-2026

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#AttachVolume:volumeId=vol-03c79abf0e79e6572

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia)

Account ID: 3432-4862-2889  
vol-labs-user4578072:sam1304056@gmail.com

EC2 > Volumes > vol-03c79abf0e79e6572 > Attach volume

Attach volume info

Attach a volume to an instance to use it as you would a regular physical hard disk drive.

Basic details

Volume ID  
vol-03c79abf0e79e6572

Availability Zone  
use1-az4 (us-east-1b)

Instance info  
i-06dda78cb687746ba  
(t3.xlarge) (running)

Device name info  
/dev/sdb

Only instances in the same Availability Zone as the selected volume are displayed.

Recommended device names for Linux: /dev/xvda for root volume, /dev/sd[f-p] for data volumes.

Cancel Attach volume

CloudShell Feedback

Type here to search

21°C

ENG

10:36

13-02-2026

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volumes:

Successfully attached volume vol-03c79ab0e79e6572 to instance i-06dda78cb687746ba

### Volumes (7)

Recycle Bin Actions Create volume

Last updated less than a minute ago

| Name | Volume ID             | Type | Size    | IOPS | Throughput | Snapshot ID     | Source volume ID | Created                   | Av  |
|------|-----------------------|------|---------|------|------------|-----------------|------------------|---------------------------|-----|
|      | vol-0782f336e2301e7dc | gp3  | 8 GiB   | 3000 | 125        | snap-04fa8e9... | -                | 2026/01/20 12:30 GMT+5... | usi |
|      | vol-0a610b40f784e882c | gp3  | 8 GiB   | 3000 | 125        | snap-0698578... | -                | 2026/02/13 10:23 GMT+5... | usi |
|      | vol-0ccfa1f1b67a2d72b | gp3  | 8 GiB   | 3000 | 125        | snap-04fa8e9... | -                | 2026/01/20 12:35 GMT+5... | usi |
|      | vol-0d1ffdf038502c5bf | gp3  | 8 GiB   | 3000 | 125        | snap-01e432c... | -                | 2026/01/12 10:23 GMT+5... | usi |
|      | vol-0ff996ca94e995c0e | gp3  | 30 GiB  | 3000 | 125        | snap-0d227ab... | -                | 2026/01/12 10:54 GMT+5... | usi |
|      | vol-03c79ab0e79e6572  | gp3  | 100 GiB | 3000 | 125        | -               | -                | 2026/02/13 10:34 GMT+5... | usi |
|      | vol-06d645628c74d8488 | gp3  | 8 GiB   | 3000 | 125        | snap-01e432c... | -                | 2026/01/12 10:47 GMT+5... | usi |

Fault tolerance for all volumes in this Region

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

10:36 13-02-2026

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-06dda78cb687746ba

Amazon Linux 2023

<https://aws.amazon.com/linux/amazon-linux-2023>

```
[ec2-user@ip-172-31-20-145 ~]$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
xvda        202:0    0   80G 0 disk 
├─xvda1     202:1    0    80G 0 part /
├─xvda127   259:0    0   1M 0 part 
├─xvda128   259:1    0   10M 0 part /boot/efi
└─xvdb      202:16   0  100G 0 disk 
[ec2-user@ip-172-31-20-145 ~]$ sudo fdisk /dev/xvdb

Welcome to fdisk (util-linux 2.37.4).
Changes will remain in memory only, until you decide to write them.
Be careful before using the write command.

Device does not contain a recognized partition table.
Created a new DOS disklabel with disk identifier 0x6cc0e619.

Command (m for help):
```

i-06dda78cb687746ba (ebsinst)

PublicIPs: 52.201.213.181 PrivateIPs: 172.31.20.145

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

10:37 13-02-2026

AWS experiment assistance x Launch AWS Academy Learner x Volumes | EC2 | us-east-1 x EC2 Instance Connect | us-east-1 x

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-06dda7... | Search | 3-1 | ChatGPT | Perplexity | ML-Exercises | Telescope 4.2 | KMIT Results | ProjectSchool | HackerEarth | III-I PROJECT & PUB... | Paper Publications | campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3472-4862-2889 voclabs/user4578072:sam1304056@gmail.com

Created a new partition 1 of type 'Linux' and of size 100 GiB.

Command (m for help): w  
The partition table has been altered.  
Calling ioctl() to re-read partition table.  
Syncing disks.

```
(ec2-user@ip-172-31-20-145 ~)$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
xvda         202:0    0   80G  0 disk 
|-xvda1      202:1    0   80G  0 part /
|-xvda127    259:0    0    1M  0 part 
|-xvda128    259:1    0  100G  0 part /boot/efi
xvdb         202:16   0  100G  0 disk 
|-xvdb1      202:17   0  100G  0 part
```

```
(ec2-user@ip-172-31-20-145 ~)$ sudo mkfs.xfs /dev/xvdb1
meta-data=/dev/xvdb1            isize=512    agcount=4, agsize=65536 blks
=                               sectsz=512   attr=2, projid32bit=1
=                               crc=1       finobt=1, sparse=1, rmapbt=0
=                               reflink=1    bigtime=1 inobtcount=1 nrext=64
data      =                       bsize=4096   blocks=262144, imaxpct=25
=                       sunit=0       swidth=0 blks
naming    =version 2              bsize=4096   ascii-ci=0, ftype=1, parent=0
log       =internal log          bsize=4096   blocks=16384, version=2
=                       sectsz=512   sunit=0 blks, lazy-count=1
realtime  =none                  extsz=4096   blocks=0, rtextents=0
```

```
(ec2-user@ip-172-31-20-145 ~)$ sudo mkdir /mnt/sam
(ec2-user@ip-172-31-20-145 ~)$
```

i-06dda78cb687746ba (ebsinst)

PublicIPs: 52.201.213.181 PrivateIPs: 172.31.20.145

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

10:42 13-02-2026

Launch AWS Academy Learner

AWS experiment assistance

EC2 Instance Connect | us-east-1

Volumes | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volumes:

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S] Ask Amazon Q United States (N. Virginia) Account ID: 3672-4862-2889 voclabsuser4578072:sam1304056@gmail.com

EC2

Dashboard

EC2 Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Successfully detached volume.

Volumes (3/9) Info

Search

Recycle Bin

Actions

Create volume

Last updated less than a minute ago

1

Table with 5 columns: Name, Volume ID, Type, Source volume ID, Created

Modal: Delete 3 volumes?

After you delete a volume, its data is permanently deleted and the volume can no longer be attached to an instance.

Are you sure that you want to delete the following volumes?

• vol-009bbfc36dfd66aad

• vol-0e7c295318b8f6ca2

• vol-03c79abf0e79e6572

To confirm deletion, type delete in the field.

delete

Cancel Delete

Volume IDs: vol-009bbfc36dfd66aad, vol-0e7c295318b8f6ca2, vol-03c79abf0e79e6572

CloudShell Feedback

Type here to search

21°C

11:38

13-02-2026



Launch AWS Academy Learner | AWS experiment assistance | EC2 Instance Connect | us-east-1 | Instances | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:v=3,\$case=tags:true%5C,client:false,\$regex=tags:false%5C...

Search [Alt+S] Ask Amazon Q United States (N. Virginia) Account ID: 3472-4862-2889 voclabsuser4578072@sam1304056@gmail.com

EC2 > Instances

Dashboard  
EC2 Global View  
Events

▼ Instances  
Instances  
Instance Types  
Launch Templates  
Spot Requests  
Savings Plans  
Reserved Instances  
Dedicated Hosts  
Capacity Reservations  
Capacity Manager

▼ Images  
AMIs  
AMI Catalog

▼ Elastic Block Store  
Volumes  
Snapshots

Successfully initiated stopping of i-0ee5fcae937dfc52j-00ee4c0fda845fbbbj-084db1720ca3ad2b2j-0a14da10a60fe5627j-00213ced764fae0fb

Notifications 0 0 0 4 0 0 0

Instances (6/6) Info Last updated less than a minute ago Connect Instance state Actions Launch Instances

Find Instance by attribute or tag (case-sensitive) All states

| <input checked="" type="checkbox"/> | Name      | Instance ID          | Instance state | Instance type | Status check      | Alarm status  | Availability Zone | Public IPv4 DNS          | Public |
|-------------------------------------|-----------|----------------------|----------------|---------------|-------------------|---------------|-------------------|--------------------------|--------|
| <input checked="" type="checkbox"/> | puttypem  | i-0ee5fcae937dfc52   | Stopping       | t3.micro      | 3/3 checks passed | View alarms + | us-east-1b        | ec2-44-220-153-72.co...  | 44.220 |
| <input checked="" type="checkbox"/> | EFS1      | i-00ee4c0fda845fbbbj | Stopping       | t3.micro      | 3/3 checks passed | View alarms + | us-east-1a        | ec2-54-211-93-212.co...  | 54.211 |
| <input checked="" type="checkbox"/> | windows   | i-084db1720ca3ad2b2  | Stopping       | t3.micro      | 3/3 checks passed | View alarms + | us-east-1b        | ec2-98-84-163-138.co...  | 98.84  |
| <input checked="" type="checkbox"/> | puttytask | i-0a14da10a60fe5627  | Stopping       | t3.micro      | 3/3 checks passed | View alarms + | us-east-1b        | ec2-98-94-90-211.com...  | 98.94  |
| <input checked="" type="checkbox"/> | EFS2      | i-00213ced764fae0fb  | Stopping       | t3.micro      | 3/3 checks passed | View alarms + | us-east-1b        | ec2-13-222-191-38.co...  | 13.222 |
| <input checked="" type="checkbox"/> | ebinst    | i-06dda78cb687746ba  | Stopping       | t2.micro      | -                 | View alarms + | us-east-1b        | ec2-52-201-213-181.co... | 52.201 |

6 instances selected

Monitoring

Alarm recommendations Investigate with AI - new 1h 3h 12h 1d 3d 1w Custom UTC timezone Explore related

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 21°C 11:40 13-02-2026

## Week 3 - EFS Document

The screenshot displays the AWS Management Console interface for an EC2 instance. The browser address bar shows the URL: `us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#InstanceDetails:instanceId=i-00ee4c0fda845fbbb`. The console header includes the AWS logo, a search bar, and the account ID: 3672-4862-2889.

A green notification banner at the top states: "Successfully initiated stopping of i-00ee4c0fda845fbbb".

The left sidebar shows the navigation menu with categories: EC2, Images, Elastic Block Store, and Network & Security. The "Instances" link is selected.

The main content area displays the "Instance summary for i-00ee4c0fda845fbbb (efs1)". The instance is in the "Running" state. Key details include:

- Instance ID:** i-00ee4c0fda845fbbb
- Public IPv4 address:** 3.88.22.71
- Private IPv4 addresses:** 172.31.93.24
- Instance state:** Running
- Private IP DNS name (IPv4 only):** ip-172-31-93-24.ec2.internal
- Instance type:** t3.micro
- VPC ID:** vpc-0b1286da5de9b06db
- Subnet ID:** subnet-063e4c6d13fe975b8
- Instance ARN:** arn:aws:ec2:us-east-1:367248622889:instance/i-00ee4c0fda845fbbb

The bottom of the console shows the Windows taskbar with the search bar and various application icons. The system clock indicates the time is 12:31 on 20-01-2026.



Launch AWS Academy Learner

Instances | EC2 | us-east-1

EFS | us-east-1

+

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/get-started

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool III-I PROJECT & PUB... Paper Publications campus mail GATE

Search [Alt+S]

United States (V. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072-sam1304056@gmail.com

Amazon EFS

Elastic File System

File systems

Access points

AWS Backup

AWS DataSync

AWS Transfer

Documentation

# Amazon Elastic File System

## Scalable, elastic, cloud-native NFS file system

Amazon Elastic File System (Amazon EFS) provides a simple, scalable, elastic file system for general purpose workloads for use with AWS Cloud services and on-premises resources.

Create file system

Create an EFS file system with recommended settings.

Create file system

Pricing

With EFS, there are no minimum fees. You pay only for the storage that you use, the data that you read and write, and any additional throughput that you provision.

Estimate your cost using the [AWS Pricing Calculator](#)

[Learn more about pricing](#)

Get started

[What is Amazon Elastic File System?](#)

[Get started](#)

What is Amazon Elastic File System?

Amazon Elastic File System - Scalable, Elastic, Cloud-Native File System f...

Copy link

CloudShell Feedback

Type here to search

12:36

20-01-2026

ENG

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Launch AWS Academy Learner

Instances | EC2 | us-east-1

Amazon EFS - Create a file syst...

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/create?name=&vpc=vpc-0b1286da5de9b0ddb

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool III-I PROJECT & PUB... Paper Publications campus mail GATE

Search [Alt+S]

United States (N. Virginia)

Account ID: 3672-4842-2889  
voclabu/iam4578072+sam1304056@gmail.com

Amazon EFS

File systems

Create

Step 1  
File system settings

Step 2  
Network access

Step 3 - optional  
File system policy

Step 4  
Review and create

### File system settings

#### General

**Name - optional**  
Name your file system.

EFS

Name can include letters, numbers, and +, -, \_ / symbols, up to 256 characters.

**File system type**  
Choose to either store data across multiple Availability Zones or within a single Availability Zone. [Learn more](#)

☒ **Regional**  
Offers the highest levels of availability and durability by storing file system data across multiple Availability Zones within an AWS Region.

☐ **One Zone**  
Provides continuous availability to data within a single Availability Zone within an AWS Region.

**Automatic backups**  
Automatically backup your file system data with AWS Backup using recommended settings. Additional pricing applies. [Learn more](#)

☒ **Enable automatic backups**

**Lifecycle management**  
Automatically save money as access patterns change by moving files into the Infrequent Access (IA) or Archive storage class. [Learn more](#)

**Transition into Infrequent Access (IA)**  
Transition files to IA based on the time since they were last accessed in Standard storage.

**Transition into Archive**  
Transition files to Archive based on the time since they were last accessed in Standard storage.

**Transition into Standard**  
Transition files back to Standard storage based on when they are first accessed in IA or Archive storage.

30 day(s) since last access

90 day(s) since last access

None

**Encryption**  
Choose to enable encryption of your file system's data at rest. Uses the AWS KMS service key (aws/elasticfilesystem) by default. [Learn more](#)



☒ **Enable encryption of data at rest**

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Type here to search

12:38  
20-01-2026



Launch AWS Academy Learner

Instances | EC2 | us-east-1

Amazon EFS - file systems list

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems

3-1ChatGPTPerplexityML-ExercisesTelescope 4.2KMIT ResultsProjectSchoolIII-I PROJECT & PUB...Paper Publicationscampus mailGATE

Search(Alt+S)

United States (N. Virginia)

Account ID: 3472-4862-2889

vodafoneuser4578072:sam1304056@gmail.com

Amazon EFS

File systems

Elastic File System

File systems

Access points

AWS Backup

AWS DataSync

AWS Transfer

Documentation

File system (fs-Ocb7f231226d51a7f) is creating.

File systems (1)

Filter by property values

|  | Name                | File system ID                       | Encrypte d | Total size | Size in Standard | Size in IA | Size in Archive | Provisioned Throughput (MiB/s) | File system state | Creation time                 |
|--|---------------------|--------------------------------------|------------|------------|------------------|------------|-----------------|--------------------------------|-------------------|-------------------------------|
|  | <a href="#">EFS</a> | <a href="#">fs-Ocb7f231226d51a7f</a> | Encrypte d | 0 Bytes    | 0 Bytes          | 0 Bytes    | 0 Bytes         | -                              | Creating          | Tue, 20 Jan 2026 07:12:01 GMT |

View detailsDeleteCreate file system

CloudShellFeedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences

12:4220-01-2026



Launch AWS Academy Learner

Connect to instance | EC2 | us-

Amazon EFS - File system confi

SSH key permission fix

us-east-1.console.aws.amazon.com/efs/home?region=us-east-1#/file-systems/fs-0cb7f231226d51a7f

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool III-I PROJECT & PUB... Paper Publications campus mail GATE

Search [Alt+S]

United States (N. Virginia)

Account ID: 3672-4862-2889  
vodabx/user4578072?sam1304056@gmail.com

Amazon EFS > File systems > fs-0cb7f231226d51a7f

Elastic File System

File systems

Access points

AWS Backup

AWS DataSync

AWS Transfer

Documentation

EFS (fs-0cb7f231226d51a7f)

Delete Attach

General

Amazon resource name (ARN)

arn:aws:elasticfilesystem:us-east-1:367248622889:file-system/fs-0cb7f231226d51a7f

Performance mode

General Purpose

Throughput mode

Elastic

Lifecycle management

Transition into Infrequent Access (IA): 30 day(s) since last access

Transition into Archive: 90 day(s) since last access

Transition into Standard: None

Availability zone

Regional

Automatic backups

Enabled

Encrypted

072746b2-90a1-4027-a1d5-6a70019b8f23 (aws/elasticfilesystem)

File system state

Available

DNS name

fs-0cb7f231226d51a7f.efs.us-east-1.amazonaws.com

Replication overwrite protection

Enabled

Edit

Metered size Monitoring Tags File system policy Access points Network Replication

Metered size

CloudShell Feedback

Type here to search

2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:54

20-01-2026

```
ec2-user@ip-172-31-93-24:~$ sudo sn
sudo: sn: command not found
[ec2-user@ip-172-31-93-24 ~]$ yum install -y amazon-efs-utils
error: This command has to be run with superuser privileges (under the root user on most systems).
[ec2-user@ip-172-31-93-24 ~]$ sudo yum install -y amazon-efs-utils
amazon linux 2023 Kernel Livepatch repository                237 kB/s | 30 kB    00:00
Dependencies resolved.
=====Package Architecture Version Repository Size=====
Installing:
amazon-efs-utils      x86_64      2.4.1-1.amzn2023      amazonlinux      4.7 M
Installing dependencies:
stunnel               x86_64      5.58-1.amzn2023.0.2    amazonlinux      156 k
Transaction Summary
=====
Install 2 Packages
Total download size: 4.9 M
Installed size: 10 M
Downloading Packages:
(1/2): stunnel-5.58-1.amzn2023.0.2.x86_64.rpm              4.0 MB/s | 156 kB    00:00
(2/2): amazon-efs-utils-2.4.1-1.amzn2023.x86_64.rpm        54 MB/s | 4.7 MB    00:00
-----Total-----
38 MB/s | 4.9 MB    00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing      : 1/1
  Installing     : stunnel-5.58-1.amzn2023.0.2.x86_64      1/2
  Running scriptlet: stunnel-5.58-1.amzn2023.0.2.x86_64    1/2
  Installing     : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
  Running scriptlet: amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
  Verifying      : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 1/2
  Verifying      : stunnel-5.58-1.amzn2023.0.2.x86_64      2/2

Installed:
amazon-efs-utils-2.4.1-1.amzn2023.x86_64      stunnel-5.58-1.amzn2023.0.2.x86_64

Complete!
[ec2-user@ip-172-31-93-24 ~]$
```

```
ec2-user@ip-172-31-93-24:~$ sudo yum install -y amazon-efs-utils
amazon linux 2023 Kernel Livepatch repository                237 kB/s | 30 kB    00:00
Dependencies resolved.
=====Package Architecture Version Repository Size=====
Installing:
amazon-efs-utils      x86_64      2.4.1-1.amzn2023      amazonlinux      4.7 M
Installing dependencies:
stunnel               x86_64      5.58-1.amzn2023.0.2    amazonlinux      156 k
Transaction Summary
=====
Install 2 Packages
Total download size: 4.9 M
Installed size: 10 M
Downloading Packages:
(1/2): stunnel-5.58-1.amzn2023.0.2.x86_64.rpm              4.0 MB/s | 156 kB    00:00
(2/2): amazon-efs-utils-2.4.1-1.amzn2023.x86_64.rpm        54 MB/s | 4.7 MB    00:00
-----Total-----
38 MB/s | 4.9 MB    00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing      : 1/1
  Installing     : stunnel-5.58-1.amzn2023.0.2.x86_64      1/2
  Running scriptlet: stunnel-5.58-1.amzn2023.0.2.x86_64    1/2
  Installing     : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
  Running scriptlet: amazon-efs-utils-2.4.1-1.amzn2023.x86_64 2/2
  Verifying      : amazon-efs-utils-2.4.1-1.amzn2023.x86_64 1/2
  Verifying      : stunnel-5.58-1.amzn2023.0.2.x86_64      2/2

Installed:
amazon-efs-utils-2.4.1-1.amzn2023.x86_64      stunnel-5.58-1.amzn2023.0.2.x86_64

Complete!
[ec2-user@ip-172-31-93-24 ~]$ sudo mount -t efs -o tls fs-0cb7f231226d51a7f:/ efs
mount.nfs4: mount point efs does not exist
[ec2-user@ip-172-31-93-24 ~]$ sudo mkdir /mnt/efs
[ec2-user@ip-172-31-93-24 ~]$ sudo mount -t efs -o tls fs-0cb7f231226d51a7f:/ efs
mount.nfs4: mount point efs does not exist
[ec2-user@ip-172-31-93-24 ~]$ sudo mount -t efs -o tls fs-0cb7f231226d51a7f:/ /mnt/efs
[ec2-user@ip-172-31-93-24 ~]$ df -h
Filesystem      Size  Used Avail Use% Mounted on
devtmpfs        4.0M   0  4.0M   0% /dev
tmpfs           459M   0  459M   0% /dev/shm
tmpfs          184M  540K  183M   1% /run
/dev/nvme0n1p1   8.0G  1.6G  6.4G  20% /
tmpfs           459M   0  459M   0% /tmp
/dev/nvme0n1p2  10M  1.3M  8.7M  13% /boot/efi
tmpfs           92M   0   92M   0% /run/user/1000
127.0.0.1:/      8.0E   0   8.0E   0% /mnt/efs
[ec2-user@ip-172-31-93-24 ~]$
```

## Week 4 - S3-CRR,SWH,Versioning

Launch AWS Academy Learner | x S3 buckets | S3 | us-east-1 x +

us-east-1.console.aws.amazon.com/s3/buckets?region=us-east-1

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072:sam1304056@gmail.com

Amazon S3 > Buckets

Successfully created bucket "shadowraider3"  
To upload files and folders, or to configure additional bucket settings, choose [View details](#).

General purpose buckets All AWS Regions Directory buckets

General purpose buckets (1) info  
Buckets are containers for data stored in S3.

Find buckets by name

| Name          | AWS Region                      | Creation date                          |
|---------------|---------------------------------|----------------------------------------|
| shadowraider3 | US East (N. Virginia) us-east-1 | January 28, 2026, 12:22:48 (UTC+05:30) |

Copy ARN Empty Delete Create bucket

Account snapshot info  
Updated daily  
Storage Lens provides visibility into storage usage and activity trends.  
[View dashboard](#)

External access summary info  
Updated daily  
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

24°C 12:22 28-01-2026

Launch AWS Academy Learner | x Upload objects - S3 bucket sha x +

us-east-1.console.aws.amazon.com/s3/upload/shadowraider3?region=us-east-1

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072:sam1304056@gmail.com

Amazon S3 > Buckets > shadowraider3 > Upload

Upload info  
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#) or [Add folder](#).

Files and folders (0)  
All files and folders in this table will be uploaded.

Find by name

| Name                                                                       | Folder | Type | Size |
|----------------------------------------------------------------------------|--------|------|------|
| No files or folders<br>You have not chosen any files or folders to upload. |        |      |      |

Remove Add files Add folder

Destination info  
Destination  
[s3://shadowraider3](#)

Destination details  
Bucket settings that impact new objects stored in the specified destination.

CloudShell Feedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

24°C 12:23 28-01-2026

Launch AWS Academy Learner

Upload objects - S3 bucket sha

us-east-1.console.aws.amazon.com/s3/upload/shadowsraider3?region=us-east-1

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia)

Account ID: 3672-4862-2889  
vodabx/user4578072sam1304056@gmail.com

Amazon S3 Buckets shadowsraider3 Upload

Files and folders (1 total, 412.3 KB)

All files and folders in this table will be uploaded.

Find by name

| <input type="checkbox"/> | Name                                                 | Folder | Type            | Size     |
|--------------------------|------------------------------------------------------|--------|-----------------|----------|
| <input type="checkbox"/> | Genexis A Custom Hybrid Dual-Encoder Transformer ... | -      | application/pdf | 412.3 KB |

Destination Info

Destination  
[s3://shadowsraider3](#)

Destination details

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

Properties

Specify storage class, encryption settings, tags, and more.

Cancel Upload

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

24°C

ENG

12:24

28-01-2026

Launch AWS Academy Learner | x Upload objects - S3 bucket sha x +

us-east-1.console.aws.amazon.com/s3/upload/shadowsraider3?region=us-east-1

Amazon S3 Buckets shadowsraider3 Upload

Bucket settings that impact new objects stored in the specified destination.

Permissions

Grant public access and access to other AWS accounts.

Access control list (ACL)

Grant basic read/write permissions to other AWS accounts. [Learn more](#)

1 AWS recommends using S3 bucket policies or IAM policies for access control. [Learn more](#)

Access control list (ACL)

☒ Choose from predefined ACLs

☐ Specify individual ACL permissions

Predefined ACLs

☐ Private (recommended)

Only the object owner will have read and write access.

☒ Grant public-read access

Anyone in the world will be able to access the specified objects. The object owner will have read and write access. [Learn more](#)

Granting public-read access is not recommended

Anyone in the world will be able to access the specified objects. [Learn more](#)

☒ I understand the risk of granting public-read access to the specified objects.

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

24°C

12:24

28-01-2026

Launch AWS Academy Learner | x Upload objects - S3 bucket sha x +

us-east-1.console.aws.amazon.com/s3/upload/shadowsraider3?region=us-east-1

Amazon S3

Upload succeeded

For more information, see the Files and folders table.

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination: s3://shadowsraider3

Succeeded: 1 file, 412.3 KB (100.00%)

Failed: 0 files, 0 B (0%)

Files and folders Configuration

Files and folders (1 total, 412.3 KB)

Find by name

| Name                                 | Folder | Type            | Size     | Status    | Error |
|--------------------------------------|--------|-----------------|----------|-----------|-------|
| Genesis A Custom Hybrid Dual-Enco... | -      | application/pdf | 412.3 KB | Succeeded | -     |

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

24°C

12:25

28-01-2026

Launch AWS Academy Learner

Upload objects - S3 bucket sha

Genexis A Custom Hybrid Dual

us-east-1.console.aws.amazon.com/s3/object/shadowsraider3?region=us-east-1&prefix=Genexis+A+Custom+Hybrid+Dual-Encoder...

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voxlabs/user4578072:sam1304056@gmail.com

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

Genexis A Custom Hybrid Dual-Encoder Transformer for Predicting Gene-Disease Association.pdf

Copy S3 URI

Download

Open

Object actions

Properties

Permissions

Versions

Object overview

Owner

3bccc4c8866a120ecc2363bd823fdbaa95b3445ce698312cb41812df4da3ea4

AWS Region

US East (N. Virginia) us-east-1

Last modified

January 28, 2026, 12:25:13 (UTC+05:30)

Size

412.3 KB

Type

pdf

Key

Genexis A Custom Hybrid Dual-Encoder Transformer for Predicting Gene-Disease Association.pdf

S3 URI

s3://shadowsraider3/Genexis A Custom Hybrid Dual-Encoder Transformer for Predicting Gene-Disease Association.pdf

Amazon Resource Name (ARN)

arn:aws:s3::shadowsraider3/Genexis A Custom Hybrid Dual-Encoder Transformer for Predicting Gene-Disease Association.pdf

Entity tag (ETag)

fb03b808af4afd72088f975b692d0ce6

Object URL

https://shadowsraider3.s3.us-east-1.amazonaws.com/Genexis+A+Custom+Hybrid+Dual-Encoder+Transformer+for+Predicting+Gene-Disease+Association.pdf

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

24°C 12:28 28-01-2026

Launch AWS Academy Learner

Upload objects - S3 bucket sha

shadowsraider3 - S3 bucket | S

us-east-1.console.aws.amazon.com/s3/buckets/shadowsraider3?region=us-east-1&tab=properties

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia)

Account ID: 3672-4862-2889  
vodabx/user4578072=sam1304056@gmail.com

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

shadowsraider3 info

Objects

Metadata

Properties

Permissions

Metrics

Management

Access Points

Bucket overview

AWS Region

US East (N. Virginia) us-east-1

Amazon Resource Name (ARN)

arn:aws:s3::shadowsraider3

Creation date

January 28, 2026, 12:22:48 (UTC+05:30)

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

Disabled

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

Bucket ABAC

Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes. With ABAC, you can attach tags to your general purpose buckets and AWS Identity and Access

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search

24°C

12:30

28-01-2026





Launch AWS Academy Learner

AWS experiment assistance

Edit access control list (ACL) - 5

us-east-1.console.aws.amazon.com/s3/bucket/shadowsraider3/property/acl/edit?region=us-east-1

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3472-4862-2889 vodabz/user4578072-sam1304056@gmail.com

Amazon S3

Buckets

General purpose buckets

Directory buckets

Table buckets

Vector buckets

Access management and security

Access Points

Access Points for FSx

Access Grants

IAM Access Analyzer

Storage management and insights

Storage Lens

Batch Operations

Account and organization settings

AWS Marketplace for S3

Edit access control list (ACL) info

Access control list (ACL)

Grant basic read/write permissions to other AWS accounts. [Learn more](#)

| Grantee                                                                                                                                           | Objects                                                                               | Bucket ACL                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Bucket owner (your AWS account)</b><br>Canonical ID: <a href="#">5bcccc4c8866a120ecc2365bd823fcdbaa95b3445ce698312cb41812df4da3ea4</a>         | <input checked="" type="checkbox"/> List<br><input checked="" type="checkbox"/> Write | <input checked="" type="checkbox"/> Read<br><input checked="" type="checkbox"/> Write |
| <b>Everyone (public access)</b><br>Group: <a href="#">http://acs.amazonaws.com/groups/global/AllUsers</a>                                         | <input type="checkbox"/> List<br><input type="checkbox"/> Write                       | <input checked="" type="checkbox"/> <b>Read</b><br><input type="checkbox"/> Write     |
| <b>Authenticated users group (anyone with an AWS account)</b><br>Group: <a href="#">http://acs.amazonaws.com/groups/global/AuthenticatedUsers</a> | <input type="checkbox"/> List<br><input type="checkbox"/> Write                       | <input type="checkbox"/> Read<br><input type="checkbox"/> Write                       |
| <b>S3 log delivery group</b><br>Group: <a href="#">http://acs.amazonaws.com/groups/s3/LogDelivery</a>                                             | <input type="checkbox"/> List<br><input type="checkbox"/> Write                       | <input type="checkbox"/> Read<br><input type="checkbox"/> Write                       |

⚠ When you grant access to the Everyone or Authenticated users group grantees, anyone in the world can access the objects in this bucket.

[Learn more](#)

☒ I understand the effects of these changes on my objects and buckets.

Access for other AWS accounts

CloudShell Feedback

Type here to search

15:17

13-02-2026

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Launch AWS Academy Learner | x AWS experiment assistance x new-amazon-s3 - S3 bucket | x

us-west-2.console.aws.amazon.com/s3/buckets/new-amazon-s3?region=us-west-2&tab=properties

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (Oregon) Account ID: 3672-4842-2889 voclabuuser4578072+sam1304056@gmail.com

Amazon S3 Buckets new-amazon-s3

Successfully edited Bucket Versioning  
To transition, archive, or delete older object versions, [configure lifecycle rules](#) for this bucket.

new-amazon-s3 info

Objects Metadata Properties Permissions Metrics Management Access Points

**Bucket overview**

AWS Region  
US West (Oregon) us-west-2

Amazon Resource Name (ARN)  
[arn:aws:s3::new-amazon-s3](#)

Creation date  
February 13, 2026, 15:40:07 (UTC+05:30)

**Bucket Versioning** Edit

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

**Bucket Versioning**  
Enabled

**Multi-factor authentication (MFA) delete**  
An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

**Bucket ABAC** Edit

Attribute-based access control (ABAC) is an authorization strategy that defines permissions based on attributes. With ABAC, you can attach tags to your general purpose buckets and AWS Identity and Access Management (IAM) entities (users or roles), then scale access to objects in your S3 general purpose buckets using tag-based policies. [Learn more](#)

CloudShell Feedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

15:42  
13-02-2026

Launch AWS Academy Learner

Create replication rule - S3 buc

us-east-1.console.aws.amazon.com/s3/management/shadowsraider3/replication/create?region=us-east-1

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

Account ID: 3672-4842-2889 voclabuser4578072+sam1304056@gmail.com

Amazon S3 Buckets shadowsraider3 Replication rules Create replication rule

### Create replication rule Info

#### Replication rule configuration

**Replication rule name**

Up to 255 characters. In order to be able to use CloudWatch metrics to monitor the progress of your replication rule, the replication rule name must only contain English characters.

**Status**  
Choose whether the rule will be enabled or disabled when created.

☒ Enabled  
☐ Disabled

**Priority**  
The priority value resolves conflicts that occur when an object is eligible for replication under multiple rules to the same destination. The rule is added to the configuration at the highest priority and the priority can be changed on the replication rules table.

0

#### Source bucket

**Source bucket name**  
shadowsraider3

**Source Region**  
US East (N. Virginia) us-east-1

**Choose a rule scope**

☐ Limit the scope of this rule using one or more filters  
☒ Apply to all objects in the bucket

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

10:24 14-02-2026



Launch AWS Academy Learner | x Replication rule list - S3 bucket x +

us-east-1.console.aws.amazon.com/s3/management/shadowsraider3/replication?region=us-east-1

Amazon S3 > Buckets > shadowsraider3 > Replication rules

Replication configuration successfully updated  
If changes to the configuration aren't displayed, choose the refresh button. Changes apply only to new objects. To replicate existing objects with this configuration, choose **Create replication job**.

**Replication rules** info  
Replication enables automatic and asynchronous copying of objects across buckets in the same or different AWS Regions. A replication configuration is a set of rules that define what options should be applied to a group of objects during replication.

**Replication configuration settings**  
Configuration settings affect all replication rules in the bucket.  
Source bucket: shadowsraider3  
Source Region: US East (N. Virginia) us-east-1  
IAM role: LabRole

**Replication rules (1)**  
Use replication rules to define options you want Amazon S3 to apply during replication such as server-side encryption, replica ownership, transitioning replicas to another storage class, and more. [Learn more](#)

| Replication rule name | Status  | Destination bucket | Destination Region         | Priority | Scope         | Storage class  | Replica owner  | Replication Time Control | KMS-encrypted objects (SSE-KMS or SSE-KMS) | Replica modification sync |
|-----------------------|---------|--------------------|----------------------------|----------|---------------|----------------|----------------|--------------------------|--------------------------------------------|---------------------------|
| academy-cm-rule       | Enabled | s3://new-amazon-s3 | US West (Oregon) us-west-2 | 0        | Entire bucket | Same as source | Same as source | Disabled                 | Do not replicate                           | Disabled                  |

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Launch AWS Academy Learner | x Edit static website hosting - S3 x +

us-east-1.console.aws.amazon.com/s3/bucket/sstatic-demobuck-6750/property/website/edit?region=us-east-1

Amazon S3 > Buckets > sstatic-demobuck-6750 > Edit static website hosting

**Edit static website hosting** info  
Use this bucket to host a website or redirect requests. [Learn more](#)

**Static website hosting**  
☐ Disable  
☒ Enable


**Hosting type**  
☒ Host a static website  
Use the bucket endpoint as the web address. [Learn more](#)  
☐ Redirect requests for an object  
Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

**Index document**  
Specify the home or default page of the website.  
index.html

**Error document - optional**  
This is returned when an error occurs.  
error.html

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences





Launch AWS Academy Learner | static-demo-6750 - S3 bucket | +

us-east-1.console.aws.amazon.com/s3/buckets/static-demo-6750?region=us-east-1&tab=properties

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 vodabyuser4578072sam1304056@gmail.com

Amazon S3 Buckets static-demo-6750

Successfully edited static website hosting. [Requester pays](#)

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. [Learn more](#)

**Requester pays**  
Disabled

**Static website hosting** [Edit](#)

Use this bucket to host a website or redirect requests. [Learn more](#)

**We recommend using AWS Amplify Hosting for static website hosting**  
Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#) [Create Amplify app](#)

**S3 static website hosting**  
Enabled

**Hosting type**  
Bucket hosting


**Bucket website endpoint**  
When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)  
<http://static-demo-6750.s3-website-us-east-1.amazonaws.com>

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

23°C 11:21 14-02-2026



**Hello From 6750 from the S3 Website**



# Week 5 - VPC Creation and Connecting Ec2 Instances

The screenshot displays the AWS Management Console for the us-east-1 region, specifically the VPC dashboard. The interface includes a top navigation bar with the AWS logo, a search bar, and a user profile dropdown. The left sidebar contains navigation links for VPC dashboard, AWS Global View, and various VPC and Security resources. The main content area is titled 'VPC dashboard' and features a 'Resources by Region' section. This section lists various VPC resources available in the N. Virginia region, including VPCs, Subnets, Route Tables, Internet Gateways, Egress-only Internet Gateways, Endpoint Services, NAT Gateways, VPC Peering Connections, Network ACLs, and Security Groups. Each resource has a link to 'See all regions'. The right sidebar contains sections for Service Health, Settings, Additional Information, and AWS Network Manager. The bottom of the screen shows a Windows taskbar with various application icons and system information.

**VPC dashboard**

[Create VPC](#) [Launch EC2 Instances](#)

Note: Your Instances will launch in the United States region.

**Resources by Region**

You are using the following Amazon VPC resources

[Refresh Resources](#)

| Resource                                                           | Region      |
|--------------------------------------------------------------------|-------------|
| <a href="#">VPCs</a><br>▶ See all regions                          | N. Virginia |
| <a href="#">Subnets</a><br>▶ See all regions                       | N. Virginia |
| <a href="#">Route Tables</a><br>▶ See all regions                  | N. Virginia |
| <a href="#">Internet Gateways</a><br>▶ See all regions             | N. Virginia |
| <a href="#">Egress-only Internet Gateways</a><br>▶ See all regions | N. Virginia |
| <a href="#">Endpoint Services</a><br>▶ See all regions             | N. Virginia |
| <a href="#">NAT Gateways</a><br>▶ See all regions                  | N. Virginia |
| <a href="#">VPC Peering Connections</a><br>▶ See all regions       | N. Virginia |
| <a href="#">Network ACLs</a><br>▶ See all regions                  | N. Virginia |
| <a href="#">Security Groups</a><br>▶ See all regions               | N. Virginia |

**Service Health**

[View complete service health details](#)

**Settings**

[Block Public Access](#)

[Zones](#)

[Console Experiments](#)

**Additional Information**

[VPC Documentation](#)

[All VPC Resources](#)

[Forums](#)



[Report an Issue](#)

**AWS Network Manager**

AWS Network Manager provides tools and features to help you manage and monitor your network on AWS.

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

19°C 06:01 16-02-2026



Launch AWS Academy Learner

subnets | VPC | us-east-1

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#subnets:subnetId=subnet-07ef9f882f9ea899

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia)

Account ID: 5472-4563-2889  
vpconsole:us-east-1:root@vpconsole.com

VPC Subnets

VPC dashboard

AWS Global View

Filter by VPC

Virtual private cloud

Subnets

Route tables

Internet gateways

Egress-only internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

You have successfully created 1 subnet: subnet-07ef9f882f9ea899

Subnets (1)

Find subnets by attribute or tag

Subnet ID: subnet-07ef9f882f9ea899

Clear filters

Subnet ID

Name

State

VPC

Block Public...

IPv4 CIDR

IPv6 CIDR

IPv6 CIE

publicsubnet

subnet-07ef9f882f9ea899

Available

vpc-0f256685ab6c686a23 | myv...

Off

10.0.1.0/24

-

-

Select a subnet

CloudShell Feedback

© 2026 Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

19°C

ENG

06:08

16-02-2026

Launch AWS Academy Learner | subnets | VPC Console

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#subnets:subnetId=subnet-0b66fc80e6b540621

aws [Search] [Alt+S] United States (N. Virginia) Account ID: 7292-5069-5340 vovtaby/user4578455ramudalatrishin@gmail.com

VPC > Subnets

**VPC dashboard**

AWS Global View

Filter by VPC

**Virtual private cloud**

- Your VPCs
- Subnets**
- Route tables
- Internet gateways
- Egress-only internet gateways
- Carrier gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

**Security**

You have successfully created 1 subnet: subnet-0b66fc80e6b540621

**Subnets (1)** info

Find subnets by attribute or tag

Subnet ID: subnet-0b66fc80e6b540621 Clear filters

| <input type="checkbox"/> | Name                 | Subnet ID                | State     | VPC                             | Block Public... | IPv4 CIDR   |
|--------------------------|----------------------|--------------------------|-----------|---------------------------------|-----------------|-------------|
| <input type="checkbox"/> | Custom-Public-Subnet | subnet-0b66fc80e6b540621 | Available | vpc-036ebb7cf95e2869e   Cust... | Off             | 10.0.1.0/24 |



Select a subnet

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Trending videos The Muppet Sho...

ENG IN 09:21 PM 13-02-2026





Launch AWS Academy Learner

VPC | us-east-1

us-east-1.console.aws.amazon.com/vpccconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-08b880b9323258ddb

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia)

Account ID: 3672-4862-2889  
voclabuser4578073=sam1304056@gmail.com

VPC > Route tables > rtb-08b880b9323258ddb

VPC dashboard < >  
AWS Global View < >  
Filter by VPC < >

Virtual private cloud

Your VPCs  
Subnets  
Route tables  
Internet gateways  
Egress-only internet gateways  
Carrier gateways  
DHCP option sets  
Elastic IPs  
Managed prefix lists  
NAT gateways  
Peering connections  
Route servers

Security  
Network ACLs  
Security groups

PrivateLink and Lattice  
Getting started

Route table rtb-08b880b9323258ddb | Public-RT was created successfully.

rtb-08b880b9323258ddb / Public-RT 

Actions

Details info

Route table ID  
rtb-08b880b9323258ddb

VPC  
vpc-0f2566b5abc686a23 | myvpccustom01

Main  
No

Owner ID  
367248622889

Explicit subnet associations  
-

Edge associations  
-

Routes Subnet associations Edge associations Route propagation Tags

Routes (1)

Filter routes

| Destination | Target | Status | Propagated | Route Origin       |
|-------------|--------|--------|------------|--------------------|
| 10.0.0.0/16 | local  | Active | No         | Create Route Table |

Both Edit routes

< 1 >

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

19°C

06:24  
16-02-2026

Launch AWS Academy Learner

VPC | us-east-1

us-east-1.console.aws.amazon.com/vpccconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-08b880b9323258ddb

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabuser4578072+sam1304056@gmail.com

VPC

Route tables

rtb-08b880b9323258ddb

VPC dashboard

AWS Global View

Filter by VPC

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

PrivateLink and Lattice

Getting started

You have successfully updated subnet associations for rtb-08b880b9323258ddb / Public-RT.

rtb-08b880b9323258ddb / Public-RT

Details

Route table ID  
rtb-08b880b9323258ddb

Main  
No

Explicit subnet associations  
subnet-02b8ede3ec38fd5b3 / publicsubnet

Edge associations  
-

VPC  
vpc-0f2566b5abc686a23 / myvpcustom01

Owner ID  
367248622889

Routes

Subnet associations

Edge associations

Route propagation

Tags

Routes (2)

Filter routes

| Destination | Target                | Status | Propagated | Route Origin       |
|-------------|-----------------------|--------|------------|--------------------|
| 0.0.0.0/0   | igw-0f3e47a994ad2c794 | Active | No         | Create Route       |
| 10.0.0.0/16 | local                 | Active | No         | Create Route Table |

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

19°C

06:28

16-02-2026

Launch AWS Academy Learner | VPC | us-east-1

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#subnets:

VPC Subnets

You have successfully changed subnet settings:  
Enable auto-assign public IPv4 address

Subnets (1/8) info

Find subnets by attribute or tag

| Name          | Subnet ID                | State     | VPC                            | Block Public... | IPv4 CIDR      | IPv6 CIDR | IPv6 |
|---------------|--------------------------|-----------|--------------------------------|-----------------|----------------|-----------|------|
| -             | subnet-0c84a784e3eb11b72 | Available | vpc-0b1286da5de9b0dd8          | Off             | 172.31.64.0/20 | -         | -    |
| -             | subnet-063ef4cd13fe975b8 | Available | vpc-0b1286da5de9b0dd8          | Off             | 172.31.80.0/20 | -         | -    |
| -             | subnet-036f6d6c5a3ab3e0  | Available | vpc-0b1286da5de9b0dd8          | Off             | 172.31.32.0/20 | -         | -    |
| -             | subnet-05820444b1a896b25 | Available | vpc-0b1286da5de9b0dd8          | Off             | 172.31.0.0/20  | -         | -    |
| -             | subnet-0bab8d3138c304505 | Available | vpc-0b1286da5de9b0dd8          | Off             | 172.31.16.0/20 | -         | -    |
| -             | subnet-096d534797231c4b6 | Available | vpc-0b1286da5de9b0dd8          | Off             | 172.31.48.0/20 | -         | -    |
| privatesubnet | subnet-01a12e9a14aca552  | Available | vpc-0f2566b5abc686a23   myv... | Off             | 10.0.2.0/24    | -         | -    |

subnet-02e8ede3ec38fd5b3 / publicsubnet

Details | Flow logs | Route table | Network ACL | CIDR reservations | Sharing | Tags

Details

Subnet ID: subnet-02e8ede3ec38fd5b3

Subnet ARN: amazon.ec2:us-east-1:367248622889:subnet/subnet-02e8ede3ec38fd5b3

State: Available

IPv4 CIDR: 10.0.1.0/24

Available IPv4 addresses: 251

Availability Zone: us-east-1a

Block Public Access: Off

IPv6 CIDR association ID: -

Route table: rtb-0db609d1333556a05 | 10.0.0.0/24

CloudShell Feedback

Type here to search

19°C

06:44

16-02-2026

Launch AWS Academy Learner | VPC | us-east-1

us-east-1.console.aws.amazon.com/vpconsole/home?region=us-east-1#SecurityGroup:groupId=sg-0fd36a7eb8751a994

VPC Security Groups

sg-0fd36a7eb8751a994 - Custom-SG

Security group (sg-0fd36a7eb8751a994 | Custom-SG) was created successfully

Details

sg-0fd36a7eb8751a994 - Custom-SG

Details

Security group name: Custom-SG

Security group ID: sg-0fd36a7eb8751a994

Description: Custom security group for EC2 access

VPC ID: vpc-0f2566b5abc686a23

Owner: 367248622889

Inbound rules count: 2 Permission entries

Outbound rules count: 1 Permission entry

Inbound rules (2)

| Name | Security group rule ID | IP version | Type | Protocol | Port range | Source           | Description |
|------|------------------------|------------|------|----------|------------|------------------|-------------|
| -    | sg-r021afe491c67f1f    | IPv4       | SSH  | TCP      | 22         | 49.43.230.197/32 | -           |
| -    | sg-r0c58d8c3b6feb991b  | IPv4       | HTTP | TCP      | 80         | 0.0.0.0/0        | -           |

CloudShell Feedback

Type here to search

19°C

06:56

16-02-2026

Launch AWS Academy LearnerLaunch an instance | EC2 | us-east-1VPC | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

3-1ChatGPTPerplexityML-ExercisesTelescope 4.2KMIT ResultsProjectSchoolHackerEarthIII-I PROJECT & PUB...Paper Publicationscampus mail

Search[Alt+S]

United States (N. Virginia)voctabuser4578073=sam1304056@gmail.com

EC2>Instances>Launch an instance

### Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

#### Name and tags

Name

PublicEC2

[Add additional tags](#)

#### Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

RecentsQuick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Linux

SUSE

Debian

debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.1 AMI  
ami-0c1ff732b54946d14 (64-bit x86, uefi-preferred) / ami-02b86da1e539b4d80 (64-bit ARM, uefi)  
Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible

#### Summary

Number of instances

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.10...[read more](#)  
ami-0c1ff732b54946d14

Virtual server type (instance type)

t2.micro

Firewall (security group)

Custom-SG

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

[Preview code](#)

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Type here to search

19°C

07:02

16-02-2026

Launch AWS Academy Learner | x Launch an instance | EC2 | us-east-1 | x VPC | us-east-1 | x

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

ChatGPT | Perplexity | ML-Exercises | Telescope 4.2 | KMIT Results | ProjectSchool | HackerEarth | III-I PROJECT & PUB... | Paper Publications | campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabsuser4578072+sam1304056@gmail.com

Launch an instance

**Success**  
Successfully initiated launch of instance (i-0a706d7a3c678d2cc)

Launch log

**Next Steps**  
What would you like to do next with this instance, for example "create alarm" or "create backup"

**Create billing usage alerts**  
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.  
[Create billing alerts](#)

**Connect to your instance**  
Once your instance is running, log into it from your local computer.  
[Connect to instance](#)  
[Learn more](#)

**Connect an RDS database**  
Configure the connection between an EC2 instance and a database to allow traffic flow between them.  
[Connect an RDS database](#)  
[Create a new RDS database](#)  
[Learn more](#)

**Create EBS snapshot policy**  
Create a policy that automates the creation, retention, and deletion of EBS snapshots.  
[Create EBS snapshot policy](#)

**Manage detailed monitoring**  
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.  
[Manage detailed monitoring](#)

**Create Load Balancer**  
Create an application, network gateway or classic Elastic Load Balancer.  
[Create Load Balancer](#)

**Create AWS budget**  
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a...  
[Create AWS budget](#)

**Manage CloudWatch alarms**  
Create or update Amazon CloudWatch alarms for the instance.  
[Manage CloudWatch alarms](#)

**Disaster recovery for your instances**  
Recover the instances you just launched into a different Availability...  
[Disaster recovery for your instances](#)

**Monitor for suspicious runtime activities**  
Amazon GuardDuty enables you to continuously monitor for malicious...  
[Monitor for suspicious runtime activities](#)

**Get instance screenshot**  
Capture a screenshot from the instance and view it as an image. This is useful for troubleshooting an unreachable...  
[Get instance screenshot](#)

**Get system log**  
View the instance's system log to troubleshoot issues.  
[Get system log](#)

https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#SelectCreateELBWizard: © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search 19°C 07:02 16-02-2026

Launch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

### Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

**Name and tags**

Name: PrivateEC2

**Application and OS Images (Amazon Machine Image)**

Search our full catalog including 1000s of application and OS images

Recents | Quick Start

Amazon Linux | macOS | Ubuntu | Windows | Red Hat | SUSE Linux | Debian

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.1 AMI  
ami-0c11e73254948b14 (64-bit x86, uefi-proprietary) / ami-02b85da1e53964dd0 (64-bit ARM, uefi)  
Virtualization: hvm | ENX enabled: true | Root device type: ebs

**Summary**

Number of instances: 1

Software Image (AMI)  
Amazon Linux 2023 AMI 2023.10...read more  
ami-0c11e73254948b14

Virtual server type (instance type)  
t2.micro

Firewall (security group)  
Custom-SG

Storage (volumes)  
1 volume(s) - 8 GiB

Cancel | Launch instance | Preview code

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances:

key pair name:  Create new key pair

**Network settings**

VPC - required  
vpc-0f2566b5abc686a23 (myvpcustom01)  
10.0.0.0/16

Subnet  
subnet-01a12e9a14aea552  
VPC: vpc-0f2566b5abc686a23 | Owner: 367248622889 | Availability Zone: us-east-1a (us-east-1)  
Zone type: Availability Zone | IP addresses available: 251 | CIDR: 10.0.2.0/24

Auto-assign public IP  
Disable

Firewall (security groups)  
Create security group | Select existing security group

Common security groups  
Select security groups  
Custom-SG sg-0fd56a7eb8751a994  
VPC: vpc-0f2566b5abc686a23

Compare security group rules

Advanced network configuration

**Summary**

Number of instances: 1

Software Image (AMI)  
Amazon Linux 2023 AMI 2023.10...read more  
ami-0c11e73254948b14

Virtual server type (instance type)  
t2.micro

Firewall (security group)  
Custom-SG

Storage (volumes)  
1 volume(s) - 8 GiB

Cancel | Launch instance | Preview code

Launch AWS Academy Learner

Connect to instance | EC2 | us-east-1

VPC | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#ConnectToInstance:instanceId=i-0a706d7a3c678d2cc

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S] Ask Amazon Q United States (N. Virginia) Account ID: 3672-4842-2889 voclabs/user4578072-sam1304056@gmail.com

EC2 > Instances > i-0a706d7a3c678d2cc > Connect to instance

**Connect** info

Connect to an instance using the browser-based client.

Instance ID  
i-0a706d7a3c678d2cc (PublicEC2)

VPC ID  
vpc-0f2566b5abc686a23

Security groups  
sg-0fd36a7eb8751a994 (Custom-SG)

IAM role  
-

EC2 Instance Connect

SSM Session Manager

SSH client

EC2 serial console

Instance ID  
i-0a706d7a3c678d2cc (PublicEC2)

Connection type

☒ Connect using a Public IP  
Connect using a public IPv4 or IPv6 address

☐ Connect using a Private IP  
Connect using a private IP address and a VPC endpoint

☒ Public IPv4 address  
54.174.237.97

☐ IPv6 address  
-

Username

Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user.

ec2-user

Note: In most cases, the default username, ec2-user, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

Cancel

Connect

https://us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=us-east-1&connType=standard&instanceId=i-0a706d7a3c678d2cc&osUser=ec2-user&sshPort=22&addressFamily=ipv4

Type here to search

19°C


ENG

07:09

16-02-2026



## Week 6 - VPC using NAT Gateway



Launch AWS Academy Learner | subnets | VPC Console

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#subnets:subnetId=subnet-0f35cebcfb617397

Account ID: 7292-5069-5340  
vociabts/user4578435=amudalatrishin@gmail.com

VPC > Subnets

**VPC dashboard**

AWS Global View

Filter by VPC

**Virtual private cloud**

Your VPCs

**Subnets**

Route tables

Internet gateways

Egress-only internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

**Security**

**CloudShell** Feedback

28°C Sunny

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:00 PM 16-02-2026

**You have successfully created 1 subnet: subnet-0f35cebcfb617397**

Subnets (1) info

Find subnets by attribute or tag

Subnet ID: subnet-0f35cebcfb617397 Clear filters

1

| <input type="checkbox"/> | Name                  | Subnet ID               | State     | VPC                            | Block Public... | IPv4 CIDR   |
|--------------------------|-----------------------|-------------------------|-----------|--------------------------------|-----------------|-------------|
| <input type="checkbox"/> | Bastion-Public-Subnet | subnet-0f35cebcfb617397 | Available | vpc-0bca1e0a79ace6d58   MyC... | Off             | 10.0.1.0/24 |

Select a subnet

Launch AWS Academy Learner | subnets | VPC Console

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#subnets:subnetId=subnet-0c96ce3a385aa0c47

Account ID: 7292-5069-5340  
vociabts/user4578435=amudalatrishin@gmail.com

VPC > Subnets

**VPC dashboard**

AWS Global View

Filter by VPC

**Virtual private cloud**

Your VPCs

**Subnets**

Route tables

Internet gateways

Egress-only internet gateways

Carrier gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

**Security**

**CloudShell** Feedback

28°C Sunny

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:01 PM 16-02-2026

**You have successfully created 1 subnet: subnet-0c96ce3a385aa0c47**

Subnets (1) info


Find subnets by attribute or tag

Subnet ID: subnet-0c96ce3a385aa0c47 Clear filters

1

| <input type="checkbox"/> | Name              | Subnet ID                | State     | VPC                            | Block Public... | IPv4 CIDR   |
|--------------------------|-------------------|--------------------------|-----------|--------------------------------|-----------------|-------------|
| <input type="checkbox"/> | DB-Private-Subnet | subnet-0c96ce3a385aa0c47 | Available | vpc-0bca1e0a79ace6d58   MyC... | Off             | 10.0.2.0/24 |

Select a subnet



Launch AWS Academy Learner

VPC | us-east-1

us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-065994ef8563b767d

aws

Search

[Alt+S]

United States (N. Virginia)

Account ID: 7292-5069-5340

username@gmail.com

VPC > Route tables > rtb-065994ef8563b767d

Route table rtb-065994ef8563b767d | Bastion-Route-Table was created successfully.

rtb-065994ef8563b767d / Bastion-Route-Table

Actions

Details

Route table ID  
rtb-065994ef8563b767d

VPC  
vpc-0bca1e0a79ace5d38 | MyCustomVPC

Main  
No

Owner ID  
729250695340

Explicit subnet associations  
-

Edge associations  
-

Routes

Subnet associations

Edge associations

Route propagation

Tags

Routes (1)

Filter routes

Both

Edit routes

| Destination | Target | Status | Propagated | Route Origin       |
|-------------|--------|--------|------------|--------------------|
| 10.0.0.0/16 | local  | Active | No         | Create Route Table |

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

28°C Sunny

12:05 PM 16-02-2026

Launch AWS Academy Learner x SecurityGroup [EC2] us-east-1 x

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#SecurityGroupgroupId=sg-06f5694c6306a5fdf

Account ID: 7292-5069-5340  
voclabs/user4578455@amudlatyishin@gmail.com

EC2 > Security Groups > sg-06f5694c6306a5fdf - Bastion-SG

Security group (sg-06f5694c6306a5fdf | Bastion-SG) was created successfully

Details

sg-06f5694c6306a5fdf - Bastion-SG

Details

|                                   |                                           |                                                         |                                 |
|-----------------------------------|-------------------------------------------|---------------------------------------------------------|---------------------------------|
| Security group name<br>Bastion-SG | Security group ID<br>sg-06f5694c6306a5fdf | Description<br>Allows Bastion Subnet for SSH connection | VPC ID<br>vpc-0bca1e0a79ace5d38 |
| Owner<br>729250695340             | Inbound rules count<br>1 Permission entry | Outbound rules count<br>1 Permission entry              |                                 |

Inbound rules Outbound rules Sharing VPC associations Related resources - new Tags

Inbound rules (1)

| Name | Security group rule ID | IP version | Type | Protocol | Port range |
|------|------------------------|------------|------|----------|------------|
| -    | sg-0f3a0a6bcebd7e2e3   | IPv4       | SSH  | TCP      | 22         |

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Sunny

Launch AWS Academy Learner x SecurityGroup [EC2] us-east-1 x

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#SecurityGroupgroupId=sg-0367884a200682931

Account ID: 7292-5069-5340  
voclabs/user4578455@amudlatyishin@gmail.com

EC2 > Security Groups > sg-0367884a200682931 - DB-SG

Security group (sg-0367884a200682931 | DB-SG) was created successfully

Details

sg-0367884a200682931 - DB-SG

Details

|                              |                                             |                                                    |                                 |
|------------------------------|---------------------------------------------|----------------------------------------------------|---------------------------------|
| Security group name<br>DB-SG | Security group ID<br>sg-0367884a200682931   | Description<br>Allows SSH connection for DB-Server | VPC ID<br>vpc-0bca1e0a79ace5d38 |
| Owner<br>729250695340        | Inbound rules count<br>2 Permission entries | Outbound rules count<br>1 Permission entry         |                                 |

Inbound rules Outbound rules Sharing VPC associations Related resources - new Tags

Inbound rules (2)

| Name | Security group rule ID | IP version | Type         | Protocol | Port range |
|------|------------------------|------------|--------------|----------|------------|
| -    | sg-0f2f1a849fad178e9   | IPv4       | MySQL/Aurora | TCP      | 3306       |
| -    | sg-0a241d761b924ece5   | IPv4       | SSH          | TCP      | 22         |

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Sunny

Launch AWS Academy LearnerLaunch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances

Search[Alt+S]United States (N. Virginia)Account ID: 7292-5069-5340voclabs/user4578435=amudata@shin@gmail.com

EC2>Instances>Launch an instance

### Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

#### Name and tags

Name

DB-Server

Add additional tags

#### Application and OS Images (Amazon Machine Image)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

RecentsQuick Start

Amazon Linux

macOS

Ubuntu

Windows

Red Hat

SUSE Linux

Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

#### Summary

Number of instances

1

Software Image (AMI)

Canonical, Ubuntu, 24.04, amd64...[read more](#)

ami-0b4c6e6ed2801a5cb

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel

Launch instance

[Preview code](#)

CloudShellFeedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

28°C Sunny

12:22 PM

16-02-2026



Launch AWS Academy LearnerLaunch an instance | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#LaunchInstances

awsSearch[Alt+S]United States (N. Virginia)Account ID: 7292-5069-5340vovtaby/user4578455=ramudalatrishin@gmail.com

EC2>Instances>Launch an instance

Success  
Successfully initiated launch of instance (i-0f8140722e791bca6)

Launch log

Next Steps  
What would you like to do next with this instance, for example "create alarm" or "create backup"

Create billing usage alerts  
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.  
Create billing alerts

Connect to your instance  
Once your instance is running, log into it from your local computer.  
Connect to instance  
Learn more

Connect an RDS database  
Configure the connection between an EC2 instance and a database to allow traffic flow between them.  
Connect an RDS database  
Create a new RDS database  
Learn more

Create EBS snapshot policy  
Create a policy that automates the creation, retention, and deletion of EBS snapshots.  
Create EBS snapshot policy

CloudShellFeedback© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences28°C Sunny12:23 PM16-02-2026



```
ubuntu@ip-10-0-1-62: ~$ ssh -i bastion.pem dbserver.pem ubuntu@3.88.48.30:/home/ubuntu/
PS C:\Users\Trishin Amudala\Downloads> scp -i bastion.pem dbserver.pem ubuntu@3.88.48.30:/home/ubuntu/
The authenticity of host '3.88.48.30 (3.88.48.30)' can't be established.
ED25519 key fingerprint is SHA256:6B8sWGEyDyk5a2Ih8h8XADn4x3awjx84tFcbyBDuA45Q.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])?
Warning: Permanently added '3.88.48.30' (ED25519) to the list of known hosts.
dbserver.pem
PS C:\Users\Trishin Amudala\Downloads> ssh -i bastion.pem ubuntu@3.88.48.30
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.14.0-1018-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System information as of Mon Feb 16 07:04:30 UTC 2026

System load: 0.0          Processes:           105
Usage of /:  25.9% of 6.71GB   Users logged in:    0
Memory usage: 28%          IPv4 address for enx0: 10.0.1.60
Swap usage:  0%

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.


Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-10-0-1-60:~$ ls
dbserver.pem
ubuntu@ip-10-0-1-60:~$ |
```

## Week 7 - S3 to Dynamo



Launch AWS Academy Learner | x Service | Amazon DynamoDB M x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#service

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclab/user4578072+sam1304056@gmail.com

### DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

## Amazon DynamoDB

A fast and flexible NoSQL database service for any scale

DynamoDB is a fully managed, key-value, and document database that delivers single-digit-millisecond performance at any scale.

### Get started

Create a new table to start exploring DynamoDB.

Create table

### Pricing

DynamoDB charges for reading, writing, and storing data in your DynamoDB tables, along with any optional features you choose to turn on. DynamoDB has on-demand capacity mode and provisioned capacity mode, and these modes have pricing for processing reads and writes on your tables.

Learn more about pricing

### Documentation

- What is Amazon DynamoDB?
- Getting started with Amazon DynamoDB

### How it works

What is Amazon DynamoDB? | Amazon Web Services

Copy link

DynamoDB

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:08 17-02-2026

Launch AWS Academy Learner | x List tables | Amazon DynamoDB M x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#tables

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclab/user4578072+sam1304056@gmail.com

### DynamoDB > Tables

The awsdynamo table was created successfully.

#### Tables (1)

Find tables

Filter by tag Any tag key

Filter by tag value Any tag value

Last updated February 17, 2026, 12:10 (UTC+5:30)

Actions Delete Create table

| <input type="checkbox"/> | Name      | Status | Partition key | Sort key | Indexes | Replication Regions | Deletion protection | Favorite | Read capacity mode | Write capacity mode | Total size | Table class |
|--------------------------|-----------|--------|---------------|----------|---------|---------------------|---------------------|----------|--------------------|---------------------|------------|-------------|
| <input type="checkbox"/> | awsdynamo | Active | dynamodb (S)  | -        | 0       | 0                   | Off                 | ☆        | On-demand          | On-demand           | 0 bytes    | Standard    |

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:10 17-02-2026

Launch AWS Academy Learner

View table | Amazon DynamoDB

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#table?name=awsdynamo

3-1 ChatGPT Perplexity ML-Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

DynamoDB

Tables

awsdynamo

Tables (1)

Filter by tag

Any tag key

Filter by tag value

Any tag value

Find tables

1

awsdynamo

awsdynamo

February 17, 2026, 12:11 (UTC+5:30)

Actions

Explore table items

Settings

Indexes

Monitor

Global tables

Backups

Exports and streams

Permissions

Protect your DynamoDB table from accidental writes and deletes

When you turn on point-in-time recovery (PITR), DynamoDB backs up your table data automatically so that you can restore to any given second in the preceding 1 to 35 days. Additional charges apply. [Learn more](#)

Edit PITR

General information

Partition key

dynamodb (String)

Sort key

-

Capacity mode

On-demand

Table status

Active

Alarms

No active alarms

Point-in-time recovery (PITR)

Off

Item count

0

Average item size

0 bytes

Resource-based policy

Not active

Table size

0 bytes

Amazon Resource Name (ARN)

arn:aws:dynamodb:us-east-1:367248622889:table/awsdynamo

Additional info

Read/write capacity

The read/write capacity mode controls how you are charged for read and write throughput and how you manage capacity.

CloudShell

Feedback

Type here to search

12:12

17-02-2026

Launch AWS Academy Learner | x Items | Amazon DynamoDB M... x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?maximize=true&table=awsdynamo

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4842-2889 voclabs/user4578072+sam1304056@gmail.com

DynamoDB > Explore items > awsdynamo

**Tables (1)**

Filter by tag  
Any tag key

Filter by tag value  
Any tag value

Find tables

< 1 >

awsdynamo

**awsdynamo** Autopreview View table details

▼ Scan or query items

☒ Scan ☐ Query

Select a table or index  
Table - awsdynamo

Select attribute projection  
All attributes

Filters - optional

Run Reset

Completed - Items returned: 0 - Items scanned: 0 - Efficiency: 100% - RCUs consumed: 2

**Table: awsdynamo - Items returned (0)** Actions Create item

Scan started on February 17, 2026, 12:14:21

< 1 >

dynamodb (String)

No items

No items to display

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:14 17-02-2026

Launch AWS Academy Learner | x Create item | Amazon DynamoDB | x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#edit-item?itemMode=1&route=ROUTE\_ITEM\_EXPLORER&...

DynamoDB > Explore items: awsdynamo > Create item

### Create item

You can add, remove, or edit the attributes of an item. You can nest attributes inside other attributes up to 32 levels deep. [Learn more](#)

Form JSON view

#### Attributes

☒ Attribute name | Value | Type | Remove

|                          |                                                                   |         |                        |
|--------------------------|-------------------------------------------------------------------|---------|------------------------|
| dynamodb - Partition key | Emp 1                                                             | String  |                        |
| name                     | Empty value                                                       | String  | <a href="#">Remove</a> |
| Phone no                 | 7780450195                                                        | Number  | <a href="#">Remove</a> |
| Employee                 | <input checked="" type="radio"/> True <input type="radio"/> False | Boolean | <a href="#">Remove</a> |
| Description              | AWS                                                               | String  | <a href="#">Remove</a> |

[Cancel](#) [Create item](#)

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:16 17-02-2026

Launch AWS Academy Learner | x Items | Amazon DynamoDB M... | x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?table=awsdynamo

DynamoDB > Explore items > awsdynamo

### awsdynamo

Autopreview View table details

#### Scan or query items

☒ Scan ☐ Query

Select a table or index: Table - awsdynamo Select attribute projection: All attributes

Filters - optional

[Run](#) [Reset](#)

Completed - Items returned: 0 - Items scanned: 0 - Efficiency: 100% - RCUs consumed: 2

#### Table: awsdynamo - Items returned (1)

Scan started on February 17, 2026, 12:14:21

[Actions](#) [Create item](#)

|                          | dynamodb (String)     | Description | Employee | name    | Phone no   |
|--------------------------|-----------------------|-------------|----------|---------|------------|
| <input type="checkbox"/> | <a href="#">Emp 1</a> | AWS         | true     | <empty> | 7780450195 |

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:17 17-02-2026





Launch AWS Academy Learner | x Items | Amazon DynamoDB M... x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?operation=SCAN&table=awsdynamo

Filter by tag  
Any tag key  
Filter by tag value  
Any tag value  
Find tables  
< 1 > ⚙️  
awsdynamo ☆

### Scan or query items

☒ Scan ☐ Query

Select a table or index  
Table - awsdynamo

Select attribute projection  
All attributes

Filters - optional

Run Reset

Completed - Items returned: 2 - Items scanned: 2 - Efficiency: 100% - RCUs consumed: 2

#### Table: awsdynamo - Items returned (2)

Scan started on February 17, 2026, 12:28:45

Actions Create item

|                          | dynamodb(String) | Designation | Employee | name  | Phone no   |
|--------------------------|------------------|-------------|----------|-------|------------|
| <input type="checkbox"/> | Emp 2            | HR          | true     | Sam   | 7755580195 |
| <input type="checkbox"/> | Emp 1            | CEO         | true     | Kenji | 778050195  |

CloudShell Feedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:28  
17-02-2026

Launch AWS Academy Learner | x Edit item | Amazon DynamoDB M... x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#edit-item?itemMode=2&pk=Emp%201&route=ROUTE\_IT...

DynamoDB > Explore items: awsdynamo > Edit item

### Edit item

You can add, remove, or edit the attributes of an item. You can nest attributes inside other attributes up to 32 levels deep. [Learn more](#)

Form JSON view

Attributes View DynamoDB JSON

Copy

```
1 {  
2   "dynamodb": {  
3     "S": "Emp 1"  
4   },  
5   "Designation": {  
6     "S": "CEO"  
7   },  
8   "Employee": {  
9     "BOOL": true  
10  },  
11  "name": {  
12    "S": ""  
13  },  
14  "Phone no": {  
15    "N": "778050195"  
16  }  
17 }
```

JSON Ln 1, Col 1 0 Errors: 0 0 Warnings: 0

CloudShell Feedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:30  
17-02-2026



Launch AWS Academy Learner | x Items | Amazon DynamoDB M... x +

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?table=awsdynamo

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+F2]

United States (N. Virginia) Account ID: 3672-4862-2889 voclab/user4578072:sam1304056@gmail.com

The item has been saved successfully.

Tables (1)

Filter by tag Any tag help

Filter by tag value Any tag value help

Find table

awsdynamo

Scan or query items

Scan Query

Select a table or index Table: awsdynamo

Select attribute projection All attributes

Filters - optional

Run Reset

Completed Items returned: 2 Items scanned: 2 Efficiency: 100% RCUs consumed: 2

Table: awsdynamo - Items returned (2)

Scan started on February 17, 2026, 12:28:45

Actions Create item

|                          | dynamodb (Being) | Designation | Employee | name   | Phone no   |
|--------------------------|------------------|-------------|----------|--------|------------|
| <input type="checkbox"/> | Emp 2            | HR          | true     | Sam    | 7755580195 |
| <input type="checkbox"/> | Emp 1            | CIO         | true     | Shadow | 778002195  |

CloudShell Feedback

Type here to search

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:31 17-02-2026

Launch AWS Academy Learner | x Functions | Lambda x +

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclab/user4578072:sam1304056@gmail.com

Lambda > Functions

Lambda

Dashboard

Applications

Functions

Additional resources

Capacity providers New

Code signing configurations

Event source mappings

Layers

Replicas

Related AWS resources

Step Functions state machines

Documentation

Serverless workshops New

Introducing the AWS Serverless generative AI webinar series

Join AWS Serverless experts for a hands-on workshops on Agentic AI, Intelligent Document Processing, and building real-time APIs for chatbots.

See more details

Functions (5)

Last fetched 2/17/2026, 12:33:41 PM

Actions Create function

Search by attributes or search by keyword

| <input type="checkbox"/> | Function name             | Description                                           | Package type | Runtime     | Type     | Last modified |
|--------------------------|---------------------------|-------------------------------------------------------|--------------|-------------|----------|---------------|
| <input type="checkbox"/> | RedshiftOverwatch         | Deletes Redshift Cluster if the count is more than 2. | Zip          | Python 3.10 | Standard | 1 month ago   |
| <input type="checkbox"/> | RedshiftEventSubscription | Create Redshift event subscription to SNS Topic.      | Zip          | Python 3.10 | Standard | 1 month ago   |
| <input type="checkbox"/> | RoleCreationFunction      | Create SLR if absent                                  | Zip          | Python 3.10 | Standard | 1 month ago   |
| <input type="checkbox"/> | MainMonitoringFunction    | -                                                     | Zip          | Python 3.10 | Standard | 1 month ago   |
| <input type="checkbox"/> | ModLabRole                | updates LabRole to allow it to assume itself          | Zip          | Python 3.10 | Standard | 1 month ago   |



CloudShell Feedback

Type here to search



© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:33 17-02-2026













Launch AWS Academy Learner | x awsS3Dynamo | Functions | Lan x +

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/awsS3Dynamo?newFunction=true&tab=testing

Account ID: 3672-4862-2889  
vodabx/user4578072:sam1304056@gmail.com

Lambda > Functions > awsS3Dynamo

Executing function: succeeded (logs)

Details

```
{
  "statusCode": 200,
  "body": "\\Hello from Lambda\\\\"
}
```

Summary

|                                                              |                                                    |
|--------------------------------------------------------------|----------------------------------------------------|
| Code SHA-256<br>R6fL2f5y9xHPT04NojRtY2hz04DIAxWgwXm4xSMnwRQ= | Execution time<br>11 seconds ago                   |
| Function version<br>\$LATEST                                 | Request ID<br>988fe70b-ffac-4784-9193-3f133c1310d8 |
| Duration<br>2.18 ms                                          | Billed duration<br>163 ms                          |
| Resources configured<br>128 MB                               | Max memory used<br>40 MB                           |
| Init duration<br>160.73 ms                                   |                                                    |

Log output

The area below shows the last 4 KB of the execution log. [Click here](#) to view the corresponding CloudWatch log group.

```
START RequestId: 988fe70b-ffac-4784-9193-3f133c1310d8 Version: $LATEST
END RequestId: 988fe70b-ffac-4784-9193-3f133c1310d8
```

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:44  
17-02-2026

Launch AWS Academy Learner | x awsS3Dynamo | Functions | Lan x +

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/awsS3Dynamo?newFunction=true&tab=code

Account ID: 3672-4862-2889  
vodabx/user4578072:sam1304056@gmail.com

Lambda > Functions > awsS3Dynamo

Successfully updated the function awsS3Dynamo.

EXPLORER

- AWSS3DYNAMO
  - lambda\_function.py

DEPLOY / Current

Deploy (Ctrl+Shift+U)

Test (Ctrl+Shift+I)

TEST EVENTS [SELECTED: NEWEVENT]

- + Create new test event
- Private saved events
  - newEvent

lambda\_function.py

```
10
11 import json
12 def lambda_handler(event, context):
13     a = event.get('num1', 0)
14     b = event.get('num2', 0)
15     result = a + b
16     return {
17         'statusCode': 200,
18         'body': json.dumps({
19             'sum': result
20         })
21     }
```

PROBLEMS OUTPUT CODE REFERENCE LOG TERMINAL

Status: Succeeded

Test Event Name: newEvent

Response:

```
{
  "statusCode": 200,
  "body": "\\Hello from Lambda\\\\"
}
```

The area below shows the last 4 KB of the execution log.

Execution Results

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:45  
17-02-2026



Launch AWS Academy Learner | x S3 buckets | S3 | us-east-1 x +

us-east-1.console.aws.amazon.com/s3/home?region=us-east-1#

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072:sam1304056@gmail.com

Amazon S3

**Amazon S3**

- ▼ Buckets
  - General purpose buckets
  - Directory buckets
  - Table buckets
  - Vector buckets
- ▼ Access management and security
  - Access Points
  - Access Points for FSx
  - Access Grants
  - IAM Access Analyzer
- ▼ Storage management and insights
  - Storage Lens
  - Batch Operations
- Account and organization settings
- AWS Marketplace for S3

**General purpose buckets** All AWS Regions Directory buckets

**General purpose buckets (3)** info Copy ARN Empty Delete Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

| Name                             | AWS Region                      | Creation date                           |
|----------------------------------|---------------------------------|-----------------------------------------|
| <a href="#">new-amazon-s3</a>    | US West (Oregon) us-west-2      | February 13, 2026, 15:40:07 (UTC+05:30) |
| <a href="#">shadowraider3</a>    | US East (N. Virginia) us-east-1 | January 28, 2026, 12:22:48 (UTC+05:30)  |
| <a href="#">static-demo-6750</a> | US East (N. Virginia) us-east-1 | February 14, 2026, 11:09:16 (UTC+05:30) |

**Account snapshot** info View dashboard  
Updated daily  
Storage Lens provides visibility into storage usage and activity trends.

**External access summary** info  
Updated daily  
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:45 17-02-2026

Launch AWS Academy Learner | x S3 buckets | S3 | us-east-1 x + awsS3Dynamo | Functions | Lam x +

us-east-1.console.aws.amazon.com/s3/buckets?region=us-east-1

3-1 ChatGPT Perplexity ML Exercises Telescope 4.2 KMIT Results ProjectSchool HackerEarth III-I PROJECT & PUB... Paper Publications campus mail

Search [Alt+S]

United States (N. Virginia) Account ID: 3672-4862-2889 voclabs/user4578072:sam1304056@gmail.com

Amazon S3 > Buckets

Successfully created bucket "awsS3Dynamo6750"  
To upload files and folders, or to configure additional bucket settings, choose View details. View details x

**General purpose buckets** All AWS Regions Directory buckets

**General purpose buckets (4)** info Copy ARN Empty Delete Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

| Name                             | AWS Region                      | Creation date                           |
|----------------------------------|---------------------------------|-----------------------------------------|
| <a href="#">awsS3Dynamo6750</a>  | US East (N. Virginia) us-east-1 | February 17, 2026, 12:48:57 (UTC+05:30) |
| <a href="#">new-amazon-s3</a>    | US West (Oregon) us-west-2      | February 13, 2026, 15:40:07 (UTC+05:30) |
| <a href="#">shadowraider3</a>    | US East (N. Virginia) us-east-1 | January 28, 2026, 12:22:48 (UTC+05:30)  |
| <a href="#">static-demo-6750</a> | US East (N. Virginia) us-east-1 | February 14, 2026, 11:09:16 (UTC+05:30) |

**Account snapshot** info View dashboard  
Updated daily  
Storage Lens provides visibility into storage usage and activity trends.

**External access summary** info  
Updated daily  
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

12:49 17-02-2026

Launch AWS Academy Learner | x | S3 buckets | S3 | us-east-1 | x | awsS3Dynamo | Functions | Lambda | x | +

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/awsS3Dynamo?newFunction=true&tab=code

3-1 | ChatGPT | Perplexity | ML Exercises | Telescope 4.2 | KMIT Results | ProjectSchool | HackerEarth | III-I PROJECT & PUB... | Paper Publications | campus mail | >>

aws | Search | [Alt+S] | United States (N. Virginia) | Account ID: 3672-4862-2889 | voxlab/user4578072:sam1304056@gmail.com

Lambda > Functions > awsS3Dynamo

Code source info

Open in Visual Studio Code | Upload from

EXPLORER

- awsS3DYNAMO
  - lambda\_function.py

DEPLOY

Deploy (Ctrl+Shift+U) | Test (Ctrl+Shift+T)

TEST EVENTS (SELECTED: NEW EVENT)

- Create new test event
- Private saved events
  - newEvent

```
17 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000
```

CloudShell | Feedback

Type here to search

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:55 17-02-2026

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/awsS3Dynamo?newFunction=true&tab=code

Successfully updated the function **awsS3Dynamo**.

EXPLORER

- AWSS3DYNAMO
  - lambda\_function.py

DEPLOY ✓ Current

Deploy (Ctrl+Shift+U)

Test (Ctrl+Shift+I)

TEST EVENTS (SELECTED: NEW EVENT)

- + Create new test event
- Private saved events
  - newEvent

```
21 }
22
23 import boto3
24 from uuid import uuid4
25
26 def lambda_handler(event, context):
27     s3 = boto3.client("s3")
28     dynamodb = boto3.resource("dynamodb")
29     dynamoTable = dynamodb.Table("awsdynamo")
30
31     # Check if the 'Records' key is present in the event
32     if "Records" in event:
33         for record in event["Records"]:
34             bucket_name = record["s3"]["bucket"]["name"]
35             object_key = record["s3"]["object"]["key"]
36             size = record["s3"]["object"].get("size", -1)
37             event_name = record.get("eventName", "Unknown")
38             event_time = record.get("eventTime", "Unknown")
39
40             dynamoTable.put_item(
41                 Item={
42                     "unique": str(uuid4()),
43                     "Bucket": bucket_name,
44                     "Object": object_key,
45                     "Size": size,
```

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

12:58 17-02-2026

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/add/relation?focus=aws%2Flambda&target=arn%3Aaws%3Alambda...

Search Bucket

- ☒ All object create events
- ☒ All object delete events
- ☒ PUT
- ☒ POST
- ☒ COPY
- ☒ Multipart upload completed
- ☐ All object delete events
- ☐ All object delete events
- ☐ Permanently deleted
- ☐ Delete marker created
- ☒ Restore from Glacier initiated

Prefix - optional

Enter a single optional prefix to limit the notifications to objects with keys that start with matching characters. Any special characters must be URL encoded.

e.g. images/

Suffix - optional

Enter a single optional suffix to limit the notifications to objects with keys that end with matching characters. Any special characters must be URL encoded.

e.g. .jpg

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

13:00 17-02-2026

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/add/relation?focus=aws%2Flambda&target=arn%3Aaws%3Alambda...

Lambda > Add triggers

### Add trigger

Trigger configuration info

S3  
aws asynchronous storage

Bucket

Choose or enter the ARN of an S3 bucket that serves as the event source. The bucket must be in the same region as the function.

s3/awss3dynamo6750

Bucket region: us-east-1

Event types

Select the events that you want to have trigger the Lambda function. You can optionally set up a prefix or suffix for an event. However, for each bucket, individual events cannot have multiple configurations with overlapping prefixes or suffixes that could match the same object key.

- ☒ All object create events
- ☒ PUT
- ☒ POST
- ☒ COPY
- ☒ Multipart upload completed
- ☒ Restore from Glacier initiated

Prefix - optional

Enter a single optional prefix to limit the notifications to objects with keys that start with matching characters. Any special characters must be URL encoded.

e.g. images/

Suffix - optional

Enter a single optional suffix to limit the notifications to objects with keys that end with matching characters. Any special characters must be URL encoded.

e.g. .jpg

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

13:01 17-02-2026



Launch AWS Academy Learner | x | List tables | Amazon DynamoDB | x | S3 buckets | S3 | us-east-1 | x | awsS3Dynamo | Functions | Lan | x | +

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/awsS3Dynamo?tab=configure

3-1 | ChatGPT | Perplexity | ML-Exercises | Telescope 4.2 | KMIT Results | ProjectSchool | HackerEarth | III-I PROJECT & PUB... | Paper Publications | campus mail | >>

Search [Alt+S] Ask Amazon Q

United States (N. Virginia) Account ID: 3472-4862-2889 voclaby/user4578072-sam1304056@gmail.com

### awsS3Dynamo

Throttle Copy ARN Actions

The trigger awss3dynamo6750 was successfully added to function awsS3Dynamo.

#### Function overview

Diagram Template

awsS3Dynamo

Layers (0)

S3

+ Add trigger

+ Add destination

Export to Infrastructure Composer Download

Description

Last modified 3 minutes ago

Function ARN [arn:aws:lambda:us-east-1:367248622889:function:awsS3Dynamo](#)

Function URL [Info](#)

Code Test Monitor **Configuration** Aliases Versions

#### Configuration

General configuration [Info](#) Edit

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

13:01 17-02-2026

Launch AWS Academy Learner | x

View table | Amazon DynamoDB | x

Upload objects - S3 bucket aw... | x

awsS3Dynamo | Functions | Lan... | x

+

us-east-1.console.aws.amazon.com/s3/upload/awss3dynamo6750?region=us-east-1

3-1 | ChatGPT | Perplexity | ML-Exercises | Telescope 4.2 | KMIT Results | ProjectSchool | HackerEarth | III-I PROJECT & PUB... | Paper Publications | campus mail | >>

Search (Alt+S)

United States (N. Virginia) | Account ID: 3672-4862-2889 | vocabularyuser4578072:sam1304056@gmail.com

Amazon S3

Upload succeeded  
For more information, see the Files and folders table.

Upload: status

After you navigate away from this page, the following information is no longer available.

Summary

Destination  
s3://awss3dynamo6750

Succeeded  
1 file, 3.4 KB (100.00%)

Failed  
0 files, 0 B (0%)

Files and folders

Configuration

Files and folders (1 total, 3.4 KB)

Find by name

| Name                       | Folder | Type       | Size   | Status    | Error |
|----------------------------|--------|------------|--------|-----------|-------|
| Mell General questions.txt | -      | text/plain | 3.4 KB | Succeeded | -     |

CloudShell | Feedback


© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Type here to search

13:07  
17-02-2026



# Week 8 - Event Driven Architecture



```

make_bucket: indianbucketteam

C:\Users\Trishin Amudala>cd Desktop

C:\Users\Trishin Amudala\Desktop>mkdir s3

C:\Users\Trishin Amudala\Desktop>lsblk
'lsblk' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Trishin Amudala\Desktop>cd s3

C:\Users\Trishin Amudala\Desktop\s3>cd ..

C:\Users\Trishin Amudala\Desktop>aws s3 sync "C:\Users\Trishin Amudala\Desktop\s3" "s3://indianbucketteam"
upload: s3\Week 1.txt to s3://indianbucketteam/Week 1.txt

C:\Users\Trishin Amudala\Desktop>mkdir remot

C:\Users\Trishin Amudala\Desktop>aws s3 sync "s3://indianbucketteam" "C:\Users\Trishin Amudala\Desktop\remot"
download: s3://indianbucketteam/Week 1.txt to remot\Week 1.txt

C:\Users\Trishin Amudala\Desktop>mkdir backup

C:\Users\Trishin Amudala\Desktop>aws s3 cp "s3://indianbucketteam" "C:\Users\Trishin Amudala\Desktop\backup"

C:\Users\Trishin Amudala\Desktop>aws s3 ls "C:\Users\Trishin Amudala\Desktop\backup"

aws: [ERROR]: An error occurred (ParamValidation): Parameter validation failed:
Invalid bucket name "C:\Users\Trishin Amudala\Desktop\backup": Bucket name must match the regex "[a-zA-Z0-9\._-]{1,255}$" or be an ARN matching the regex
"arn:(aws).*:(s3|s3-object-lambda):[a-z\0-9]*:[0-9]{12}:accesspoint[/:][a-z\0-9\._-]{1,63}$|arn:(aws).*:s3-outposts:[a-z\0-9]*:[0-9]{12}:outpost[/:][a-z\0-9\._-]{1,63}$|arn:(aws).*:s3-access-point:[a-z\0-9\._-]{1,63}$"



C:\Users\Trishin Amudala\Desktop>aws s3 ls "s3://indianbucketteam"
2026-03-09 10:17:05          3576 Week 1.txt

C:\Users\Trishin Amudala\Desktop>aws s3 rb --force "s3://indianbucketteam"
delete: s3://indianbucketteam/Week 1.txt
remove_bucket: indianbucketteam

C:\Users\Trishin Amudala\Desktop>

```

The screenshot displays the Amazon SNS console interface. At the top, a blue banner announces a new feature: 'Amazon SNS now supports High Throughput FIFO topics. Learn more'. Below this, the 'Dashboard' section provides a summary of resources for the 'us-east-1' region, showing 1 topic, 0 platform applications, and 1 subscription. The 'Overview of Amazon SNS' section explains that it is a managed messaging service for decoupling publishers from subscribers, useful for microservices, distributed systems, and serverless applications. The left-hand navigation menu includes links to 'Dashboard', 'Topics', 'Subscriptions', and 'Mobile' (with sub-links for 'Push notifications' and 'Text messaging (SMS)'). The footer at the bottom indicates the copyright year as 2026 and provides links for 'Privacy', 'Terms', and 'Cookie preferences'.



us-east-1.console.aws.amazon.com/sns/v3/home?region=us-east-1#/subscription/amazonsns-east-1:729250695340:Trishin-Topic2ab5f9a3-7cd0-4774-bddf-60542accb123

Amazon SNS > Topics > Trishin-Topic > Subscription: 2ab5f9a3-7cd0-4774-bddf-60542accb123

Amazon SNS

Dashboard

Topics

Subscriptions

▼ Mobile

Push notifications

Text messaging (SMS)

Subscription to Trishin-Topic created successfully.

The ARN of the subscription is amazonsns-east-1:729250695340:Trishin-Topic:2ab5f9a3-7cd0-4774-bddf-60542accb123.

### Subscription: 2ab5f9a3-7cd0-4774-bddf-60542accb123

Edit Delete

**Details**

**ARN**

amazonsns-east-1:729250695340:Trishin-Topic:2ab5f9a3-7cd0-4774-bddf-60542accb123

**Endpoint**

amodalatrishin@gmail.com

**Topic**

Trishin-Topic

**Subscription Principal**

arn:aws:iam::729250695340:role/voclabs

**Status**

Pending confirmation

**Protocol**

EMAIL

[Subscription filter policy](#) Redrive policy (dead-letter queue)

**Subscription filter policy** [info](#)

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

sns.us-east-1.amazonaws.com/confirmation.html?TopicArn=arn:aws:sns:us-east-1:729250695340:Trishin-Topic&Token=2336412371b68715d51e6e2425929f52e8e353ee0e...

aws Simple Notification Service

**Subscription confirmed!**

You have successfully subscribed.

Your subscription's ID is:

arn:aws:sns:us-east-1:729250695340:Trishin-Topic:2ab5f9a3-7cd0-4774-bddf-60542accb123

If it was not your intention to subscribe, [click here to unsubscribe](#).



Launch AWS Academy Learner

Publish message | Trishin-Topic

us-east-1.console.aws.amazon.com/sns/v3/home?region=us-east-1#/publish/topic/arn:aws:sns:us-east-1:729250695340:Trishin-Topic

Search [Alt+S] Ask Amazon Q United States (N. Virginia) Account ID: 7292-5069-5340 voclabr/user4578455+amudatatishin@gmail.com

Amazon SNS > Topics > Trishin-Topic > Publish message

### Publish message to topic

#### Message details

**Topic ARN**  
arn:aws:sns:us-east-1:729250695340:Trishin-Topic

**Subject - optional**

Hello from Amazon SNS Service

Maximum 100 printable ASCII characters

**Message group ID - optional**  
An optional token for SQS fair queue usage. Propagated only to standard SQS queue subscriptions.

Enter message group ID



Maximum 128 characters. Can include alphanumeric characters and punctuation.

**Time to Live (TTL) - optional** [Info](#)  
This setting applies only to mobile application endpoints. The number of seconds that the push notification service has to deliver the message to the endpoint.

#### Message body

Message structure

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Launch AWS Academy Learner | Dummy-Topic | Topics | Simple | S3 buckets | S3 | us-east-1

us-east-1.console.aws.amazon.com/s3/buckets?region=us-east-1

Search [Alt+S] Ask Amazon Q United States (N. Virginia) Account ID: 7292-5069-5140 voclaby/user4578435=ramodelatrishin@gmail.com

Amazon S3 > Buckets

Successfully created bucket "sns-bucket-kmit"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

Buckets

General purpose buckets All AWS Regions Directory buckets

General purpose buckets (5) info

Buckets are containers for data stored in S3.

Find buckets by name

| Name                                       | AWS Region                      | Creation date                           |
|--------------------------------------------|---------------------------------|-----------------------------------------|
| <a href="#">sns-bucket-kmit</a>            | US East (N. Virginia) us-east-1 | March 9, 2026, 10:49:11 (UTC+05:30)     |
| <a href="#">trishin-bucket-1234</a>        | US East (N. Virginia) us-east-1 | February 13, 2026, 09:45:25 (UTC+05:30) |
| <a href="#">trishin-oregon-bucket-1234</a> | US West (Oregon) us-west-2      | February 13, 2026, 10:26:36 (UTC+05:30) |
| <a href="#">trishin-static-website</a>     | US West (Oregon) us-west-2      | February 13, 2026, 11:16:24 (UTC+05:30) |
| <a href="#">week7-6755-bucket</a>          | US East (N. Virginia) us-east-1 | February 17, 2026, 12:49:03 (UTC+05:30) |

Copy ARN

Empty

Delete

Create bucket

Account snapshot info

Updated daily

Storage Lens provides visibility into storage usage and activity trends.

[View dashboard](#)

External access summary info

Updated daily

External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.

CloudShell Feedback © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Launch AWS Academy Learner x Dummy Topic | Topics | Simple x S3 buckets | S3 | us-east-1 x SNStoS3 | Functions | Lambda x

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/SNStoS3?newfunction=true&tab=code

aws Search [Alt+S] United States (N. Virginia) Account ID: 7292-5069-5540 voclabs/user4578455+amudatanfshin@gmail.com

Lambda > Functions > SNStoS3

Successfully created the function SNStoS3. You can now change its code and configuration. To invoke your function with a test event, choose "Test".

### SNStoS3

Throttle Copy ARN Actions

Export to Infrastructure Composer Download

Function overview [info](#)

Diagram Template

Diagram

SNStoS3

Layers (0)

+ Add trigger

+ Add destination

Description

Last modified 10 seconds ago

Function ARN arn:aws:lambda:us-east-1:729250695540:function:SNStoS3

Function URL [info](#)



Code Test Monitor Configuration Aliases Versions



Code source [info](#)

Open in Visual Studio Code [info](#) Upload from

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences





Launch AWS Academy Learner

Queue details | Simple Queue

Upload objects - S3 bucket

SNS topics | Functions | Lambda

us-east-1.console.aws.amazon.com/sqs/v3/home?region=us-east-1#/queues/https%3A%2F%2Fsq.us-east-1.amazonaws.com%2F729250695340%2FTrishinQueue

Account ID: 7292-5069-5340  
voclaby/user4578455namodlatrishing@gmail.com

Amazon SQS > Queues > TrishinQueue

Queue TrishinQueue created successfully  
You can now send and receive messages.

Edit

Delete

Purge

Send and receive messages

Start DLQ redrive

Details

Name

TrishinQueue

Type

Standard

ARN

arn:aws:sqs:us-east-1:729250695340:TrishinQueue

Encryption

Amazon SQS key (SSE-SQS)

URL

https://sqs.us-east-1.amazonaws.com/729250695340/TrishinQueue

Dead-letter queue

-

More

Queue policies

Monitoring

SNS subscriptions

Lambda triggers

EventBridge Pipes

Dead-letter queue

Tagging

Encryption

Dead-letter queue redrive

Access policy

Edit

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Launch AWS Academy LearnerSend and receive messages | 1Upload objects - S3 bucket onQ2to51 | Functions | Lambdaus-east-1 console.aws.amazon.com/sqs/v3/home?region=us-east-1#/queues/http%3A%2F%2Fsqs.us-east-1.amazonaws.com%2F729250695340%2FTrishinQueue/send-receive

Search[Alt+S]Ask Amazon QUnited States (N. Virginia)Account ID: 7292-5069-5340vocalistuser4578455+amuletatishin@gmail.com

Amazon SQSQueuesTrishinQueueSend and receive messages

## Send and receive messages

Use this page to send, retrieve and view messages, helping you experiment with various queue features.

### Send message [info](#)

**Message body**  
Enter the message to send to the queue.

Hello from Queue Services from Amazon

**Message group ID - optional, new [info](#)**  
A group identifier for the message to allow fair processing across message groups in a standard queue.

Message group ID must be 1 to 128 characters. Valid characters are a-z, A-Z, 0-9, and punctuation (!"#\$%&'()\*+,-./:;<=>?@[\]^\_`{|}~).



**Delivery delay [info](#)**  
The duration (in seconds) that SQS will postpone the initial delivery of the message. During this delay period, the message is not visible to consumers, allowing you to create a wait time before the message becomes available for processing.  
Should be between 0 seconds and 15 minutes.

0Seconds

► **Message attributes - optional [info](#)**

Clear contentSend message

CloudShellFeedback© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences



Launch AWS Academy Learner

Send and receive messages | 5

Upload objects - S3 bucket sm

SMBtoS3 | Functions | Lambda

us-east-1.console.aws.amazon.com/sqs/v3/home?region=us-east-1#/queues/https%3A%2F%2Fsq.us-east-1.amazonaws.com%2F729250695340%2FTrishinQueue/send-receive

Search [Alt+S] Ask Amazon Q United States (N. Virginia) Account ID: 7292-5069-5540 voclabs/user45784351namudatatishin@gmail.com

Amazon SQS > Queues > TrishinQueue > Send and receive messages

Message attributes - optional info

Clear content Send message

Receive messages info Edit poll settings Stop polling Poll for messages

1 message deleted successfully.

Messages available: 2 Polling duration: 30 Maximum message count: 10 Polling progress: Success 0.1 receives/second

Messages (2) View details Delete

Search messages

| ID                                   | Sent                   | Size     | Receive count |
|--------------------------------------|------------------------|----------|---------------|
| 7938df32-2250-4b76-9704-9b3b245b1e47 | 2026-03-09T11:01:05:30 | 37 bytes | 7             |
| fa0bc988-fa11-457f-8641-80d845fd5fd2 | 2026-03-09T11:03:05:30 | 11 bytes | 3             |

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Launch AWS Academy LearnerQueue details [Simple Queue]Upload objects - S3 bucket onQ2toS1 [Functions] Lambda

us-east-1.console.aws.amazon.com/sqs/v3/home?region=us-east-1#/queues/https%3A%2F%2Fsqs.us-east-1.amazonaws.com%2F729250695340%2FTrishinQueue

Search[Alt+S]Ask Amazon QUnited States (N. Virginia)Account ID: 7292-5069-5340vocalistuser4578455+amuletatishin@gmail.com

Amazon SQS> Queues> TrishinQueueQueue TrishinQueue has been purged successfully.

TrishinQueue

EditDeletePurgeSend and receive messagesStart DLQ redrive

Detailsinfo

NameTrishinQueue

EncryptionAmazon SQS key (SSE-SQS)

TypeStandard

URLhttps://sqs.us-east-1.amazonaws.com/729250695340/TrishinQueue

ARNarn:aws:sqs:us-east-1:729250695340:TrishinQueue

Dead-letter queue-


More

Queue policiesMonitoringSNS subscriptionsLambda triggersEventBridge PipesDead-letter queueTaggingEncryptionDead-letter queue redrive

Access policyinfoEdit

Define who can access your queue.

CloudShellFeedback© 2026, Amazon Web Services, Inc. or its affiliates. PrivacyTermsCookie preferences



## Week 9 - ALB with Auto Scaling Group(ASG)

Launch AWS Academy Learner

Instances | EC2 | us-east-1

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#instancescv=1:\$case=tags:true%5Cclient:false;\$regex=tags:false%5Cclient:false

Search [Alt+S]

United States (N. Virginia)

Account ID: 7292-5069-5340  
vovdabz/um4578455+amudalatrishin@gmail.com

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Instances (2)

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Find instance by attribute or tag (case-sensitive)

All states

|                          | Name        | Instance ID         | Instance state | Instance type | Status check | Alarm status  | Availability Zone | Public IPv4    |
|--------------------------|-------------|---------------------|----------------|---------------|--------------|---------------|-------------------|----------------|
| <input type="checkbox"/> | webserver-2 | i-05dec8153b0d90308 | Running        | t3.micro      | Initializing | View alarms + | us-east-1d        | ec2-5-90-2...  |
| <input type="checkbox"/> | webserver-1 | i-017777b087d1cc31b | Running        | t3.micro      | Initializing | View alarms + | us-east-1d        | ec2-98-84-1... |

Select an instance

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

```
Launch AWS Academy Learner | x | Instances | EC2 | us-east-1 | x | EC2 Instance Connect | us-east-1 | x | EC2 Instance Connect | us-east-1 | x | + |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-017777b087d1cc31b&osUser=ec2-user&sshPort=2...
AWS | Search | [Alt+S] | United States (N. Virginia) | Account ID: 7292-5069-5340 | voclabr/user4578455@gmail.com
Installing : mod_lua-2.4.66-1.amzn2023.0.1.x86_64 11/13
Installing : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 12/13
Installing : httpd-2.4.66-1.amzn2023.0.1.x86_64 13/13
Running scriptlet: httpd-2.4.66-1.amzn2023.0.1.x86_64 13/13
Verifying : apr-1.7.5-1.amzn2023.0.4.x86_64 1/13
Verifying : apr-util-1.6.3-1.amzn2023.0.2.x86_64 2/13
Verifying : apr-util-ldap-1.6.3-1.amzn2023.0.2.x86_64 3/13
Verifying : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64 4/13
Verifying : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 5/13
Verifying : httpd-2.4.66-1.amzn2023.0.1.x86_64 6/13
Verifying : httpd-core-2.4.66-1.amzn2023.0.1.x86_64 7/13
Verifying : httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch 8/13
Verifying : httpd-tools-2.4.66-1.amzn2023.0.1.x86_64 9/13
Verifying : libbrotli-1.0.9-4.amzn2023.0.2.x86_64 10/13
Verifying : mailcap-2.1.49-3.amzn2023.0.3.noarch 11/13
Verifying : mod_http2-2.0.27-1.amzn2023.0.3.x86_64 12/13
Verifying : mod_lua-2.4.66-1.amzn2023.0.1.x86_64 13/13

Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64          apr-util-1.6.3-1.amzn2023.0.2.x86_64          apr-util-ldap-1.6.3-1.amzn2023.0.2.x86_64
apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64  generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch  httpd-2.4.66-1.amzn2023.0.1.x86_64
httpd-core-2.4.66-1.amzn2023.0.1.x86_64      httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch  httpd-tools-2.4.66-1.amzn2023.0.1.x86_64
libbrotli-1.0.9-4.amzn2023.0.2.x86_64        mailcap-2.1.49-3.amzn2023.0.3.noarch          mod_http2-2.0.27-1.amzn2023.0.3.x86_64
mod_lua-2.4.66-1.amzn2023.0.1.x86_64

Complete!
[root@ip-172-31-24-38 ec2-user]#

i-017777b087d1cc31b (webserver-1)
Public IP: 98.84.113.223 Private IP: 172.31.24.38

CloudShell | © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```

```
Launch AWS Academy Learner | x | Instances | EC2 | us-east-1 | x | EC2 Instance Connect | us-east-1 | x | EC2 Instance Connect | us-east-1 | x | 98.84.113.223 | x | + |
us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-017777b087d1cc31b&osUser=ec2-user&sshPort=2...
AWS | Search | [Alt+S] | United States (N. Virginia) | Account ID: 7292-5069-5340 | voclabr/user4578455@gmail.com
Verifying : apr-1.7.5-1.amzn2023.0.4.x86_64 1/13
Verifying : apr-util-1.6.3-1.amzn2023.0.2.x86_64 2/13
Verifying : apr-util-ldap-1.6.3-1.amzn2023.0.2.x86_64 3/13
Verifying : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64 4/13
Verifying : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 5/13
Verifying : httpd-2.4.66-1.amzn2023.0.1.x86_64 6/13
Verifying : httpd-core-2.4.66-1.amzn2023.0.1.x86_64 7/13
Verifying : httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch 8/13
Verifying : httpd-tools-2.4.66-1.amzn2023.0.1.x86_64 9/13
Verifying : libbrotli-1.0.9-4.amzn2023.0.2.x86_64 10/13
Verifying : mailcap-2.1.49-3.amzn2023.0.3.noarch 11/13
Verifying : mod_http2-2.0.27-1.amzn2023.0.3.x86_64 12/13
Verifying : mod_lua-2.4.66-1.amzn2023.0.1.x86_64 13/13

Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64          apr-util-1.6.3-1.amzn2023.0.2.x86_64          apr-util-ldap-1.6.3-1.amzn2023.0.2.x86_64
apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64  generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch  httpd-2.4.66-1.amzn2023.0.1.x86_64
httpd-core-2.4.66-1.amzn2023.0.1.x86_64      httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch  httpd-tools-2.4.66-1.amzn2023.0.1.x86_64
libbrotli-1.0.9-4.amzn2023.0.2.x86_64        mailcap-2.1.49-3.amzn2023.0.3.noarch          mod_http2-2.0.27-1.amzn2023.0.3.x86_64
mod_lua-2.4.66-1.amzn2023.0.1.x86_64

Complete!
[root@ip-172-31-24-38 ec2-user]# systemctl start httpd
[root@ip-172-31-24-38 ec2-user]# systemctl enable httpd
Created symlink /etc/systemd/system/multi-user.target.wants/httpd.service → /usr/lib/systemd/system/httpd.service.
[root@ip-172-31-24-38 ec2-user]# echo "this is website 1" > /var/www/html/index.html
[root@ip-172-31-24-38 ec2-user]#

i-017777b087d1cc31b (webserver-1)
Public IP: 98.84.113.223 Private IP: 172.31.24.38

CloudShell | © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
```



Launch AWS Academy Learner | Instances | EC2 | us-east-1 | EC2 Instance Connect | us-east-1 | EC2 Instance Connect | us-east-1

us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-017777b087d1cc31b&osUser=ec2-user&sshPort=22

Account ID: 7292-5069-5340  
voclabs/user4578435@amudatatrishin@gmail.com

```
Installing : mod_lua-2.4.66-1.amzn2023.0.1.x86_64
Installing : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch
Installing : httpd-2.4.66-1.amzn2023.0.1.x86_64
Running scriptlet: httpd-2.4.66-1.amzn2023.0.1.x86_64
Verifying : apr-1.7.5-1.amzn2023.0.4.x86_64
Verifying : apr-util-1.6.3-1.amzn2023.0.2.x86_64
Verifying : apr-util-ldap-1.6.3-1.amzn2023.0.2.x86_64
Verifying : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64
Verifying : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch
Verifying : httpd-2.4.66-1.amzn2023.0.1.x86_64
Verifying : httpd-core-2.4.66-1.amzn2023.0.1.x86_64
Verifying : httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch
Verifying : httpd-tools-2.4.66-1.amzn2023.0.1.x86_64
Verifying : libbrotli-1.0.9-4.amzn2023.0.2.x86_64
Verifying : mailcap-2.1.49-3.amzn2023.0.3.noarch
Verifying : mod_http2-2.0.27-1.amzn2023.0.3.x86_64
Verifying : mod_lua-2.4.66-1.amzn2023.0.1.x86_64

Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64      apr-util-1.6.3-1.amzn2023.0.2.x86_64      apr-util-ldap-1.6.3-1.amzn2023.0.2.x86_64
apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64      generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch      httpd-2.4.66-1.amzn2023.0.1.x86_64
httpd-core-2.4.66-1.amzn2023.0.1.x86_64      httpd-filesystem-2.4.66-1.amzn2023.0.1.noarch      httpd-tools-2.4.66-1.amzn2023.0.1.x86_64
libbrotli-1.0.9-4.amzn2023.0.2.x86_64      mailcap-2.1.49-3.amzn2023.0.3.noarch      mod_http2-2.0.27-1.amzn2023.0.3.x86_64
mod_lua-2.4.66-1.amzn2023.0.1.x86_64

Complete!
[root@ip-172-31-24-38 ec2-user]#
```

i-017777b087d1cc31b (webserver-1)  
PublicIPs: 98.84.113.223 PrivateIPs: 172.31.24.38

CloudShell | © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 > Security Groups > Create security group

### Create security group Info

A security group acts as a virtual firewall for your instance to control inbound and outbound traffic. To create a new security group, complete the fields below.

#### Basic details

**Security group name** Info

  
Name cannot be edited after creation.

**Description** Info

**VPC** Info

vpc-09a4afe116df03cc2

#### Inbound rules

| Type | Protocol | Port range | Source            | Description - optional |
|------|----------|------------|-------------------|------------------------|
| SSH  | TCP      | 22         | My IP             |                        |
|      |          |            | 152.57.184.202/32 |                        |
| HTTP | TCP      | 80         | Anywhere          |                        |
|      |          |            | 0.0.0.0/0         |                        |

CloudShell | Feedback | © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 > Security Groups > sg-0481e21df0af40e08 - MySecurityGroup

Capacity Reservations

Capacity Manager New

▼ Images

AMIs

AMI Catalog

▼ Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

▼ Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

▼ Load Balancing

Load Balancers

Target Groups

Trust Stores

Security group (sg-0481e21df0af40e08 | MySecurityGroup) was created successfully

Details

sg-0481e21df0af40e08 - MySecurityGroup

Actions

Details

Security group name

MySecurityGroup

Security group ID

sg-0481e21df0af40e08

Description

Allows Connection

VPC ID

vpc-09a4afe116d803cc2

Owner

729250695340

Inbound rules count

3 Permission entries

Outbound rules count

1 Permission entry

Inbound rules

Outbound rules

Sharing

VPC associations

Related resources - new

Tags

Inbound rules (3)

Search

Manage tags

Edit inbound rules

|                          | Name | Security group rule ID | IP version | Type  | Protocol | Port range |
|--------------------------|------|------------------------|------------|-------|----------|------------|
| <input type="checkbox"/> | --   | sg-0394dd6228a9a9daf   | IPv4       | SSH   | TCP      | 22         |
| <input type="checkbox"/> | --   | sg-074eec28f3139b200   | IPv4       | HTTPS | TCP      | 443        |
| <input type="checkbox"/> | --   | sg-074eec28f3139b200   | IPv4       | HTTP  | TCP      | 80         |

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

EC2

>

Load balancers

>

Create Application Load Balancer

Create Application Load Balancer

info

The Application Load Balancer distributes incoming HTTP and HTTPS traffic across multiple targets such as Amazon EC2 instances, microservices, and containers, based on request attributes. When the load balancer receives a connection request, it evaluates the listener rules in priority order to determine which rule to apply, and if applicable, it selects a target from the target group for the rule action.

► How Application Load Balancers work

Basic configuration

Load balancer name

Name must be unique within your AWS account and can't be changed after the load balancer is created.

my-alb

A maximum of 32 alphanumeric characters including hyphens are allowed, but the name must not begin or end with a hyphen.

Scheme

info

Scheme can't be changed after the load balancer is created.

Internet-facing

Serves Internet-facing traffic.

Has public IP addresses.

DNS name resolves to public IPs.

Requires a public subnet.

Internal

Serves internal traffic.

Has private IP addresses.

DNS name resolves to private IPs.

Compatible with the IPv4 and Dualstack IP address types.

Load balancer IP address type

info

Select the front-end IP address type to assign to the load balancer. The VPC and subnets mapped to this load balancer must include the selected IP address types. Public IPv4 addresses have an additional cost.

IPv4

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

EC2

>

Target groups

>

Create target group

Step 1

Create target group

Step 2 - recommended

Register targets

Step 3

Review and create

Create target group

A target group can be made up of one or more targets. Your load balancer routes requests to the targets in a target group and performs health checks on the targets.

Settings - immutable

Choose a target type and the load balancer and listener will route traffic to your target. These settings can't be modified after target group creation.

Target type

Indicate what resource type you want to target. Only the selected resource type can be registered to this target group.

Instances

Supports load balancing to instances in a VPC. Integrate with Auto Scaling Groups or ECS services for automatic management.

Suitable for:

ALB

NLB

GWLB

IP addresses

Supports load balancing to VPC and on-premises resources. Facilitates routing to IP addresses and network interfaces on the same instance. Supports IPv6 targets.

Suitable for:

ALB

NLB

GWLB

Lambda function

Supports load balancing to a single Lambda function. ALB required as traffic source.

Suitable for:

ALB

Application Load Balancer

Allows use of static IP addresses and PrivateLink with an Application Load Balancer. NLB required as traffic source.

Suitable for:

NLB

Target group name

Name must be unique per Region per AWS account.

web-servers-tg

Accepts: a-z, A-Z, 0-9, and hyphen (-). Can't begin or end with hyphen. 1-32 total characters. Count: 14/32

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

EC2 > Target groups > web-servers-tg

EC2

- Dashboard
- AWS Global View
- Events
- Instances
  - Instances
  - Instance Types
  - Launch Templates
  - Spot Requests
  - Savings Plans
  - Reserved Instances
  - Dedicated Hosts
  - Capacity Reservations
  - Capacity Manager
- Images
  - AMIs
  - AMI Catalog
- Elastic Block Store

Successfully created the target group: **web-servers-tg**. Anomaly detection is automatically applied to all registered targets. Results can be viewed in the Targets tab.

**web-servers-tg**

Details

Target type: Instance

Protocol : Port: HTTP: 80

Protocol version: HTTP1

VPC: [vpc-09a4afe116df03cc2](#)

IP address type: IPv4

Load balancer: [None associated](#)

2 Total targets

0 Healthy

0 Unhealthy

2 Unused

0 Initial

0 Draining

0 Anomalous

Distribution of targets by Availability Zone (AZ)

Select values in this table to see corresponding filters applied to the Registered targets table below.

Targets Monitoring Health checks Attributes Tags

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 > Load balancers > my-alb

AMIs

- AMI Catalog
- Elastic Block Store
  - Volumes
  - Snapshots
  - Lifecycle Manager
- Network & Security
  - Security Groups
  - Elastic IPs
  - Placement Groups
  - Key Pairs
  - Network Interfaces
- Load Balancing
  - Load Balancers
  - Target Groups
  - Trust Stores
- Auto Scaling
  - Auto Scaling Groups

Successfully created load balancer: **my-alb**. It might take a few minutes for your load balancer to fully set up and route traffic. Targets will also take a few minutes to complete the registration process and pass initial health checks.

Introducing ALB target optimizer

Target optimizer lets you enforce a maximum number of requests per target using an ALB-provided agent, improving success rates, latency, and efficiency. [Learn more](#)

**my-alb**

Details

Load balancer type: Application

Status: Provisioning

VPC: [vpc-09a4afe116df03cc2](#)

Load balancer IP address type: IPv4

Scheme: Internet-facing

Hosted zone: Z35SXDO1TRQ7X7K

Availability Zones: [subnet-01909136ceb76f106](#) us-east-1b (use 1-az1) [subnet-076ec51cf740607c9](#) us-east-1a (use 1-az6)

Date created: March 17, 2026, 12:39 (UTC+05:30)

Load balancer ARN: [arn:aws:elasticloadbalancing:us-east-1:729250695340:loadbalancer/app/my-alb/d64ea3ea916a378d](#)

DNS name info: [my-alb-593247246.us-east-1.elb.amazonaws.com](#) (A Record)

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 > Instances > i-03dec8153bd090308 > Create image

Create image

An image (also referred to as an AMI) defines the programs and settings that are applied when you launch an EC2 instance. You can create an image from the configuration of an existing instance.

Image details

Instance ID: [i-03dec8153bd090308](#) (webserver-2)

Image name:

Image description - optional:

☒ Reboot instance

When selected, Amazon EC2 reboots the instance so that data is at rest when snapshots of the attached volumes are taken. This ensures data consistency.

Instance volumes

| Storage type | Device | Snapshot | Size | Volume type | IOPS | Throughput | Delete on termination | Encrypted |
|--------------|--------|----------|------|-------------|------|------------|-----------------------|-----------|
|              |        |          |      |             |      |            |                       |           |

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 > Launch templates > Create launch template

## Create launch template

Creating a launch template allows you to create a saved instance configuration that can be reused, shared and launched at a later time. Templates can have multiple versions.

### Launch template name and description

Launch template name - required

Must be unique to this account. Max 128 chars. No spaces or special characters like '&', '"', '\0'.

### Template version description

Max 255 chars

### Auto Scaling guidance [Info](#)

Select this if you intend to use this template with EC2 Auto Scaling

☐ Provide guidance to help me set up a template that I can use with EC2 Auto Scaling

▶ Template tags

▶ Source template

### Summary

**Software image (AMI)**  
my-webserver-ami  
ami-0727f1c16d641719

**Virtual server type (instance type)**  
t3.micro

**Firewall (security group)**  
default

**Storage (volumes)**  
1 volume(s) - 8 GiB

[Cancel](#) [Create launch template](#)

Launch template contents

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

EC2 > Auto Scaling groups

webserver-asg-2 created successfully

### Auto Scaling groups (1) [Info](#)

Last updated less than a minute ago

[Launch configurations](#) [Launch templates](#) [Actions](#) [Create Auto Scaling group](#)

Search your Auto Scaling groups

| <input type="checkbox"/> | Name            | Launch template/configuration        | Instances | Status               | Desired capacity | Min | Max | Availability Zones   |    |
|--------------------------|-----------------|--------------------------------------|-----------|----------------------|------------------|-----|-----|----------------------|----|
| <input type="checkbox"/> | webserver-asg-2 | my-launch-template   Version Default | 0         | Updating capacity... | 2                | 1   | 4   | 5 Availability Zones | Tu |


0 Auto Scaling groups selected

Select an Auto Scaling group

<https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#AutoScalingGroups...>

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)


# Week 10 – Elastic BeanStalk Application Deployment



The screenshot displays the AWS Management Console's EC2 Instances page. The left-hand navigation pane includes links to the Dashboard, AWS Global View, Events, and a list of instance types (Instances, Instance Types, Launch Templates, Spot Requests, Savings Plans, Reserved Instances, Dedicated Hosts, Capacity Reservations, and Capacity Manager). The main content area, titled 'Instances (1/5)', features a search bar and a table of instances. The table columns are Name, Instance ID, Instance state, Instance type, Status check, Alarm status, Availability Zone, and Public IPv4 Df. The instances listed are:


| Name        | Instance ID         | Instance state | Instance type | Status check    | Alarm status  | Availability Zone | Public IPv4 Df |
|-------------|---------------------|----------------|---------------|-----------------|---------------|-------------------|----------------|
| webserver-2 | i-03dec8153b0d90308 | Shutting-d...  | t3.micro      | -               | View alarms + | us-east-1d        | ec2-3-90-226-  |
|             | i-064d1ada7cbc94008 | Running        | t3.micro      | 3/3 checks pass | View alarms + | us-east-1b        | ec2-44-214-9-  |
| webserver-1 | i-017777b087d1cc31b | Running        | t3.micro      | 3/3 checks pass | View alarms + | us-east-1d        | ec2-98-84-11-  |
|             | i-07527332395fc72c4 | Terminated     | t3.micro      | -               | View alarms + | us-east-1a        | -              |
|             | i-03ac58a98faa78073 | Running        | t3.micro      | 3/3 checks pass | View alarms + | us-east-1c        | ec2-54-205-1-  |

Below the table, the instance 'i-03dec8153b0d90308 (webserver-2)' is selected. The bottom of the console shows the CloudShell icon, a Feedback link, and the copyright notice '© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences'.



The screenshot shows the Amazon Elastic Beanstalk console. The left-hand navigation pane includes links to Elastic Beanstalk, Applications, Environments, and Change history. The main content area has a dark header with the text 'Compute' and 'Amazon Elastic Beanstalk End-to-end web application management.' Below this, a paragraph describes the service: 'Amazon Elastic Beanstalk is an easy-to-use service for deploying and scaling web applications and services developed with Java, .NET, PHP, Node.js, Python, Ruby, Go, and Docker on familiar servers such as Apache, Nginx, Passenger, and IIS.' The 'Get started' section includes a 'Create application' button. The 'Pricing' section states: 'There's no additional charge for Elastic Beanstalk. You pay for Amazon Web Services resources that we create to store and run your web application, like Amazon S3 buckets and Amazon EC2 instances.' The 'Getting started' section includes a 'Learn more' link. The bottom of the console shows the Feedback link, the copyright notice '© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences', and a small 'v' icon.





Elastic Beanstalk

Applications

Environments

Change history

Create environment

Configure instance traffic and scaling

Step 5 - optional

Configure updates, monitoring, and logging

Step 6

Review

Application information

Application name

Week-10

Maximum length of 100 characters.

Application tags (optional)

Environment information

Choose the name, subdomain and description for your environment. These cannot be changed later.

Environment name

Week-10-env

Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.

Domain

Leave blank for autogenerated value

.us-east-1.elasticbeanstalk.com

Check availability

Environment description

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Elastic Beanstalk > Create environment

Elastic Beanstalk

Applications

Environments

Change history

Application code [info](#)

☐ Sample application

☐ Existing version

☒ Upload your code

Application versions that you have uploaded.

Upload a source bundle from your computer or copy one from Amazon S3.

Version label

Unique name for this version of your application code.

Week10

Source code origin. Maximum size 500 MB

☒ Local file

Upload application

Choose file

File name: Week 10.zip

File must be less than 500MB max file size

☐ Public S3 URL

Presets [info](#)

Start from a preset that matches your use case or choose custom configuration to unset recommended values and use the service's default values.

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Elastic Beanstalk > Create environment

Elastic Beanstalk

Applications

Environments

Change history

Step 1

Configure environment

Step 2

Configure service access

Step 3 - optional

Set up networking, database, and tags

Step 4 - optional

Configure instance traffic and scaling

Step 5 - optional

Configure updates, monitoring, and logging

Step 6

Review

Configure service access [info](#)

Service access

IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions.

[Learn more](#)

Service role

Choose an IAM role for Elastic Beanstalk to assume as a service role. The IAM role must have the required IAM managed policies.

LabRole

Create role

EC2 instance profile

Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.

LabInstanceProfile

Create role

EC2 key pair - optional

Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)

Choose a key pair

Cancel Skip to Review Previous Next

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Elastic Beanstalk

Applications

Environments

Change history

Step 2

Configure service access

Step 3 - optional

Set up networking, database, and tags

Step 4 - optional

Configure instance traffic and scaling

Step 5 - optional

Configure updates, monitoring, and logging

Step 6

Review

Instance settings

Choose a subnet in each AZ for the instances that run your application. To avoid exposing your instances to the Internet, run your instances in private subnets and load balancer in public subnets. To run your load balancer and instances in the same public subnets, assign public IP addresses to the instances. [Learn more](#)

VPC

Launch your environment in a custom VPC instead of the default VPC. You can create a VPC and subnets in the VPC management console. [Learn more](#)

vpc-09a4afe116df05cc2 | (172.31.0.0/16)

Create VPC

Public IP address

Assign a public IP address to the Amazon EC2 instances in your environment.

Enable

Instance subnets


Filter instance subnets

| Availability Zone | Subnet                 | CIDR           | Name |
|-------------------|------------------------|----------------|------|
| us-east-1d        | subnet-00693ed93d0...  | 172.31.16.0/20 |      |
| us-east-1b        | subnet-01909136ceb...  | 172.31.0.0/20  |      |
| us-east-1a        | subnet-076ec51cf740... | 172.31.32.0/20 |      |
| us-east-1c        | subnet-0e9b813dd24...  | 172.31.80.0/20 |      |

CloudShell

Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)



# Hello, World from PHP!

This is a sample PHP page.

Current date and time: 2026-03-23 05:14:29

# WEEK-11: Amazon LEX ChatBOT

Machine Learning

## Amazon Lex

### Conversational AI for self-service bots

Amazon Lex is a service for building conversational interfaces into any application using voice and text, enabling you to add sophisticated, natural language chatbots to your applications.

#### Build a bot using Generative AI

Kickstart your bot creation experience with Descriptive Bot Builder which will build you a bot based on description you provide.

[Create bot](#)

#### How it works

Step 1: Script conversation

**Script**  
Write sample dialogs that illustrate the ideal conversation flow.

**Plan**  
Translate scripts into bot components by identifying training

**Refine**  
Review conversation and improve for clarity and brevity.

#### Pricing (US)

With Amazon Lex, you pay only for what you use. There is no upfront commitment or minimum fee. Amazon Lex bots are designed for a request and response interaction or a continuous streaming conversation. With the request and response interaction, each user input (voice or text) is processed as a separate API call. In a streaming conversation, all user inputs across multiple turns are processed in one streaming API call. Pricing for Lex is based upon these two interaction models: request and response interaction and continuous streaming conversation. [Learn More](#)

[CloudShell](#) [Feedback](#) [Console Mobile App](#) © 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

Lex > Bots > Create bot

Step 1  
Configure bot settings

Step 2  
Add languages

## Configure bot settings

### Creation method

☒ Traditional

☐ Generative AI

☒ Create a blank bot  
Create a basic bot with no preconfigured languages, intents, and slot types.

☐ Start with an example  
An example bot has preconfigured languages, intents, and slot types. You can change these settings.

☐ Start with transcripts  
Automatically generate intents from conversation transcripts that you upload. Only English (US) language is available when starting with a transcript.

### Bot configuration

Bot name

HotelBookingBot

Maximum 100 characters. Valid characters: A-Z, a-z, 0-9, -, \_.



Description - optional



This description appears on bot list page. It can help you identify the purpose of your bot.

IT HelpDesk bot for employees in the North America office.

Maximum 2000 characters.

[CloudShell](#) [Feedback](#) [Console Mobile App](#) © 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)





Amazon Lex

[Back to intents list \(2\)](#)

Sort by last updated

BookHotel Unsaved

FallbackIntent

Successfully deleted intent NewIntent

### Sample utterances (4)

Representative phrases that you expect a user to speak or type to invoke this intent. Amazon Lex extrapolates based on the sample utterances to interpret any user input that may vary from the samples. The priority order of the sample utterances is not used to determine event classification output.

To generate utterances, you must have permissions to Amazon Bedrock. Amazon Lex will make calls to Amazon Bedrock. Additional charges may be incurred based on the usage of Amazon Bedrock. [Learn more](#)

Sort by added (ascending)

Preview Plain text

1 I want to book a hotel

2 Book a room

3 Reserve hotel

4 I need a room

5

Editor Visual builder New

Save intent

CloudShell Feedback Console Mobile App

© 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Amazon Lex

[Back to intents list \(2\)](#)

Sort by last updated

BookHotel Unsaved

FallbackIntent

### Conditional branching

You can jump to different parts of the conversation based on conditions you define. You can add up to 4 conditional branches.

Branch1

+ Add branch

If no matches

Default flow

Delete all

Condition for Branch1

If (age) < 18

Conditions

If (age) < 18

Response

Message: Your not eligible for hotel booking?

Message group

You can define a text message group to respond using plain text.

Message

Your not eligible for hotel booking?

Variations - optional

Advanced options

Add custom payloads, SSML, and card groups.

Set values

next step in conversation

End conversation



Editor Visual builder New



Save intent

CloudShell Feedback Console Mobile App

© 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences







Amazon Lex

[Back to intents list \(2\)](#)

Sort by last updated

BookHotel

FallbackIntent

Lex > Bots > Bot: HotelBooki... > Versions > Version: DRAFT > All languages > Language: English (US) > Intents > Intent: BookHotel

Draft version English (US) Successfully built

Intent: BookHotel

An intent represents an action that fulfills a user's request. Intents can have arguments called slots that represent variable information.

Conversation flow

Intent details

Contexts - optional

Input contexts

Output contexts

Sample utterances (4)

What's this? Generate utterances

Editor Visual builder New

Analyze Build Test

Test Draft version

Inspect

Book a hotel

Welcome to Hotel Booking! What is your name?

Which city do you want?

Ready for complete testing

Type a message

Save Intent

Amazon Lex

[Back to intents list \(2\)](#)

Sort by last updated

BookHotel

FallbackIntent

Lex > Bots > Bot: HotelBooki... > Versions > Version: DRAFT > All languages > Language: English (US) > Intents > Intent: BookHotel

Draft version English (US) Successfully built

Visual builder

Start Get slot value Condition Confirmation Fulfillment Closing response Code hook Wait for user input Go to intent End conversation

Visual builder

Editor New

Analyze Build Test

Test Draft version

Inspect

hotel

Welcome to Hotel Booking! What is your name?

Which city do you want?

Hyderabad

Please tell me your check-in date (e.g., 2026-04-10)

2026-04-10

How many nights will you stay

2

Ready for complete testing

Type a message

Save Intent

Amazon Lex

[Back to intents list \(2\)](#)

Search

Sort by last updated

BookHotel

FallbackIntent

Successfully built language English (US) in bot: HotelBookingBot

Lex > Bots > Bot: HotelBook... > Versions > Version DRAFT > All languages > Language: English (US) > Intents > Intent: BookHotel

Draft version

English (US)

Successfully built

Analyse

Build

Test

Start

Get slot value

Condition

Dispatch to intent

Dispatch to slot

Dispatch to response

Code hook

Wait for user input

Go to intent

End conversation

Start

Get slot value

Condition

Dispatch to intent

Dispatch to slot

Dispatch to response

Code hook

Wait for user input

Go to intent

End conversation

BookHotel

FallbackIntent

Test Draft version

Last build submitted 2 minutes ago

Inspect

How many nights will you stay

2

roomType

Select Room Type

Single

Double

Suite

Single

Ready for complete testing


Type a message

Save Intent


Editor

Visual builder

New



## Week-12: IAM Users and Groups



Step 1

Specify user details

Step 2

**Set permissions**

Step 3

Review and create

Step 4

Retrieve password

## Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. [Learn more](#)

**Permissions options**

☐ Add user to group

Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

☐ Copy permissions

Copy all group memberships, attached managed policies, and inline policies from an existing user.

☒ Attach policies directly

Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

**Permissions policies (1/1474)**

Create policy

Choose one or more policies to attach to your new user.

Filter by Type

All types

19 matches

|                                     | Policy name                                             | Type        | Attached entities |
|-------------------------------------|---------------------------------------------------------|-------------|-------------------|
| <input type="checkbox"/>            | <a href="#">AmazonOMPSDevOpsYS1Role</a>                 | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3ExpressFullAccess</a>               | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3ExpressReadOnlyAccess</a>           | AWS managed | 0                 |
| <input checked="" type="checkbox"/> | <a href="#">AmazonS3FullAccess</a>                      | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3ObjectLambdaExecutionRolePolicy</a> | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3OutpostsFullAccess</a>              | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3OutpostsReadOnlyAccess</a>          | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3ReadOnlyAccess</a>                  | AWS managed | 0                 |
| <input type="checkbox"/>            | <a href="#">AmazonS3TablesFullAccess</a>                | AWS managed | 0                 |

Step 1

Specify user details

Step 2

Set permissions

Step 3

**Review and create**

Step 4

Retrieve password

## Review and create

Review your choices. After you create the user, you can view and download the autogenerated password, if enabled.

**User details**

User name

CC

Console password type

Custom password

Require password reset

Yes

**Permissions summary**

| Name                                  | Type        | Used as            |
|---------------------------------------|-------------|--------------------|
| <a href="#">AmazonS3FullAccess</a>    | AWS managed | Permissions policy |
| <a href="#">IAMUserChangePassword</a> | AWS managed | Permissions policy |

**Tags - optional**

Tags are key-value pairs you can add to AWS resources to help identify, organize, or search for resources. Choose any tags you want to associate with this user.

No tags associated with the resource.



Add new tag

You can add up to 50 more tags.

Cancel

Previous

Create user







## IAM user sign in

Account ID or alias (Don't have?)

904233099191

☐ Remember this account

IAM username

CC

Password

Kmit1235

☒ Show Password[Having trouble?](#)

Sign in

[Sign in using root user email](#)[Create a new AWS account](#)

By continuing, you agree to AWS Customer Agreement or other agreement for AWS services, and the Privacy Notice. This site uses essential cookies. See our [Cookie Notice](#) for more information.

## AWS Security Agent

Proactively secure your applications throughout the development lifecycle with an AI agent.

[Start a free trial →](#)

EC2

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Placement Groups

Key Pairs

Network Interfaces

You can change your default landing page for EC2.

Permanently dismiss

Change landing page

Resources

You are using the following Amazon EC2 resources in the United States (N. Virginia) Region:

Instances (running)

Auto Scaling Groups

Capacity Reservations

Dedicated Hosts

Elastic IPs

Instances

Key pairs

Load balancers

Placement groups

Security groups

Snapshots

Volumes

Launch instance

To get started, launch an Amazon EC2 instance, which is a virtual server in the cloud.

Launch instance

Migrate a server

Note: Your instances will launch in the United States (N. Virginia) Region.

Instance alarms

View in CloudWatch

User: awscli

m:904233099191

is not authorized to perform: cloudwatch:DescribeAlarms on resource: arn:aws:cloudwatch:us-east-1:904233099191:alarm/\* because no i

Service health

AWS Health Dashboard

An error occurred

An error occurred retrieving service health information

Diagnose with Amazon Q

Zones

Zone name

Zone ID

An error occurred

An error occurred retrieving service health information

Enable additional Zones

EC2 cost

Date range: Past 6 months

Region: Global

Total cost

Unable to load

Regions

Unable to load

Unable to load

Analyze your costs in Cost Explorer

Account attributes

An error occurred

An error occurred checking for a default VPC

Diagnose with Amazon Q

Settings

Data protection and security



Allowed AMIs

Zones

EC2 Serial Console

Default credit specification

EC2 console preferences



IAM > Users > CC > Create access key

Step 1

Access key best practices & alternatives

Step 2 - optional

Set description tag

Step 3

Retrieve access keys

## Access key best practices & alternatives

Avoid using long-term credentials like access keys to improve your security. Consider the following use cases and alternatives.

**Use case**

☒ **Command Line Interface (CLI)**  
You plan to use this access key to enable the AWS CLI to access your AWS account.

☐ **Local code**  
You plan to use this access key to enable application code in a local development environment to access your AWS account.

☐ **Application running on an AWS compute service**  
You plan to use this access key to enable application code running on an AWS compute service like Amazon EC2, Amazon ECS, or AWS Lambda to access your AWS account.

☐ **Third-party service**  
You plan to use this access key to enable access for a third-party application or service that monitors or manages your AWS resources.

☐ **Application running outside AWS**  
You plan to use this access key to authenticate workloads running in your data center or other infrastructure outside of AWS that needs to access your AWS resources.

☐ **Other**  
Your use case is not listed here.

**Alternatives recommended**

- Use AWS CLI V2 and the `aws` `login` command to use your existing console credentials in the CLI. [Learn more](#)
- Use AWS CloudShell, a browser-based CLI, to run commands. [Learn more](#)

**Confirmation**

☒ I understand the above recommendation and want to proceed to create an access key.

Cancel

Next

IAM > Users > CC > Create access key

This is the only time that the secret access key can be viewed or downloaded. You cannot recover it later. However, you can create a new access key any time.

Step 1

Access key best practices & alternatives

Step 2 - optional

Set description tag

Step 3

Retrieve access keys

## Retrieve access keys

**Access key**

If you lose or forget your secret access key, you cannot retrieve it. Instead, create a new access key and make the old key inactive.

Access key

AKIA5PCDGE5UD6AY3WG

Secret access key

\*\*\*\*\* [Show](#)

**Access key best practices**

- Never store your access key in plain text, in a code repository, or in code.
- Disable or delete access key when no longer needed.
- Enable least-privilege permissions.
- Rotate access keys regularly.

For more details about managing access keys, see the [best practices for managing AWS access keys](#).

[Download .csv file](#)

Done

CC\_accessKeys.csv

CC\_credentials.csv

PS-A3-2027...verall Report.xls

Your-Digital-R...2026 (1).pptx

Your-Digital-R...in-2026.pptx

UNIT-IV.pdf

whatsapp.pdf

View all downloads

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)

English ▼ Preferences ▼ Contact Us Feedback

Get started

Service guides

Developer tools

AI resources

Q Search in this guide

Return to the Console

AWS Command Line Interface

User Guide for Version 2

About the AWS CLI

Get started

Prerequisites

Install/Update

Past releases

Build and install from source

Amazon ECR Public/Docker

Setup

Configure the AWS CLI

Authentication and access credentials

Using the AWS CLI

AWS CLI examples

Security

Migration guide

Uninstall

Document History

AWS CLI install and update instructions

Troubleshooting AWS CLI install and uninstall errors

Next steps

AWS CLI install and update instructions

For installation instructions, expand the section for your operating system.

Linux

macOS

Windows

Troubleshooting AWS CLI install and uninstall errors

If you come across issues after installing or uninstalling the AWS CLI, see Troubleshooting errors for the AWS CLI for troubleshooting steps. For the most relevant troubleshooting steps, see Command not found errors, The "aws --version" command returns a different version than you installed, and The "aws --version" command returns a version after uninstalling the AWS CLI.

Next steps

After you successfully install the AWS CLI, you can safely delete your downloaded installer files. After

On this page

AWS CLI install and update instructions

Troubleshooting AWS CLI install and uninstall errors

Next steps

Recommended tasks

How to

Install specific past releases of AWS CLI version 2 on Linux

Verify Session Manager plugin installation and test access

Set up kubectl and eksctl to manage Kubernetes clusters

Configure AWS CLI to sign in with IAM Identity Center

Configure AWS CLI with IAM credentials for first-time use

Learn about

Understand supported AWS Regions for CloudShell service

Did this page help you?

aws

Get started

Service guides

Developer tools

AI resources

Q Search in this guide

Return to the Console

AWS Command Line Interface

User Guide for Version 2

About the AWS CLI

Get started

Prerequisites

Install/Update

Past releases

Build and install from source

Amazon ECR Public/Docker

Setup

Configure the AWS CLI

Authentication and access credentials

Using the AWS CLI

AWS CLI examples

Security

Migration guide

Uninstall

Document History

Install or update the AWS CLI

If you are updating to the latest version, use the same installation method that you used in your current version. You can install the AWS CLI on macOS in the following ways.

GUI installer

Command line installer - All users

Command line - Current user

If you have `sudo` permissions, you can install the AWS CLI for all users on the computer. We provide the steps in one easy to copy and paste group. See the descriptions of each line in the following steps.

\$ curl "https://awscli.amazonaws.com/AWSCLIV2.pkg" -o "AWSCLIV2.pkg"

\$ sudo installer -pkg AWSCLIV2.pkg -target /

Guided installation instructions

1. Download the file using the `curl` command. The `-o` option specifies the file name that the downloaded package is written to. In this example, the file is written to `AWSCLIV2.pkg` in the current folder.

\$ curl "https://awscli.amazonaws.com/AWSCLIV2.pkg" -o "AWSCLIV2.pkg"

2. Run the standard macOS installer program, specifying the downloaded `.pkg` file as the source. Use the `-pkg` parameter to specify the name of the package to install, and the `-target /` parameter for which drive to install the package to. The files are installed to `/usr/local/aws-cli`, and a symlink is automatically created in `/usr/local/bin`. You must include `sudo` on the command to grant write permissions to those folders.

On this page

AWS CLI install and update instructions

Troubleshooting AWS CLI install and uninstall errors

Next steps

Recommended tasks

How to

Install specific past releases of AWS CLI version 2 on Linux

Verify Session Manager plugin installation and test access

Set up kubectl and eksctl to manage Kubernetes clusters

Configure AWS CLI to sign in with IAM Identity Center

Configure AWS CLI with IAM credentials for first-time use

Learn about

Understand supported AWS Regions for CloudShell service

Did this page help you?

aws

Get startedService guidesDeveloper toolsAI resources

English▼Preferences▼Contact UsFeedback

Search in this guide

Return to the Console

AWS Command Line Interface

User Guide for Version 2

About the AWS CLI

Get started

Prerequisites

Install/Update

Past releases

Build and install from source

Amazon ECR Public/Docker

Setup

Configure the AWS CLI

Authentication and access credentials

Using the AWS CLI

AWS CLI examples

Security

Migration guide

Uninstall

Document History

Guided installation instructions

1. Download the file using the curl command. The -o option specifies the file name that

100% 128 MB 128 MB 0 0 1788x 0 0:00:31 0:00:31 128x

100% 128 MB 128 MB 0 0 1788x 0 0:00:31 0:00:31 128x

100% 128 MB 128 MB 0 0 1788x 0 0:00:31 0:00:31 128x

2. Run the installer. The installer will install the AWS CLI to the default location. The installer will also install the AWS CLI to the default location. The installer will also install the AWS CLI to the default location.

3. To verify the installation, run the aws command. The command will output the version of the AWS CLI.

On this page

Install and update instructions

troubleshooting AWS CLI install and errors

Recommended tasks

Specific past releases of AWS CLI 2 on Linux

Version Manager plugin

Session and test access

Subject and eksctl to manage Kubernetes clusters

Use AWS CLI to sign in with IAM Center

Use AWS CLI with IAM credentials time use

Learn about

Understand supported AWS Regions for CloudShell service

If the aws command cannot be found, you might need to restart your terminal or follow the troubleshooting in Troubleshooting errors for the AWS CLI.

Did this page help you?





## WEEK-13: IAM Roles and Policies

The screenshot shows the AWS IAM console's 'Permissions policies' page. The breadcrumb navigation at the top indicates the path: IAM > Roles > Create role. On the left, the 'Add permissions' section shows 'Step 1: Name, review, and create'. The main area is titled 'Permissions policies (1/1146)' and includes a search bar with the text 'amazon'. Below the search bar, a table lists 16 policies, all of which are 'AWS managed'. The policy 'AmazonS3FullAccess' is highlighted with a blue selection bar. The table columns are 'Policy name', 'Type', and 'Description'. At the bottom of the table, there is a link to 'Set permissions boundary - optional'. The bottom of the console shows a footer with 'Cancel', 'Previous', and 'Next' buttons, and a copyright notice for Amazon Web Services, Inc. in 2020.

| Policy name                                               | Type        | Description                                   |
|-----------------------------------------------------------|-------------|-----------------------------------------------|
| <a href="#">AmazonS3ExpressFullAccess</a>                 | AWS managed | Provides full access to all S3 directory ...  |
| <a href="#">AmazonS3ExpressReadOnlyAccess</a>             | AWS managed | Provides read only access to S3Express...     |
| <a href="#">AmazonS3OutpostsFullAccess</a>                | AWS managed | Provides read only access to an S3 FR...      |
| <a href="#">AmazonS3OutpostsReadOnlyAccess</a>            | AWS managed | Provides read only client access to an ...    |
| <a href="#">AmazonS3OutpostsClientReadOnlyAccess</a>      | AWS managed | Provides read and write client access t...    |
| <a href="#">AmazonS3OutpostsClientWriteAccess</a>         | AWS managed | Provides management access to Armat...        |
| <a href="#">AmazonS3OutpostsFullAccess</a>                | AWS managed | Provides full access to all S3 Files via t... |
| <a href="#">AmazonS3OutpostsReadOnlyAccess</a>            | AWS managed | Provides read only access to all S3 File...   |
| <a href="#">AmazonS3FullAccess</a>                        | AWS managed | Provides full access to all buckets via t...  |
| <a href="#">AmazonS3OutpostsLambdaExecutionRolePolicy</a> | AWS managed | Provides AWS Lambda functions perm...         |
| <a href="#">AmazonS3OutpostsFullAccess</a>                | AWS managed | Provides full access to Amazon S3 on ...      |
| <a href="#">AmazonS3OutpostsReadOnlyAccess</a>            | AWS managed | Provides read only access to Amazon S...      |
| <a href="#">AmazonS3ReadOnlyAccess</a>                    | AWS managed | Provides read only access to all bucket...    |
| <a href="#">AmazonS3TablesFullAccess</a>                  | AWS managed | Provides full access to all S3 table bu...    |
| <a href="#">AmazonS3TablesLakeFormationServiceRole</a>    | AWS managed | This managed policy grants AWS Lake ...       |
| <a href="#">AmazonS3TablesReadOnlyAccess</a>              | AWS managed | Provides read only access to all S3 tabl...   |



EC2 > Roles > Create role

Step 1: Select trusted entity

Step 2: Add permissions

Step 3: Name, review, and create

Name, review, and create

Role details

Role name

Enter a meaningful name to identify this role.

EC2S3Role

Maximum 63 characters. Use alphanumeric and hyphen characters.

Description

Add a short explanation for this role.

Allows EC2 instances to call AWS services on your behalf.

Maximum 1000 characters. Use letters (a-z and A-Z), numbers (0-9), hyphens, or any of the following characters: \_!@%&'\*~^&#x2013;.

Step 1: Select trusted entities

Trust policy

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "sts:AssumeRole"
8       ],
9       "Principal": {
10        "Service": [
11          "ec2.amazonaws.com"
12        ]
13      }
14    ]
15  }
16 }
```

Step 2: Add permissions

Permissions policy summary

| Policy name (2)  | Type        | Attached as        |
|------------------|-------------|--------------------|
| AmazonS3Outposts | AWS managed | Permissions policy |

Step 3: Add tags

Add tags - optional

Tags are key-value pairs that you can add to AWS resources to help identify, organize, or search for resources.

No tags associated with the resource.

CloudShell Feedback Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EC2 > Instances > i-0d294b9e154a4cf15 > Modify IAM role

Modify IAM role

Attach an IAM role to your instance.

Instance ID

i-0d294b9e154a4cf15 (web)

IAM role

Select an IAM role to attach to your instance or create a new role if you haven't created any. The role you select replaces any roles that are currently attached to your instance.

EC2S3Role

Create new IAM role

Cancel

Update IAM role

CloudShell Feedback Console Mobile App

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Connect Info

Connect to an instance using the browser-based client.

## Instance ID

i-0d294b9e154a4cf15 (web)

## EC2 Instance Connect

## SSM Session Manager

## Instance ID

i-0d294b9e154a4cf15 (web)

1. Open an SSH client.

2. Locate your private key file. The key used to launch

3. Run this command, if necessary, to ensure your key file

chmod 400 "hero.pem"

4. Connect to your instance using its Public DNS:

ec2-13-232-101-112.ap-south-1.compute.amazonaws.com

Command copied

ssh -i "hero.pem" ubuntu@ec2-13-232-101-112.ap-south-1.compute.amazonaws.com

Note: In most cases, the guessed username is correct.

```
Downloads - ubuntu@ip-172-31-40-202: ~ -- ssh -i hero.pem ubuntu@ec2-13-232-101-112.ap-south-1.compute.amazonaws.com
ubuntu@ip-172-31-40-202:~$ aws s3 ls
ubuntu@ip-172-31-40-202:~$ aws ec2 describe-instances
aws: [ERROR]: An error occurred (UnauthorizedOperation) when calling the DescribeInstances operation: You are not authorized to perform this operation. User: arn:aws:sts::784238995931:assumed-role/EC2Role/i-0d294b9e154a4cf15 is not authorized to perform: ec2:DescribeInstances because no identity-based policy allows the ec2:DescribeInstances action
ubuntu@ip-172-31-40-202:~$
```

Cancel