

CS23336-Introduction to Python Programming

Started on Wednesday, 6 November 2024, 1:51 PM

State Finished

Completed on Wednesday, 6 November 2024, 2:04 PM

Time taken 13 mins 37 secs

Question 1

Complete

Marked out of 1.00



Flag question

Question text

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n ?

Question 1 Answer

- ☐
- a.
1
- ☒
- b.
 n
- ☐
- c.
 $\log n$
- ☐
- d.
 $n/2$

Question 2

Complete

Marked out of 1.00



Flag question

Question text

What is searching in the context of computer science?

Question 2 Answer

- ☒
- a.
Determining whether an element is present in a list
- ☐
- b.
Deleting elements from a list
- ☐
- c.
Inserting elements into a list
- ☐
- d.
Sorting elements in a list

Question 3

Complete

Marked out of 1.00



Flag question

Question text


What happens in a binary search if the list has an even number of elements?

Question 3 Answer

- ☒ a.
The lower middle element is chosen as the middle element
- ☐ b.
The search stops
- ☐ c.
The middle element is chosen randomly
- ☐ d.
The higher middle element is chosen as the middle element

Question 4

Complete
Marked out of 1.00

 Flag question

Question text


Given an array $\text{arr} = \{45, 77, 89, 90, 94, 99, 100\}$ and $\text{key} = 99$; what are the mid values(corresponding array elements) in the first and second levels of recursion?

Question 4 Answer

- ☐ a.
89 and 99
- ☐ b.
89 and 94
- ☒ c.
90 and 99
- ☐ d.
90 and 94

Question 5

Complete
Marked out of 1.00

 Flag question

Question text


Which of the following scenarios is best suited for applying binary search?

Question 5 Answer

- ☐ a.
When the list contains duplicate elements
- ☐ b.
When the list is very small
- ☐ c.
When the list is unsorted
- ☒ d.
When the list is sorted

Question 6

Complete
Marked out of 1.00

 Flag question

Question text


What is the time complexity of binary search in the worst case?

Question 6 Answer

- ☒ a.
 $O(n \log n)$
- ☐ b.
 $O(\log n)$
- ☐ c.
 $O(n)$
- ☐ d.
 $O(1)$

Question 7

Complete
Marked out of 1.00

 Flag question

Question text


If the target element is greater than the middle element in binary search, where does the search continue?

Question 7 Answer

- ☐ a.
At the beginning of the list
- ☐ b.
In the middle of the list
- ☒ c.
In the left sublist
- ☐ d.
In the right sublist

Question 8

Complete
Marked out of 1.00

 Flag question

Question text

The average case occurs in the linear search algorithm

Question 8 Answer

- ☐ a.
When the item is the last element in the array
- ☐ b.
Item is the last element in the array or item is not there at all
- ☒ c.
When the item is somewhere in the middle of the array
- ☐

d.

When the item is not the array at all

Question 9

Complete

Marked out of 1.00



Remove flag

Question text

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

Question 9 Answer



a.

100



b.

1000



c.

10



d.

500

Question 10

Complete

Marked out of 1.00



Flag question

Question text

_____ search takes a sorted/ordered list and divides it in the middle.

Question 10 Answer



a.

Binary



b.

Linear



c.

Hash



d.

Both (1) & (3)

Question 11

Complete

Marked out of 1.00



Flag question

Question text

In binary search, what happens if the middle element does not match the target element?


Question 11 Answer



- a.
The search continues from the beginning
- ☒
- b.
The search continues in the left or right sublist
- ☐
- c.
The search stops
- ☐
- d.
The list is sorted

Question 12

Complete
Marked out of 1.00

 Flag question

Question text


Given an array $arr = \{45, 77, 89, 90, 94, 99, 100\}$ and $key = 100$; What are the mid values(corresponding array elements) generated in the first and second iterations?

Question 12 Answer

- ☐
- a.
89 and 94
- ☒
- b.
90 and 99
- ☐
- c.
94 and 99
- ☐
- d.
90 and 100

Question 13

Complete
Marked out of 1.00

 Flag question

Question text

Which of the following is a type of searching method?


Question 13 Answer

- ☐
- a.
Bubble search
- ☒
- b.
Linear search
- ☐
- c.
Quick search
- ☐
- d.
Merge search

Question 14

Complete

Marked out of 1.00

 Remove flag

Question text

Which of the following is a limitation of binary search?


Question 14 Answer

- ☐
- a.
It does not work with negative numbers
- ☐
- b.
It can only be applied to large lists
- ☐
- c.
It is slower than linear search for small lists
- ☒
- d.
It requires the list to be sorted

Question 15

Complete

Marked out of 1.00

 Remove flag

Question text

In which situation is linear search more efficient than binary search?

Question 15 Answer

- ☒
- a.
When the list is small and sorted
- ☐
- b.
When the list is small and unsorted
- ☐
- c.
When the list is large and sorted
- ☐
- d.
When the list is large and unsorted

Finish review

[Skip Quiz navigation](#)

Quiz navigation

[Question 1 This page](#) [Question 2 This page](#) [Question 3 This page](#) [Question 4 This page](#) [Question 5 This page](#) [Question 6 This page](#) [Question 7 This page](#) [Question 8 This page](#) [Question 9 This page](#) [FlaggedQuestion 10 This page](#) [Question 11 This page](#) [Question 12 This page](#) [Question 13 This page](#) [Question 14 This page](#) [FlaggedQuestion 15 This page](#) [Flagged](#)

[Show one page at a time](#) Finish review