Assignment 14

Adarsh Srivastava

The link to the solution is

https://github.com/Adarsh1310/EE5609

***Abstract*—This documents solves a problem based on vector spaces.**

1 Problem

Let $\mathbb{V}$ be the set of all complex-valued functions f on the real line such that

$$f(-t) = \overline{f(t)}$$

The bar denotes complex conjugation.Show that $\mathbb{V}$,with the operations

$$(f + g)(t) = f(t) + g(t)$$
$$(cf)(t) = cf(t)$$

is a vector space over the field of real numbers. Give an example of a function in V which is not real valued.

2 Solution

To prove that $\mathbb{V}$ with the given operations is a vector space over the field of real numbers can be proven by proving that additivity and homogeneity both hold true. So, we have to prove that (cf+g)(t) is equal to cf(t)+g(t).

$$(cf + g)(t) \tag{2.0.1}$$
$$= (cf)(t) + g(t) \tag{2.0.2}$$
$$= cf(t) + g(t) \tag{2.0.3}$$

3 Example

Let's take f(x)=a+ix

$$f(1) = a + i \tag{3.0.1}$$

Hence, f(x) is not real valued.Now,

$$f(x) = a + ix \tag{3.0.2}$$
$$f(-x) = a - ix \tag{3.0.3}$$
$$f(-x) = \overline{f(x)} \tag{3.0.4}$$

Since a,b and x $\in \mathbb{R}$, so f $\in \mathbb{V}$