

Documentation:

1. If you are wondering what ACSM stands for, its Assembler-Compiler-Simulator-Memcheck 😊
2. I have tried to include everything in this script so that you don't have to do anything other than run the script.
3. Place your ACSM.py in the same directory as your **design files (Verilog files)** and your **Assembler**.
4. Before running, make sure you have your ModelSim **Win64** directory as a Path variable in your system Variable.


To do this: Search "Edit the system environmental variables" in your search bar->

Environmental Variables -> Double Click path under "system variables" -> New.

In my case, "C:\modeltech64_10.5\win64" is the NEW path.

5. Make sure ModelSim runs when ran without admin privileges. In case this gives a license error, add the location C:\flexlm (location of ModelSim license file) to User Environmental variables.

To do this, Control Panel -> User Accounts -> User Accounts -> Change my Environmental Variables (located on the left side of the window) -> Click New under User variables for <USER> ->



6. The script will detect all files in the given top directory (whose path is defined as "**DIR**" in the script and can be changed by changing the same) and its constituent sub directories. So, **there is no need to move the instruction files separately to another folder**. In case you have any non-instruction files in the same top folder (or in the sub folders), they will get listed under **faulty instruction list** which will be displayed at the end of script execution along with any instruction files the assembler found faulty. If you are too stubborn that you don't want to see the non-instruction files in the list, take your time to add the name (with extension if any) to the **avoid list** which is visible once you open the python script source.
7. For instruction files which contain instructions requiring **read from DM**, make sure to highlight these files by adding an identifier at the starting of the file name. In default, the **identifier assigned is "_"**. You can change it by changing the "**idntfr**" variable in the python script source.
For example, if you have an instruction file named "haha" which requires a read from DM, you should rename the file as "_haha" (don't leave behind your extensions!! (if any)).
8. Now, **create** a folder named "**DMrd_files**" whose path you will have to update by changing "**DMrdfl_LOCATE**" in the python script source. In there, you should place the pre-created DM files which is required by the instruction files mentioned in point 7. Make sure each DM file placed here has the same name (including extensions) as the instruction file which requires the latter.

For example, if your instruction file “_hehe.txt” requires a DM file to read from during simulation as mentioned in point 7, pre create this DM file as required and place it in the folder “**DMrd_files**” with the same name as the instruction file, that is, “_hehe.txt”.

9. Instruction files with faulty instruction will be displayed (only if there is any) at the end of the python script execution. Display will be as full path.
10. Same goes for any test case that fails MEMCHECK. They will also get displayed at the end of the python script execution separately. Display will be as full path.
11. The DM file of any test case that fails MEMECHK will get stored in the folder “**MEMfail_files**” whose directory is defined by “**MEMfail_LOCATE**”. The file’s name will be renamed from “dm_file.txt” to “DMfail_<folder of the instruction file is>_<instruction file>” once moved. Every time you run ACSM, the previously stored failed dm files will get cleared from the folder and the folder will be updated with new ones (if any).
12. Please update “**DIR**”, “**PM_LOCATE**”, “**DM_LOCATE**”, “**DMrdfl_LOCATE**” and “**MEMfail_LOCATE**” in the python script source. Mind the slashes (use “/” instead of “\” when updating to avoid Unicode errors)
13. If you are kind hearted enough, you can test everyone’s test cases by updating “**DIR**” to point to the “Test-cases” folder of your local “GitHub” folder. As mentioned in point 6, you can add “Owner.md” and “Readme.txt” to the “**avoid**” list in the python script source to prevent them from being detected.
14. If any case arises where you had to close the python script before it actually finished execution, make sure that the **\$system command in “test_core.v”** and the **logic to reset DM_file in “MEM_top.v”** are **NOT** commented out. This won’t affect any runs of ACSM. This is just to ensure proper debugging in case you do so later on.
15. That’s all I can remember!!