

OpenAPI definition

v0

OAS3

/v3/api-docs

Servers

http://localhost:8081 - Generated server url

patient-controller

POST

/api/v1/patient/verify0tp

Verifies OTP for the aadhaar linked mobile

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "otp": "string",
  "txnId": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

Controls Accept header.

Code

Description

Links

Example Value | Schema

```
{  
  "txnId": "string"  
}
```

POST

/api/v1/patient/generateOtp

Sends OTP to the aadhaar linked mobile

^

Parameters

Try it out

No parameters

Request body required

application/json v

Example Value | Schema

```
{  
  "aadhaar": "string"  
}
```

Responses

Code

Description

Links

200

OK

No links

Media type

\*/\*

Controls Accept header.

Example Value | Schema

```
{  
  "txnId": "string",  
  "mobileNumber": "string"  
}
```

POST

/api/v1/patient/createHealthIdByAdhaar

Creates Health Id for the aadhaar verified user

^

Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{
  "consent": true,
  "consentVersion": "string",
  "txnId": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

▼

Controls Accept header.

Example Value | Schema

```
{
  "token": "string"
}
```

POST

/api/v1/patient/checkAndGenerateMobileOTP

Checks if aadhaar is linked with mobile number



Parameters

Try it out

No parameters

Request body required

application/json

▼

Example Value | Schema

```
{
  "mobile": "string",
  "txnId": "string"
}
```

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema<div><pre>{  "txnId": "string",  "mobileLinked": true}</pre></div></div>	No links

GET

/api/v1/patient/getCard

Download ABHA card in PDF format

Parameters

Try it out

Name	Description
<div>token * required</div> <div>string</div> <div>(query)</div>	<div>token</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type<div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema<div><pre>[  "string"</pre></div></div>	No links

Code	Description	Links
	<div></div>	

# authentication-controller



POST

/api/v1/auth/register

Register a new user

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "firstname": "string",
  "middlename": "string",
  "lastname": "string",
  "email": "string",
  "password": "string",
  "role": "USER",
  "gender": "string",
  "dob": "2024-02-28T17:35:30.749Z",
  "mobile": "string"
}
```

Responses

Code	Description	Links
200	OK	No links
<div>Media type</div> <div><div>*/*</div></div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>{  "access_token": "string",  "refresh_token": "string",  "first_name": "string",  "last_name": "string",  "user_id": 0,  "role": "USER"}</pre></div>		

POST

/api/v1/auth/refresh-token

To refresh the access token

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

POST

/api/v1/auth/authenticate

Authenticate user for logging

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "email": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
200	OK	No links

Media type

\*/\*

▼

Controls Accept header.

Example Value | Schema

```
{
  "access_token": "string",
  "refresh_token": "string",
  "first_name": "string",
  "last_name": "string",
  "user_id": 0,
  "role": "USER"
}
```

user-controller



PATCH

/api/v1/users/changePassword

Change Password for the user

^

Parameters

Try it out

No parameters

Request body required

application/json ▼

Example Value | Schema

```
{
  "currentPassword": "string",
  "newPassword": "string",
  "confirmationPassword": "string"
}
```

Responses

Code	Description	Links
200	<div><div>OK</div><div><div>Media type</div><div><div>*/*</div><div>▼</div></div><div>Controls Accept header.</div><div><div>Example Value   Schema</div><div><div>{ }</div></div></div></div></div>	No links

Schemas

VerifyOtpRequest ▼ {  
 otp                      string  
 txnId                   string  
}

VerifyOtpResponse ▼ {  
 txnId                   string  
}

GenerateOtpRequest ▼ {  
 aadhaar                string  
}

GenerateOtpResponse ▼ {  
 txnId                   string  
 mobileNumber          string  
}



**CreateHealthIdByAadhaarRequest** ▾ {

```
  consent          boolean
  consentVersion   string
  txnId            string
}
```

**CreateHealthIdByAadhaarResponse** ▾ {

```
  token            string
}
```

**CheckAndGenerateMobileOtpRequest** ▾ {

```
  mobile           string
  txnId            string
}
```

**CheckAndGenerateMobileOtpResponse** ▾ {

```
  txnId            string
  mobileLinked     boolean
}
```

**RegisterRequest** ▾ {

```
  firstname         string
  middlename        string
  lastname          string
  email             string
  password          string
  role              string
                  Enum:
                    ▾ [ USER, PATIENT, ADMIN, DOCTOR ]
  gender            string
  dob               string($date-time)
  mobile            string
}
```

**AuthenticationResponse** ▾ {

```
  access_token      string
  refresh_token     string
  first_name        string
  last_name         string
  user_id           integer($int32)
  role              string
                  Enum:
                    ▾ [ USER, PATIENT, ADMIN, DOCTOR ]
}
```

```
AuthenticationRequest ∨ {  
  email      string  
  password   string  
}
```

```
ChangePasswordRequest ∨ {  
  currentPassword string  
  newPassword      string  
  confirmationPassword string  
}
```