



## ADMIN DASHBOARD

### Change Password

## Add Flights

[View Sources and Destinations](#)

[View Airlines](#)

Logout

### Registered Sources and Destinations

ID	Source Place	Destination Place
1	Trivandrum	Mumbai
2	Bangalore	Hyderabad
3	Chennai	Kolkata
4	Delhi	Chennai



Admin

List of airlines of India - Wikipedi

localhost:8080/FlyAway2/viewairlines

Gmail

YouTube

Maps

EPFO: Collect Onlin...

ADMIN DASHBOARD

Change Password

Add Flights


View Sources and Destinations

View Airlines

Logout

Registered Airlines

ID	Airline Name
1	IndiGo
2	Air India
3	Air India Express
4	SpiceJet



Windows logo


Type here to search


28°C Partly sunny

17:39


16-08-2022


ENG












# USER DASHBOARD


[Book Flights](#)[Logout as User](#)

Available Flights for 16/08/2022 :-


ID	Airline Name	Ticket Price
3	Air India Express	3986.0

Continue









# CONGRATULATIONS!

Your booking is confirmed.



**BOOKED BY - Adarsh**


**BOOKING ID - 1**


**AIRLINES - Air India Express**

**From - Chennai || To - Kolkata**

**Date of booking - 16/08/22**

Thank you for choosing us!







MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookstore
- bookstores
- ecom
- ecommerce
- flyaway
  - Tables
    - admin\_data
    - flight\_data
    - user\_data
  - Views
  - Stored Procedures
  - Functions
- hibsamples
- mydb
- sakila
- sys
- wholesaler
- world

Administration Schemas

Information

No object selected

Object Info Session

product eproduct admin\_data SQL File 8\* user\_data user\_data flight\_data user\_data flight\_data SQL File 14\* flight\_data user\_data x

Limit to 1000 rows

```
1 SELECT * FROM flyaway.user_data;
```

Result Grid

	id	name	password	balance
1	1	Adarsh	1234	2028
2	2	Akhil	1234	5000
3	NULL	NULL	NULL	NULL

Form Editor

Field Types

Context Help Snippets

user\_data 1 x

Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	00:02:18	SELECT * FROM flyaway.user_data LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Type here to search

27°C 00:30 17-08-2022

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookstore
- bookstores
- ecom
- ecommerce
- flyaway
  - Tables
    - admin\_data
    - flight\_data
    - user\_data
  - Views
  - Stored Procedures
  - Functions
- hibsamples
- mydb
- sakila
- sys
- wholesaler
- world

Administration Schemas

Information

No object selected

Object Info Session

eproduct admin\_data SQL File 8\* user\_data user\_data flight\_data user\_data flight\_data SQL File 14\* flight\_data user\_data flight\_data

Limit to 1000 rows

1 • `SELECT * FROM flyaway.flight_data;`

Result Grid

	id	source	destination	airline	fare	availabledays
▶	1	Trivandrum	Mumbai	IndiGo	10756	Sunday,Wednesday,Friday
	2	Bangalore	Hyderabad	Air India	1545	Sunday
	3	Chennai	Kolkata	Air India Express	3986	Sunday,Monday,Tuesday,Thursday
	4	Delhi	Chennai	SpiceJet	6640	Monday
•	NULL	NULL	NULL	NULL	NULL	NULL

Wrap Cell Content: `TA`

Result Grid

Form Editor

Field Types

flight\_data 1 x

Apply Revert

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	00:02:18	SELECT * FROM flyaway.user_data LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 2	00:30:54	SELECT * FROM flyaway.flight_data LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- bookstore
- bookstores
- ecom
- ecommerce
- flyaway
  - Tables
    - admin\_data
    - flight\_data
    - user\_data
  - Views
  - Stored Procedures
  - Functions
- hibsamples
- mydb
- sakila
- sys
- wholesaler
- world

Administration Schemas

Information

Table: admin\_data

Columns:

id	int PK
name	varchar(255)
password	varchar(255)

Object Info Session

admin\_data SQL File 8\* user\_data user\_data flight\_data user\_data flight\_data SQL File 14\* flight\_data user\_data flight\_data admin\_data

Limit to 1000 rows

1 • `SELECT * FROM flyaway.admin_data;`

Result Grid

	id	name	password
▶	101	admin	solo
*	NULL	NULL	NULL

Filter Rows: Edit: Export/Import: Wrap Cell Content: `TA`

Result Grid Form Editor Field Types

admin\_data 1 x Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
✓ 1	00:02:18	SELECT * FROM flyaway.user_data LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
✓ 2	00:30:54	SELECT * FROM flyaway.flight_data LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
✓ 3	00:31:06	SELECT * FROM flyaway.admin_data LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

27°C 00:31 17-08-2022