File Edit Selection View Go Run Terminal Help

java project

RUN AN... Launch Jav

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

- Uncaught Exceptions
- Caught Exceptions

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
import java.awt.Font;
import java.awt.event.ActionEvent;
import java.awt.event.ActionListener;
import javax.swing.JButton;
import javax.swing.JFrame;
import javax.swing.JPanel;
import javax.swing.JTextField;

public class calculator implements ActionListener {

    JFrame frame;
    JTextfield textfield;
    JButton[] numberButtons = new JButton[10];
    JButton[] functionButtons = new JButton[8];
    JButton addButton, subButton, mulButton, divButton;
    JButton decButton, equButton, delButton, clrButton;
    JPanel panel;

    Font myFont = new Font(name:"Arial", Font.BOLD, size:30);

    double num1 = 0, num2 = 0, result = 0;
    char operator;

    Calculator() {

        frame = new JFrame(title:"Calculator");
        frame.setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        frame.setSize(width:420, height:550);
        frame.setLayout(manager:null);

        textField = new JTextField();
        textField.setBounds(x:50, y:25, width:300, height:50);
        textField.setFont(myFont);
        textField.setEditable(b:false);
        frame.add(textField);

        addButton = new JButton(text:"+");
        subButton = new JButton(text:"-");
```

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
Listening on 55969
User program running
User program finished
```

Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:33 03-07-2024

File Edit Selection View Go Run Terminal Help

java project

RUN AN... Launch Jav

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

Uncaught Exceptions

Caught Exceptions

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```
9   public class Calculator implements ActionListener {
24      Calculator() {
36
37          addButton = new JButton(text:"+");
38          subButton = new JButton(text:"-");
39          mulButton = new JButton(text:"*");
40          divButton = new JButton(text:"/");
41          decButton = new JButton(text:".");
42          equButton = new JButton(text:"=");
43          delButton = new JButton(text:"Del");
44          clrButton = new JButton(text:"Clr");
45
46          functionButtons[0] = addButton;
47          functionButtons[1] = subButton;
48          functionButtons[2] = mulButton;
49          functionButtons[3] = divButton;
50          functionButtons[4] = decButton;
51          functionButtons[5] = equButton;
52          functionButtons[6] = delButton;
53          functionButtons[7] = clrButton;
54
55          for (int i = 0; i < 8; i++) {
56              functionButtons[i].addActionListener(this);
57              functionButtons[i].setFont(myFont);
58              functionButtons[i].setFocusable(focusable:false);
59          }
60
61          for (int i = 0; i < 10; i++) {
62              numberButtons[i] = new JButton(String.valueOf(i));
63              numberButtons[i].addActionListener(this);
64              numberButtons[i].setFont(myFont);
65              numberButtons[i].setFocusable(focusable:false);
66          }
67
68          delButton.setBounds(x:50, y:430, width:145, height:50);
69          clrButton.setBounds(x:205, y:430, width:145, height:50);
70
71          frame.add(delButton);
```

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
Listening on 55969
User program running
User program finished
```

4 8 | 0 | Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:33 03-07-2024

File Edit Selection View Go Run Terminal Help

java project

RUN AN... Launch Jav

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    Calculator() {

        delButton.setBounds(x:50, y:430, width:145, height:50);
        clrButton.setBounds(x:205, y:430, width:145, height:50);

        frame.add(delButton);
        frame.add(clrButton);

        panel = new JPanel();
        panel.setBounds(x:50, y:100, width:300, height:300);
        panel.setLayout(new java.awt.GridLayout(rows:4, cols:4, hgap:10, vgap:10));

        panel.add(numberButtons[1]);
        panel.add(numberButtons[2]);
        panel.add(numberButtons[3]);
        panel.add(addButton);
        panel.add(numberButtons[4]);
        panel.add(numberButtons[5]);
        panel.add(numberButtons[6]);
        panel.add(subButton);
        panel.add(numberButtons[7]);
        panel.add(numberButtons[8]);
        panel.add(numberButtons[9]);
        panel.add(mulButton);
        panel.add(decButton);
        panel.add(numberButtons[0]);
        panel.add(equButton);
        panel.add(divButton);

        frame.add(panel);
        frame.setVisible(b:true);
    }

    Run main | Debug main | Run | Debug
    public static void main(String[] args) {
        Calculator calc = new Calculator();
    }
```

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

- Uncaught Exceptions
- Caught Exceptions

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
Listening on 55969
User program running
User program finished
```

Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:33 03-07-2024

File Edit Selection View Go Run Terminal Help

java project

RUN AN... Launch Jav

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    public static void main(String[] args) {

    @Override
    public void actionPerformed(ActionEvent e) {
        for (int i = 0; i < 10; i++) {
            if (e.getSource() == numberButtons[i]) {
                textField.setText(textField.getText().concat(String.valueOf(i)));
            }
        }
        if (e.getSource() == decButton) {
            textField.setText(textField.getText().concat(str:"."));
        }
        if (e.getSource() == addButton) {
            num1 = Double.parseDouble(textField.getText());
            operator = '+';
            textField.setText(t:"");
        }
        if (e.getSource() == subButton) {
            num1 = Double.parseDouble(textField.getText());
            operator = '-';
            textField.setText(t:"");
        }
        if (e.getSource() == mulButton) {
            num1 = Double.parseDouble(textField.getText());
            operator = '*';
            textField.setText(t:"");
        }
        if (e.getSource() == divButton) {
            num1 = Double.parseDouble(textField.getText());
            operator = '/';
            textField.setText(t:"");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.getText());

            switch (operator) {
                case '+':
                    result = num1 + num2;
```

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

- Uncaught Exceptions
- Caught Exceptions

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
Listening on 55969
User program running
User program finished
```

Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:33 03-07-2024

File Edit Selection View Go Run Terminal Help

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    public void actionPerformed(ActionEvent e) {
            operator = '/';
            textField.setText("");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.getText());

            switch (operator) {
                case '+':
                    result = num1 + num2;
                    break;
                case '-':
                    result = num1 - num2;
                    break;
                case '*':
                    result = num1 * num2;
                    break;
                case '/':
                    result = num1 / num2;
                    break;
            }
            textField.setText(String.valueOf(result));
            num1 = result;
        }
        if (e.getSource() == clrButton) {
            textField.setText("");
        }
        if (e.getSource() == delButton) {
            String string = textField.getText();
            textField.setText("");
            for (int i = 0; i < string.length() - 1; i++) {
                textField.setText(textField.getText() + string.charAt(i));
            }
        }
    }
}
```

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

```
Listening on 55969
User program running
User program finished
```

Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:34 03-07-2024

File Edit Selection View Go Run Terminal Help

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    public void actionPerformed(ActionEvent e) {
            operator = '/';
            textField.setText("");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.get

            switch (operator) {
                case '+':
                    result = num1 + num2;
                    break;
                case '-':
                    result = num1 - num2;
                    break;
                case '*':
                    result = num1 * num2;
                    break;
                case '/':
                    result = num1 / num2;
                    break;
            }
            textField.setText(String.valueOf(result
            num1 = result;
        }
        if (e.getSource() == clrButton) {
            textField.setText("");
        }
        if (e.getSource() == delButton) {
            String string = textField.getText();
            textField.setText("");
            for (int i = 0; i < string.length() -
                textField.setText(textField.getText
            }
        }
    }
}
```

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

Uncaught Exceptions

Caught Exceptions

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:34 03-07-2024

```java
public class Calculator implements ActionListener {
    public void actionPerformed(ActionEvent e) {
            operator = '/';
            textField.setText("");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.get

            switch (operator) {
                case '+':
                    result = num1 + num2;
                    break;
                case '-':
                    result = num1 - num2;
                    break;
                case '*':
                    result = num1 * num2;
                    break;
                case '/':
                    result = num1 / num2;
                    break;
            }
            textField.setText(String.valueOf(result
            num1 = result;
        }
        if (e.getSource() == clrButton) {
            textField.setText("");
        }
        if (e.getSource() == delButton) {
            String string = textField.getText();
            textField.setText("");
            for (int i = 0; i < string.length() -
                textField.setText(textField.getText
            }
        }
    }
}
```

File Edit Selection View Go Run Terminal Help

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    public void actionPerformed(ActionEvent e) {
            operator = '/';
            textField.setText("");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.get

            switch (operator) {
                case '+':
                    result = num1 + num2;
                    break;
                case '-':
                    result = num1 - num2;
                    break;
                case '*':
                    result = num1 * num2;
                    break;
                case '/':
                    result = num1 / num2;
                    break;
            }
            textField.setText(String.valueOf(result
            num1 = result;
        }
        if (e.getSource() == clrButton) {
            textField.setText("");
        }
        if (e.getSource() == delButton) {
            String string = textField.getText();
            textField.setText("");
            for (int i = 0; i < string.length() -
                textField.setText(textField.getText
            }
        }
    }
}
```

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

VARIABLES | WATCH | CALL STACK | BREAKPOINTS

Uncaught Exceptions

Caught Exceptions

Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:34 03-07-2024

File Edit Selection View Go Run Terminal Help

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    public void actionPerformed(ActionEvent e) {
            operator = '/';
            textField.setText("");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.get

            switch (operator) {
                case '+':
                    result = num1 + num2;
                    break;
                case '-':
                    result = num1 - num2;
                    break;
                case '*':
                    result = num1 * num2;
                    break;
                case '/':
                    result = num1 / num2;
                    break;
            }
            textField.setText(String.valueOf(result
            num1 = result;
        }
        if (e.getSource() == clrButton) {
            textField.setText("");
        }
        if (e.getSource() == delButton) {
            String string = textField.getText();
            textField.setText("");
            for (int i = 0; i < string.length() -
                textField.setText(textField.getText
            }
        }
    }
}
```

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

Uncaught Exceptions

Caught Exceptions

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

Launch Java App (java project) | User program finished | Java Ready | Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy | Search | ENG IN | 19:34 03-07-2024

File Edit Selection View Go Run Terminal Help

Welcome | calculator.java 6 | project.java 6 | launch.json | Settings

project.java > Language Support for Java(TM) by Red Hat > Calculator > actionPerformed(ActionEvent)

```java
public class Calculator implements ActionListener {
    public void actionPerformed(ActionEvent e) {
            operator = '/';
            textField.setText("");
        }
        if (e.getSource() == equButton) {
            num2 = Double.parseDouble(textField.get

            switch (operator) {
                case '+':
                    result = num1 + num2;
                    break;
                case '-':
                    result = num1 - num2;
                    break;
                case '*':
                    result = num1 * num2;
                    break;
                case '/':
                    result = num1 / num2;
                    break;
            }
            textField.setText(String.valueOf(result
            num1 = result;
        }
        if (e.getSource() == clrButton) {
            textField.setText("");
        }
        if (e.getSource() == delButton) {
            String string = textField.getText();
            textField.setText("");
            for (int i = 0; i < string.length() -
                textField.setText(textField.getText
            }
        }
    }
}
```

VARIABLES

WATCH

CALL STACK

BREAKPOINTS

Uncaught Exceptions

Caught Exceptions

PROBLEMS 12 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS

Launch Java App (java project) | User program finished | Java Ready

Screen Reader Optimized | Ln 140, Col 26 | Spaces: 4 | UTF-8 | CRLF | Java | Go Live

30°C Mostly cloudy

Search

ENG IN

19:35 03-07-2024