Allure Test Report

Generated 10/25/2026, 12:05:38 AM · 3 tests · 6 attempts

0	3	0	0	0
passed	failed	broken	skipped	unknown

SKIPPED searches Google for Playwright

0.00 s

Attempt 1 of 2

example.spec.js › searches Google for Playwright

language: javascript framework: playwright package: playwright.example.spec.js
_fallbackTestCaseId: 167eb00d100f97d48cadd2c7fefb1c35 titlePath: > chromium > example.spec.js host: LEGION
thread: pid-91716-worker-0 parentSuite: chromium suite: example.spec.js

Parameters

- **Project:** chromium

FAILED searches Google for Playwright

6.26 s

Attempt 2 of 2

example.spec.js › searches Google for Playwright

language: javascript framework: playwright package: playwright.example.spec.js
_fallbackTestCaseId: 167eb00d100f97d48cadd2c7fefb1c35 titlePath: > chromium > example.spec.js host: LEGION
thread: pid-74944-worker-0 parentSuite: chromium suite: example.spec.js

Parameters

- **Project:** chromium

Failure details

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
```

```
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnsg5YN0EGZXc5PbssoGya
75TDJMng%3A1792864713109&source=hp&ei=yfHcasvGBbS2hvcPkpCY8Ac&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_esv%
3D5beb0b408f23f4f0%26sxsrf%3DAPpeQnsg5YN0EGZXc5PbssoGya75TDJMng%253A1792864…"
```

Steps

- PASSED **Before Hooks** 0.57 s
  - PASSED **Fixture "browser"** 0.33 s
    - PASSED **Launch browser** 0.33 s
  - PASSED **Fixture "context"** 0.01 s
    - PASSED **Create context** 0.01 s
  - PASSED **Fixture "page"** 0.21 s
    - PASSED **Create page** 0.21 s
- PASSED **Navigate** 0.60 s
- PASSED **Fill "Playwright browser automation"** 0.15 s
- PASSED **Press "Enter"** 0.12 s
- PASSED **Expect "toHaveURL"** 0.13 s
- FAILED **Expect "toContainText"** 5.01 s

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnsg5YN0EGZXc5PbssoG
ya75TDJMng%3A1792864713109&source=hp&ei=yfHcasvGBbS2hvcPkpCY8Ac&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_es
v%3D5beb0b408f23f4f0%26sxsrf%3DAPpeQnsg5YN0EGZXc5PbssoGya75TDJMng%253A1792864…"
```

error-context 0.00 s

Attachments

error-context text/markdown

````
# Instructions

- Following Playwright test failed.
- Explain why, be concise, respect Playwright best practices.
- Provide a snippet of code with the fix, if possible.

# Test info

- Name: example.spec.js >> searches Google for Playwright
- Location: tests\example.spec.js:4:5

# Error details

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnsg5YN0EGZXc5PbssoG
ya75TDJMng%3A1792864713109&source=hp&ei=yfHcasvGBbS2hvcPkpCY8Ac&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_es
v%3D5beb0b408f23f4f0%26sxsrf%3DAPpeQnsg5YN0EGZXc5PbssoGya75TDJMng%253A1792864…"

```

```yaml
- separator
- iframe
- separator
- text: About this page Our systems have detected unusual traffic from your computer
network. This page checks to see if it's really you sending the requests, and not a
robot.
- link "Why did this happen?":
  - /url: "#"
- text: "IP address: 2405:201:f00d:30d4:c86e:b5fb:aec0:a883 Time: 2026-10-24T17:58:34Z
URL: https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnsg5YN0EGZXc5PbssoG
````
````

````
ya75TDJMng%3A1792864713109&source=hp&ei=yfHcasvGBbS2hvcPkpCY8Ac&iflsig=ABILxe8AAAAAatz_
2SgkJKJbzD6YV1kuzTF_SIVyRpkA&ved=0ahUKEwiLz-rCndOXAxU0m-
EIHRIIBn4Q4dUDCCA&uact=5&oq=Playwright+browser+automation&gs_lp=Egdnd3Mtd2l6Ih1QbGF5d3J
pZ2h0IGJyb3dzZXIgYXV0b21hdGlvbkgcUABYAHAAeACQAQCYAQCgAQCqAQC4AQPIAQD4AQGYAgCgAgCYAwCSBw
CgBwCyBwC4BwDCBwDIBwCACAE&sclient=gws-wiz&sei=yfHcaoyuNZychvcPlJG9uQ0"
```

# Test source

```ts
  1  | // @ts-check
  2  | import { test, expect } from '@playwright/test';
  3  |
  4  | test('searches Google for Playwright', async ({ page }) => {
  5  |   await page.goto('https://www.google.com/');
  6  |
  7  |   const searchBox = page.locator('textarea[name="q"], input[name="q"]').first();
  8  |   await searchBox.fill('Playwright browser automation');
  9  |   await searchBox.press('Enter');
  10 |
  11 |   await expect(page).toHaveURL(/google\.com\/search\?/);
> 12 |   await expect(page.locator('#search')).toContainText(/Playwright/i);
     |                                         ^ Error:
expect(locator).toContainText(expected) failed
  13 | });
  14 |
```
````

PASSED **After Hooks** 0.04 s

PASSED **Fixture "page"** 0.00 s

PASSED **Fixture "context"** 0.02 s

PASSED **Close context** 0.02 s

SKIPPED searches Google for Playwright 0.00 s

Attempt 1 of 2

example.spec.js › searches Google for Playwright

language: javascript | framework: playwright | package: playwright.example.spec.js

_fallbackTestCaseId: 167eb00d100f97d48cadd2c7fefb1c35 | titlePath: > firefox > example.spec.js | host: LEGION

thread: pid-91716-worker-0 | parentSuite: firefox | suite: example.spec.js

Parameters

- **Project:** firefox
````

FAILED searches Google for Playwright

12.11 s

Attempt 2 of 2

example.spec.js › searches Google for Playwright

language: javascript | framework: playwright | package: playwright.example.spec.js | _fallbackTestCaseId: 167eb00d100f97d48cadd2c7fefb1c35 | titlePath: > firefox > example.spec.js | host: LEGION | thread: pid-74944-worker-1 | parentSuite: firefox | suite: example.spec.js

Parameters

- **Project:** firefox

Failure details

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnu_jSt9YdBD6dh179i7sq
FLOvK4NQ%3A1792864728141&source=hp&ei=2PHcavGqB6icseMP09bt0Qo&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_esv%
3D5beb0b408f23f4f0%26sxsrf%3DAPpeQnu_jSt9YdBD6dh179i7sqFLOvK4NQ%253A1792864…"
```

Steps

- PASSED **Before Hooks** 15.47 s
  - PASSED **Fixture "browser"** 12.88 s
    - PASSED **Launch browser** 12.88 s
  - PASSED **Fixture "context"** 1.06 s
    - PASSED **Create context** 1.06 s
  - PASSED **Fixture "page"** 1.52 s
    - PASSED **Create page** 1.52 s
- PASSED **Navigate** 1.10 s

PASSED **Fill "Playwright browser automation"** 2.97 s

PASSED **Press "Enter"** 0.22 s

PASSED **Expect "toHaveURL"** 0.16 s

FAILED **Expect "toContainText"** 5.01 s

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnu_jSt9YdBD6dh179i7
sqFLOvK4NQ%3A1792864728141&source=hp&ei=2PHcavGqB6icseMP09bt0Qo&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_es
v%3D5beb0b408f23f4f0%26sxsrf%3DAPpeQnu_jSt9YdBD6dh179i7sqFLOvK4NQ%253A1792864…"
```

error-context 0.00 s

Attachments

error-context text/markdown

````
# Instructions

- Following Playwright test failed.
- Explain why, be concise, respect Playwright best practices.
- Provide a snippet of code with the fix, if possible.

# Test info

- Name: example.spec.js >> searches Google for Playwright
- Location: tests\example.spec.js:4:5

# Error details

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnu_jSt9YdBD6dh179i7
sqFLOvK4NQ%3A1792864728141&source=hp&ei=2PHcavGqB6icseMP09bt0Qo&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_es
v%3D5beb0b408f23f4f0%26sxsrf%3DAPpeQnu_jSt9YdBD6dh179i7sqFLOvK4NQ%253A1792864…"

```

```yaml
- separator
- iframe
- separator
- text: About this page Our systems have detected unusual traffic from your computer
network. This page checks to see if it's really you sending the requests, and not a
robot.
- link "Why did this happen?":
  - /url: "#"
- text: "IP address: 2405:201:f00d:30d4:c86e:b5fb:aec0:a883 Time: 2026-10-24T17:58:52Z
URL: https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQnu_jSt9YdBD6dh179i7
````
````

````
sqFLOvK4NQ%3A1792864728141&source=hp&ei=2PHcavGqB6icseMP09bt0Qo&iflsig=ABILxe8AAAAAatz_
6Obb51MYwUeZRz_WkdJEOFDPPV40&ved=0ahUKEwjx9v_JndOXAxUoTmwGHVNrO6oQ4dUDCCA&uact=5&oq=Pla
ywright+browser+automation&gs_lp=Egdnd3Mtd2l6Ih1QbGF5d3JpZ2h0IGJyb3dzZXIgYXV0b21hdGlvbk
g2UABYAHAAeACQAQCYAQCgAQCqAQC4AQPIAQD4AQGYAgCgAgCYAwCSBwCgBwCyBwC4BwDCBwDIBwCACAE&sclie
nt=gws-wiz&sei=3PHcavPMCOmcseMPmpvWyQw"
```

# Test source

```ts
  1  | // @ts-check
  2  | import { test, expect } from '@playwright/test';
  3  |
  4  | test('searches Google for Playwright', async ({ page }) => {
  5  |   await page.goto('https://www.google.com/');
  6  |
  7  |   const searchBox = page.locator('textarea[name="q"], input[name="q"]').first();
  8  |   await searchBox.fill('Playwright browser automation');
  9  |   await searchBox.press('Enter');
  10 |
  11 |   await expect(page).toHaveURL(/google\.com\/search\?/);
> 12 |   await expect(page.locator('#search')).toContainText(/Playwright/i);
     |                                         ^ Error:
expect(locator).toContainText(expected) failed
  13 | });
  14 |
```
````

PASSED **After Hooks** 0.08 s

PASSED **Fixture "page"** 0.00 s

PASSED **Fixture "context"** 0.05 s

PASSED **Close context** 0.04 s

SKIPPED searches Google for Playwright 0.00 s

Attempt 1 of 2

example.spec.js › searches Google for Playwright

language: javascript | framework: playwright | package: playwright.example.spec.js

_fallbackTestCaseId: 167eb00d100f97d48cadd2c7fefb1c35 | titlePath: > webkit > example.spec.js | host: LEGION

thread: pid-91716-worker-0 | parentSuite: webkit | suite: example.spec.js

Parameters

- **Project:** webkit
````

FAILED searches Google for Playwright 7.30 s

Attempt 2 of 2

example.spec.js › searches Google for Playwright

language: javascript | framework: playwright | package: playwright.example.spec.js
_fallbackTestCaseId: 167eb00d100f97d48cadd2c7fefb1c35 | titlePath: > webkit > example.spec.js | host: LEGION
thread: pid-74944-worker-2 | parentSuite: webkit | suite: example.spec.js

Parameters

- **Project:** webkit

Failure details

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQns1AjgmhfHAQLxSydTRA-
45o_Trtw%3A1792864720742&source=hp&ei=0PHcapX2K7qkhvcPuc2wwAw&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_esv%
3D5beb0b408f23f4f0%26sxsrf%3DAPpeQns1AjgmhfHAQLxSydTRA-45o_Trtw%253A1792864…"
```

Steps

- PASSED **Before Hooks** 8.09 s
  - PASSED **Fixture "browser"** 6.98 s
    - PASSED **Launch browser** 6.98 s
  - PASSED **Fixture "context"** 0.31 s
    - PASSED **Create context** 0.30 s
  - PASSED **Fixture "page"** 0.79 s
    - PASSED **Create page** 0.78 s
- PASSED **Navigate** 0.72 s

PASSED **Fill "Playwright browser automation"** 0.13 s

PASSED **Press "Enter"** 0.20 s

PASSED **Expect "toHaveURL"** 0.13 s

FAILED **Expect "toContainText"** 5.01 s

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQns1AjgmhfHAQLxSydTR
A-45o_Trtw%3A1792864720742&source=hp&ei=0PHcapX2K7qkhvcPuc2wwAw&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_es
v%3D5beb0b408f23f4f0%26sxsrf%3DAPpeQns1AjgmhfHAQLxSydTRA-45o_Trtw%253A1792864…"
```

error-context 0.00 s

Attachments

error-context text/markdown

````
# Instructions

- Following Playwright test failed.
- Explain why, be concise, respect Playwright best practices.
- Provide a snippet of code with the fix, if possible.

# Test info

- Name: example.spec.js >> searches Google for Playwright
- Location: tests\example.spec.js:4:5

# Error details

```
Error: expect(locator).toContainText(expected) failed

Locator: locator('#search')
Expected pattern: /Playwright/i
Timeout: 5000ms
Error: element(s) not found

Call log:
  - Expect "toContainText" locator('#search') with timeout 5000ms
  - waiting for locator('#search')
    - waiting for "https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQns1AjgmhfHAQLxSydTR
A-45o_Trtw%3A1792864720742&source=hp&ei=0PHcapX2K7qkhvcPuc2wwAw&iflsig=ABILxe8AAAA…"
navigation to finish...
    - navigated to "https://www.google.com/sorry/index?
continue=https://www.google.com/search%3Fq%3DPlaywright%2Bbrowser%2Bautomation%26sca_es
v%3D5beb0b408f23f4f0%26sxsrf%3DAPpeQns1AjgmhfHAQLxSydTRA-45o_Trtw%253A1792864…"

```

```yaml
- separator
- iframe
- separator
- text: About this page Our systems have detected unusual traffic from your computer
network. This page checks to see if it's really you sending the requests, and not a
robot.
- link "Why did this happen?":
  - /url: "#"
- text: "IP address: 2405:201:f00d:30d4:c86e:b5fb:aec0:a883 Time: 2026-10-24T17:58:42Z
URL: https://www.google.com/search?
q=Playwright+browser+automation&sca_esv=5beb0b408f23f4f0&sxsrf=APpeQns1AjgmhfHAQLxSydTR
````
````

```
A-
45o_Trtw%3A1792864720742&source=hp&ei=0PHcapX2K7qkhvcPuc2wwAw&iflsig=ABILxe8AAAAAatz_4O
K_IXx25mCRimHz4JVH1czAfbSi&ved=0ahUKEwiVnrzGndOXAxU6kuEIHbkmDMgQ4dUDCCA&uact=5&oq=Playw
right+browser+automation&gs_lp=Egdnd3Mtd2l6Ih1QbGF5d3JpZ2h0IGJyb3dzZXIgYXV0b21hdGlvbkgV
UABYAHAAeACQAQCYAQCgAQCqAQCwAQC4AQPIAQD4AQGYAgCgAgCYAwDiAwQYACBd4gMEGAAgXuIDBBgAIF_iAwQ
YACBg4gMEGAAgYeIDBBgAIGKSBwCgBwCyBwC4BwDCBwDIBwCACAE&sclient=gws-
wiz&sei=0fHcasujIYejhvcP37-BkQY"
```

Test source

```ts
  1  | // @ts-check
  2  | import { test, expect } from '@playwright/test';
  3  |
  4  | test('searches Google for Playwright', async ({ page }) => {
  5  |   await page.goto('https://www.google.com/');
  6  |
  7  |   const searchBox = page.locator('textarea[name="q"], input[name="q"]').first();
  8  |   await searchBox.fill('Playwright browser automation');
  9  |   await searchBox.press('Enter');
  10 |
  11 |   await expect(page).toHaveURL(/google\.com\/search\?/);
> 12 |   await expect(page.locator('#search')).toContainText(/Playwright/i);
     |                                         ^ Error:
expect(locator).toContainText(expected) failed
  13 | });
  14 |
```

PASSED **After Hooks** 0.02 s

- PASSED **Fixture "page"** 0.00 s
- PASSED **Fixture "context"** 0.01 s
  - PASSED **Close context** 0.01 s