SWIGGY WEBSITE

A MINI PROJECT REPORT

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE IN-HOUSE INTERNSHIP CUM TECHNICAL TRAINING

Master of Computer ApplicationMCA

SUBMITTED TO Dayananda Sagar College of Engineering Department of MCA

SUBMITTED BY

Name of Student(s) ADDHYAN KUMAR University Roll No. (14pt) 1DS21MC006

SUPERVISED BY

Mahendra Kumar Assistant professor Dept.of MCA

Shilpa Vaidya



WEBSITE DESIGN FOR SWIGGY

A MINI PROJECT REPORT on WEB

SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE AWARD OF

Master of Computer Application

SUBMITTED TO Dayananda Sagar College of Engineering, Department of MCA, Bangalore

SUBMITTED BY

Name of Student(s) ADDHYAN KUMAR University Roll No. 1DS21MC006

SUPERVISED BY

Mahendra Kumar Asst Professor Dept of MCA

> Shilpa Vaidya Corporate Trainer

> > May 2023



Dayananda Sagar College of Engineering, Department of MCA, Bangalore

ACKNOWLEDGEMENT

I would like to place on record my deep sense of gratitude to Prof. <u>Samitha Khayum</u>, HOD-Dept. of MCA, Dayananda Sagar College of Engineering, India for his generous guidance, help and useful suggestions.

Placement -Cell - Mr. GuruVenkatesh - VP - Placement & Training - Quality control.

Mr. Rajeev Enhanced Knowledge Works, Bengaluru – Mrs/Ms. Shilpa – Corporate Trainer & Freelance Trainer.

I express my sincere gratitude to Prof. <u>Mahendra Kumar</u> Dept. of MCA, Dayananda Sagar College of Engineering India, for his stimulating guidance, continuous encouragement and supervision throughout the course of present work.

Signature(s) of Students

CERTIFICATE

I hereby certify that the work which is being presented in the MCA, Mini Project Report entitled "Swiggy Website", in partial fulfillment of the requirements for the award of the In-House Internship cum Technical Training and submitted to the **Department of MCA**, **Dayananda Sagar College of Engineering, Bangalore** is an authentic record of my own work carried out during a period from **April 2023 to May 2023** (IV **semester**) under the supervision of **Prof. Mahendra Kumar, Asst Prof, MCA Department**.

The matter presented in this Project Report has not been submitted by me for the award of any other degree elsewhere.

Signature of Student (S)

This is to certify that the above statement made by the student(s) is correct to the best of my knowledge.

Signature of Supervisor(s)

Date:	Name & Designation
-------	--------------------

Head

MCA

TABLE OF CONTENTS

Sl.No	<u>Topics</u>	Page.No
1.	Introduction	05
2.	Project Modules	05-06
3.	Code Implementation	07-82
4.	Screenshots	82-89
5.	Tools and Technologies	90
6.	Conclusion	91
7.	References	92

Introduction

Swiggy is an online food ordering and delivery platform based in India that allows customers to order food from a wide range of restaurants and have it delivered to their doorstep. However, with the aim of revolutionizing the food delivery industry in the country. Swiggy enables customers to order food from a wide range of restaurants, cafes, and other eateries in their locality, and have it delivered to their doorstep within a specified time frame.

Swiggy has gained immense popularity in India due to its user-friendly platform, fast and reliable delivery service, and a wide selection of restaurant partners. It has also expanded its services to include Swiggy Go, which provides on-demand delivery of groceries, medicines, and other essentials, as well as Swiggy Genie, which offers hyperlocal delivery of anything from documents to clothes.

Project Modules:

Home Module:

Swiggy's homepage is the main gateway for customers to access its online food ordering and delivery platform. The homepage is designed to be user-friendly and intuitive, with a simple and clean layout that makes it easy for users to search for their favorite restaurants and dishes.

At the top of the homepage, users can enter their location and search for restaurants and dishes based on their preferences. The homepage also features a section for popular restaurants, new restaurants, and special offers, making it easier for users to discover new places to order from.

Swiggy's homepage also provides users with easy access to their account information, order history, and customer support. Users can track their orders in real-time, view their past orders, and provide feedback on their experience.

Overall, Swiggy's homepage is designed to provide a seamless and convenient online food ordering and delivery experience for its customers.

Login page module:

Swiggy's login page is where customers can access their account on the platform. The login page is designed to be simple and straightforward, with clear instructions for users on how to log in or sign up for a new account.

Users can log in using their registered mobile number or email address and password. If they are logging in for the first time, they can also sign up for a new account using their mobile number or email address.

Once users have logged in, they can access their account information, including their order history, saved addresses, and payment methods. They can also customize their profile settings and preferences, such as their favourite restaurants and dishes.

Sign in page:

Swiggy's sign-in page is the initial step for new users to create an account on the platform. The sign-in page is designed to be user-friendly, with clear instructions for users on how to sign up for a new account.

To create a new account on Swiggy, users need to enter their mobile number or email address, along with a password of their choice. They also need to provide their location details, including their address and pin code.

Area wise page (Bangalore):

Swiggy's city-wise restaurant page is a feature of the platform that allows users to browse through a list of restaurants available in their city. This page is designed to make it easier for users to discover new restaurants and cuisines in their locality.

Users can access the city-wise restaurant page by selecting their city on the Swiggy homepage or by using the search function. The page features a comprehensive list of restaurants available in the selected city, with options to filter the list based on various criteria such as cuisine type, rating, and price range.

Users can also view detailed information about each restaurant, including its menu, opening hours, location, and customer ratings and reviews. They can also place an order directly from the restaurant page, with options to customize their order and choose their preferred delivery time.

Code Implementation

Home page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="css/index.css">
  link
href="https://fonts.googleapis.com/css2?family=Abril+Fatface&family=Catamaran:wght@200&family=Co
urgette&family=Edu+TAS+Beginner:wght@700&family=Lato:wght@300;900&family=Mukta:wght@700
&family=Mulish:wght@300&family=Open+Sans&family=PT+Sans:ital,wght@1,700&family=Poppins:wg
ht@300&family=Raleway:wght@100&family=Roboto+Condensed:wght@700&family=Roboto+Slab&fam
ily=Roboto:wght@300&family=Source+Sans+Pro:wght@300&display=swap" rel="stylesheet">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
  rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
</head>
<body>
  <div class="main">
    <div class="left">
      <nav>
         <img src="img/swi.png" alt="index.html">
        <div class="log">
           <button class="logn"><a href="loin.html">Login</a></button>
           <button class="sign"><a href="sign.html">Sign Up</a></button>
        </div>
      </nav>
      <div class="txt">
      <h1>Late Night at Office ?</h1>
      Order food from favourite restaurants near you.
      <div class="inp">
```

```
<input type="text" placeholder="Enter your Delivery Location"><button>Find Food</button>
      </div>
      Popular Cities in India
      <span class="city"><a href="#">Ahmedabad &nbsp;</a></span><span</pre>
class="city"><a href="bangalore.html">Bangalore &nbsp;</a></span> <span class="city"><a
href="#">Chennai  </a></span>
      <span class="city"><a href="#">Delhi &nbsp;</a></span> <span class="city"><a</pre>
href="#">Hyderabad  </a></span> <span class="city"><a href="#">Kolkata
 </a></span><span class="city"><a href="#">more </a></span> .
      </div>
    </div>
    <div class="lefts">
    <img class="main-img" src="img/swig.jpeg" alt="">
  </div>
</div>
  <div class="cards">
    <div class="crd">
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_224,h_412/4x_Live_order_z
zotwy"
         alt="">
      <h2>Live Order Tracking</h2>
      Know where your order is at all times, from the restaurant to your doorstep
    </div>
    <div class="crd">
      <img
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_210,h_398/4x_-
_No_min_order_x0bxuf"
        alt="">
      <h2>Live Order Tracking</h2>
      Know where your order is at all times, from the restaurant to your doorstep
    </div>
    <div class="crd">
      <br>
      <br>
      <img
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_248,h_376/4x_-
_Super_fast_delivery_awv7sn"
         alt="">
      <h2>Live Order Tracking</h2>
      Know where your order is at all times, from the restaurant to your doorstep
    </div>
  </div>
  <div class="order">
    <div class="text">
      <h1>Restaurants in your pocket</h1>
      Order from your favorite restaurants & track on the go, with the all-new Swiggy app. 
       <br/>br>
       <a href="https://apps.apple.com/in/app/swiggy-food-grocery-delivery/id989540920"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,h_108/iOS_ajgrty"
alt=""></a><br>>
```

href="https://play.google.com/store/apps/details?id=in.swiggy.android&hl=en_IN&gl=US&pli=1"><img

```
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,h_108/play_ip0jfp"
alt=""></a>
    </div>
    <img
src="https://res.cloudinary.com/swiggy/image/upload/fl lossy,f auto,q auto,w 768,h 978/pixel wbdy4n"
      alt="">
  </div>
<footer class="footer">
 <div class="container">
  <div class="row">
   <div class="footer-col">
    <h4><img src="img/footer.png"></h4>
    ul>
     <a href="#">© 2023 Addhyan Kumar</a>
    </div>
   <div class="footer-col">
    <h4>get help</h4>
    ul>
     <a href="#">Company</a>
     <a href="#">About</a>
     <a href="#">Careers</a>
     <a href="#">Team</a>
     <a href="#">Swiggy One</a>
     <a href="#">Swiggy Instamart</a>
     <a href="#">Swiggy Genie</a>
    </div>
   <div class="footer-col">
    <h4>We deliver to:</h4>
    ul>
     <a href="bangalore.html">Bangalore</a>
     <a href="#">Gurgaon</a>
     <a href="#">Terms & Conditions</a>
     <a href="#">Delhi</a>
     <a href="#">Mumbai </a>
     <a href="#">598 cities</a>
    </div>
   <div class="footer-col">
    <h4>follow us</h4>
    <div class="social-links">
     <a href="#"><i class="fa fa-facebook-f"></i></a>
     <a href="#"><i class="fa fa-twitter"></i></a>
     <a href="#"><i class="fa fa-instagram"></i></a>
    </div>
   </div>
  </div>
 </div>
</footer>
</body>
</html>
```

index Page:

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
ref="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/fon
awesome.min.css">
 <link rel="stylesheet" href="css/login.css">
 rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
 rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
 k rel="preconnect" href="https://fonts.googleapis.com" />
     k rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
     link
        href="https://fonts.googleapis.com/css2?family=Mulish:wght@300;400;700;900&display=swap"
        rel="stylesheet"
       / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / / // / ///////////////////<pr
</head>
<body>
     <div class= "header">
                 <div class="nav1">
                 <a href="index.html"><img src="img/swiggy2.png" alt="logo"></a>
                       <div class="nav-links" id="navLinks">
                            <i class="fa fa-times" onclick="hideMenu()"></i>
                            ul>
                                  <a href="#"> SEARCH</i></a>
                                  <a href="#"> HELP </a>
                                  <a href="sign.html"> SIGN-IN</a>
                                  <a href="#"> CART </a>
                                  <a href="loin.html">ACCOUNT </a>
                            </111>
                      </div>
                 <i class="fa fa-bars" onclick="showMenu()"></i>
              </div>
           <hr>
        </div>
```

```
<div class="container1">
    <div class="wrapper1">
     <div class="title1"><span>Login Form</span></div>
     <form name="myForms" onsubmit="return validateForms()" method="post">
      <div class="row1">
       <i class="fas fa-user"></i>
       <input type="text" name="username" placeholder="Email or Phone" required>
      </div>
      <div class="row1">
       <i class="fas fa-lock"></i>
       <input type="password" name="password" placeholder="Password" required>
      </div>
      <div class="pass"><a href="#">Forgot password?</a></div>
      <div class="row1 button1">
       <input type="submit" value="Login">
      <div class="signup-link">Not a member? <a href="sign.html">Signup now</a></div>
     </form>
    </div>
   </div>
<br><br><br>><br>>
<footer class="footer">
 <div class="container">
  <div class="row">
   <div class="footer-col">
    <h4><img src="img/footer.png"></h4>
    \langle ul \rangle
     <a href="#">© 2023 Addhyan Kumar</a>
    </div>
   <div class="footer-col">
    <h4>get help</h4>
    \langle ul \rangle
     <a href="#">Company</a>
     <a href="#">About</a>
     <a href="#">Careers</a>
     <a href="#">Team</a>
     <a href="#">Swiggy One</a>
     <a href="#">Swiggy Instamart</a>
     <a href="#">Swiggy Genie</a>
    </div>
   <div class="footer-col">
    <h4>online shop</h4>
    ul>
     <a href="#">CWe deliver to:</a>
```

```
</a>
     <a href="bangalore.html">Bangalore</a>
     <a href="#">Gurgaon</a>
     <a href="#">Terms & Conditions</a>
     <a href="#">Delhi</a>
     <a href="#">Mumbai </a>
     <a href="#">598 cities</a>
    </div>
   <div class="footer-col">
    <h4>follow us</h4>
    <div class="social-links">
     <a href="#"><i class="fa fa-facebook-f"></i></a>
     <a href="#"><i class="fa fa-twitter"></i></a>
     <a href="#"><i class="fa fa-instagram"></i></a>
    </div>
   </div>
  </div>
 </div>
</footer>
<script>
 function validateForms(){
  let u = document.forms["myForms"]["username"].value;
  let p = document.forms["myForms"]["password"].value;
  if (u == ""){
  alert("Username must be filled out");
  return false;
 }
 if (p == ""){
  alert("Password must be filled ");
  return false;
 }
 }
      </script>
 <script>
    var navLinks = document.getElementById("navLinks");
    function showMenu(){
      navLinks.style.right ="0";
    function hideMenu(){
      navLinks.style.right ="-200px";
    }
    </script>
</body>
</html>
```

Sign Page:

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
<link rel="stylesheet" href="css/login.css">
rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
k rel="preconnect" href="https://fonts.googleapis.com" />
  k rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
  link
   href="https://fonts.googleapis.com/css2?family=Mulish:wght@300;400;700;900&display=swap"
   rel="stylesheet"
  />
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.2/css/all.min.css"/>
</head>
<body>
  <div class= "header">
      <div class="nav1">
      <a href="index.html"><img src="img/swiggy2.png" alt="logo"></a>
         <div class="nav-links" id="navLinks">
           <i class="fa fa-times" onclick="hideMenu()"></i>
           \langle ul \rangle
             <a href="#"> SEARCH</i></a>
             <a href="#"> HELP </a>
             <a href="sign.html"> SIGN-IN
             <a href="loin.html"> CART </a>
             <a href="loin.html">ACCOUNT </a>
           </div>
      <i class="fa fa-bars" onclick="showMenu()"></i>
     </div>
    <hr>
   </div>
   <div class="container1">
    <div class="wrapper1">
     <div class="title1"><span>SIGN-IN</span></div>
     <form name="myForms" onsubmit="return validateForms()" method="post">
      <div class="row1">
        <i class="fas fa-envelope"> </i>
        <input type="email" placeholder="Email" required>
```

```
</div>
      <div class="row1">
       <i class="fas fa-phone-alt"></i>
       <input type="text" name="phone" placeholder="Phone" required>
      </div>
      <div class="row1">
       <i class="fas fa-user"></i>
       <input type="text" name="name" placeholder="Name" required>
      </div>
      <div class="row1">
       <i class="fas fa-lock"></i>
       <input type="text" placeholder="Referral Code" required>
      </div>
      <div class="row1 button1">
       <input type="submit" value="Login">
      </div>
      <div class="signup-link">Are you a member? <a href="#">Login</a></div>
     </form>
    </div>
   </div><br><br><br><
<footer class="footer">
<div class="container">
 <div class="row">
   <div class="footer-col">
    <h4><img src="img/footer.png"></h4>
     <a href="#">© 2023 Addhyan Kumar</a>
    </div>
   <div class="footer-col">
    <h4>get help</h4>
    ul>
     <a href="#">Company</a>
     <a href="#">About</a>
     <a href="#">Careers</a>
     <a href="#">Team</a>
     <a href="#">Swiggy One</a>
     <a href="#">Swiggy Instamart</a>
     <a href="#">Swiggy Genie</a>
    </div>
   <div class="footer-col">
    <h4>We deliver to</h4>
    \langle ul \rangle
     <a href="bangalore.html">Bangalore</a>
     <a href="#">Gurgaon</a>
     <a href="#">Terms & Conditions</a>
     <a href="#">Delhi</a>
     <a href="#">Mumbai </a>
     <a href="#">598 cities</a>
    </div>
```

```
<div class="footer-col">
     <h4>follow us</h4>
     <div class="social-links">
      <a href="#"><i class="fa fa-facebook-f"></i></a>
      <a href="#"><i class="fa fa-twitter"></i></a>
      <a href="#"><i class="fa fa-instagram"></i></a>
    </div>
   </div>
  </div>
 </div>
</footer>
<script>
 function validateForms(){
  let n = document.forms["myForms"]["name"].value;
  let p = document.forms["myForms"]["phone"].value;
  if (p == ""){
  alert("Phone number must be filled out");
  return false;
 if (isNaN(p)){
  alert("Phone number must be digits");
  return false;
 if (n == ""){
  alert("Phone number must be filled out");
  return false;
 if (!isNaN(n)){
  alert("Name must be alphabate");
  return false;
       </script>
 <script>
    var navLinks = document.getElementById("navLinks");
    function showMenu(){
       navLinks.style.right ="0";
    function hideMenu(){
       navLinks.style.right ="-200px";
     </script>
</body>
</html>
```

Bangalore city page:

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
<link rel="stylesheet" href="css/styles.css">
rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
k rel="preconnect" href="https://fonts.googleapis.com" />
  k rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
   href="https://fonts.googleapis.com/css2?family=Mulish:wght@300;400;700;900&display=swap"
   rel="stylesheet"/>
</head>
<body>
  <div class= "header">
      <div class="nav1">
      <a href="index.html"><img src="img/swiggy2.png" alt="logo"></a>
         <div class="nav-links" id="navLinks">
           <i class="fa fa-times" onclick="hideMenu()"></i>
           \langle ul \rangle
             <a href="#"> SEARCH</i></a>
             <a href="#"> HELP </a>
             <a href="sign.html"> SIGN-IN
             <a href="#"> CART </a>
             <a href="loin.html">ACCOUNT </a>
           </div>
      <i class="fa fa-bars" onclick="showMenu()"></i>
     </div>
    <hr>
   </div>
  <div class="wrapper">
    <div class="left">
      <h1 class="btext">Order Food Online in Bangalore
```

```
</h1>
    </div>
    <div class="right">
       <img
src="https://res.cloudinary.com/swiggy/image/upload/fl lossy,f auto,q auto,w 1002,h 600/v1678428358/p
ortal/m/seo_web/dweb_header" width="370px" height="200px">
    </div>
   </div>
<h1 class="gridtext">What's on your mind?</h1>
   <div class="grid-container">
    <div class="item"><a href="#"><img</pre>
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_160,h_192/v1675667625/P
C Creative%20refresh/Biryani 2"></a></div>
    <div class="item"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl lossy,f auto,q auto,w 160,h 192/v1674029845/P
C_Creative%20refresh/3D_bau/banners_new/Burger"></div>
    <div class="item"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl lossy,f auto,q auto,w 160,h 192/v1674029856/P
C Creative%20refresh/3D bau/banners new/Pizza"></div>
    <div class="item"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl lossy,f auto,q auto,w 160,h 192/v1674029858/P
C_Creative%20refresh/3D_bau/banners_new/Rolls"></div>
    <div class="item"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_160,h_192/v1675667625/P
C Creative%20refresh/North Indian 4"></div>
    <div class="item"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_160,h_192/v1674029848/P
C Creative%20refresh/3D bau/banners new/Chinese"></div>
    <div class="item"><img
src="https://res.cloudinary.com/swiggy/image/upload/fl_lossy,f_auto,q_auto,w_160,h_192/v1675667626/P
C Creative%20refresh/South Indian 4"></div>
   </div>
 <script>
  const carousel = document.querySelector(".carousel");
const cards = document.guerySelectorAll(".card");
const cardWidth = cards[0].offsetWidth + 10; // include margin
let index = 0;
let translateX = 0;
function slideNext() {
 index++;
 if (index > cards.length - 5) {
  index = 0;
  translateX = 0;
 } else {
  translateX -= cardWidth;
 carousel.style.transform = `translateX(${translateX}px)`;
function slidePrev() {
 index--:
 if (index < 0) {
```

```
index = cards.length - 5;
  translateX = -index * cardWidth;
 } else {
  translateX += cardWidth;
 carousel.style.transform = `translateX(${translateX}px)`;
setInterval(slideNext, 3000); // automatic sliding every 3 seconds
// add event listeners to navigation buttons
document.querySelector(".carousel-next").addEventListener("click", slideNext);
document.querySelector(".carousel-prev").addEventListener("click", slidePrev);
 </script>
 <hr class="hrc">
 <h1 class="gridtext">Restaurants with online food delivery in Bangalore</h1>
<div class="product-list">
 <div class="product">
  <a href="#">
  <img src="img/2.webp" alt="Product 1">
  <h3>KFC</h3>
  <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.1
  Surgers, Biryani, American, Snacks, Fast Food 
  Banashankari 
 </a>
 </div>
 <div class="product">
  <img src="img/3.webp" alt="Product 2">
  <h3>McDonald's</h3>
  <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.1
  Surgers, Beverages, Cafe, Desserts
  Banashankari
 </div>
 <div class="product">
  <img src="img/4.webp" alt="Product 3">
  <h3>Wendy's</h3>
  <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.8
  American, Burgers, Fast Food, Beverages, Snacks
  Central Bangalore
 </div>
 <div class="product">
  <img src="img/6.jpeg" alt="Product 3">
  <h3>Bakingo</h3>
  <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.3
  Bakery, Desserts, Beverages, Snacks
  Vasanth Nagar
```

```
</div>
<div class="product">
 <img src="img/7.webp" alt="Product 3">
 <h3>Bakingo</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.3
 Bakery, Desserts, Beverages, Snacks
 Vasanth Nagar
</div>
<div class="product">
 <img src="img/8.jpeg" alt="Product 3">
 <h3>Social</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.5
 Pizzas, Fast Food, Italian
 Jayanagar
</div>
<div class="product">
 <img src="img/9.webp" alt="Product 3">
 <h3> Savoury Seashell Restaurant</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.9
 Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala
 Sannerghatta Main Road
</div>
<div class="product">
 <img src="img/10.webp" alt="Product 3">
 <h3> TEXAS BURGERS</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.9
 Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala
 BTM Layout
</div>
<div class="product">
 <img src="img/11.webp" alt="Product 3">
 <h3>Late Night</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.2
  Biryani, North Indian, Chinese
 BTM
</div>
<div class="product">
 <img src="img/12.webp" alt="Product 3">
 <h3>Hot Burger Company</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.9
 Bakery, Snacks
 Koramangala
</div>
<div class="product">
 <img src="img/13.webp" alt="Product 3">
 <h3>Kitchens of Punjab</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.5
 Punjabi, North Indian, Thalis, Desserts, Beverages
 Sannerghatta Main Road
</div>
```

<div class="product">

```
<img src="img/22.webp" alt="Product 3">
 <h3>Pipabu</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.7
 Pizzas, Italian, American, Continental, Salads, Desserts
 Koramangala Main Road
</div>
<div class="product">
 <img src="img/23.webp" alt="Product 3">
 <h3>Dimond</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.2
 Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala
 Bannerghatta Main Road
</div>
<div class="product">
 <img src="img/16.webp" alt="Product 3">
 <h3>Biryani house</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.9
 Siryani, North Indian, Chinese
 Koramangala Main Road
</div>
<div class="product">
 <img src="img/18.webp" alt="Product 3">
 <h3>CC base</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.5
 Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala
 Jayanagar
</div><div class="product">
 <img src="img/19.webp" alt="Product 3">
 <h3>kong kong Burger</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.9
 Burgers, Beverages, Cafe, Desserts
 BTM 
</div>
<div class="product">
 <img src="img/20.webp" alt="Product 3">
 <h3>Cs Ice cream</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 3.9
 Bakery, Desserts, Beverages, Snacks
 Ks city
</div>
<div class="product">
 <img src="img/21.webp" alt="Product 3">
 <h3>Sharma house</h3>
 <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.2
 Rolls, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala
 Jayanagar
</div>
<div class="product">
 <img src="img/31.webp" alt="Product 3">
 <h3>Joshi Mess</h3>
```

```
<i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.3
  Indian
  Tavarekere
 </div><div class="product">
  <img src="img/30.jpeg" alt="Product 3">
  <h3>Natraj Chole Bhature</h3>
  <i class="fa fa-star" aria-hidden="true"></i> &nbsp; 4.7
  Indian, Chaat, Sweets
  Jayanagar
 </div>
</div>
<hr>
<div class="area">
```

<h2>Reasons to Order Food Online in Bangalore via Swiggy</h2>

Sangalore, the IT hub of the country, is the city that is a home to millions of young techies staying far away from their homes. If you are also one of those, who does not have a proper functional kitchen, you can understand the pain of missing out on your favourite food. Imagine one day you are having a hectic day at work, and suddenly you find it's lunchtime. The rats have already started growling in your stomach as it's already Food O'clock, but you can't visit the food court due to your ongoing work. Bummer? But no worries, as Swiggy is...<div id="more">here to help you. Just take a pause, order food online in Bangalore, and you can resume work. Swiggy assures you of lightning-fast delivery, and the delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

br>

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agents will deliver your food within 45 minutes, fresh and hot from the restaurant.

delivery agent agents will be agent agen

Get your food delivery in Bangalore to experience its food culture/span>

The services of food delivery in Bangalore make it easy for you to taste the

delicious dishes that this city has to offer. From authentic pizzas and burgers to crispy masala dosa, idli, vada and droolworthy filter coffee, the city has it all. If you want to start with the famous food of Bangalore, try Ragi Mudde, which are traditional gluten-free balls made with finger millet flour. Next on the platter can be Mangaluru buns, which is a banana-based food, served with delicious coconut chutney and kurma. Biryani lovers must try the Anand Dum Biryani served at Hostoke. Bisi Bele Bath is an authentic vegetarian dish made with a combination of rice, veggies, lentils, and ghee and has the flavour of rich spices. The combination of akki roti and chutney pudi is comfort food at its best. Don't forget to gorge on Chow Chow Bath, a popular street food and dessert of Bangalore.

br>

Places to order food online in Bangalore
br>You will not have a dearth of places to order food online, as there are many restaurants offering online

food delivery in Bangalore. Here is a list of the restaurants that deliver and serve multi-cuisine food and will offer you an out-of-the-world gastronomical experience:

```
<br>><br>>
ul>
Biryani Pot 
Meghana Foods
Third Wave Coffee
Asha Tiffins
Kannur Food Point
Bakingo
Onesta
Namaste
Madeena Hotel
Sandwich Guru
Zaitoon
Chinese Bae
Call Me Chow
Al Taza
The Bowl Company
```

```
<br><br><br><
```

 $\langle ul \rangle$

Trust Swiggy to tantalize your taste buds

FAQs:

Q. When can I expect my food to be delivered once the order has been
placed?

- A. Once the order has been placed, the delivery agent will deliver the food within 45 minutes.

 span class="bold">Q. Which areas of Bangalore are served by Swiggy?
- A. Currently, we are available at Yeshwanthpur, Koramangala, HSR, Banashankari, Kammanahalli/Kalyan Nagar, Battarahalli, Bellandur/Serjapur, Yelahanka, R.T. Nagar, Rajarajeshwari Nagar, Shantinagar, Wilson Garden, Geddalahalli, JP Nagar, Arekere, Whitefield, Kumaraswamy Layout & Uttarahalli, Banaswadi, Frazer Town, Majestic, Kadugodi, CV Raman Nagar, Kudlo Gate, Jayanagar, Basavanavugi, Mahadevpura, Indiranagar, BTM, Basaveshwaranagar, Sanjay Nagar, New BEL Road, Kanakapura Road, Marathahalli, Electronic City, Central Bangalore and Kadubeesanahalli.

```
</div>
<button onclick="myFunction()" id="myBtn">Read more </button>
</div>
<footer class="footer">
 <div class="container">
  <div class="row">
   <div class="footer-col">
    <h4><img src="img/footer.png"></h4>
    \langle ul \rangle
     <a href="#">© 2023 Addhyan Kumar</a>
    </div>
   <div class="footer-col">
    <h4>get help</h4>
    \langle ul \rangle
     <a href="#">Company</a>
     <a href="#">About</a>
     <a href="#">Careers</a>
     <a href="#">Team</a>
     <a href="#">Swiggy One</a>
     <a href="#">Swiggy Instamart</a>
     <a href="#">Swiggy Genie</a>
    </div>
   <div class="footer-col">
    <h4>online shop</h4>
```

```
<a href="#">CWe deliver to:</a>
     </a>
     <a href="bangalore.html">Bangalore</a>
     <a href="#">Gurgaon</a>
     <a href="#">Terms & Conditions</a>
     <a href="#">Delhi</a>
     <a href="#">Mumbai </a>
     <a href="#">598 cities</a>
    </div>
   <div class="footer-col">
    <h4>follow us</h4>
    <div class="social-links">
     <a href="#"><i class="fa fa-facebook-f"></i></a>
     <a href="#"><i class="fa fa-twitter"></i></a>
     <a href="#"><i class="fa fa-instagram"></i></a>
    </div>
   </div>
  </div>
 </div>
</footer>
 <script>
    var navLinks = document.getElementById("navLinks");
    function showMenu(){
      navLinks.style.right ="0";
    function hideMenu(){
      navLinks.style.right ="-200px";
    </script>
<script>
function myFunction() {
 var dots = document.getElementById("dots");
 var moreText = document.getElementById("more");
 var btnText = document.getElementById("myBtn");
 if (dots.style.display === "none") {
  dots.style.display = "inline";
  btnText.innerHTML = "Read more";
  moreText.style.display = "none";
 else {
  dots.style.display = "none";
  btnText.innerHTML = "Read less";
  moreText.style.display = "inline";
 }
</script>
</body>
</html>
```

CSS:

```
=====index css ==========
  margin: 0%;
  padding: 0%;
font-family: 'Poppins', sans-serif;
.city a{
  text-decoration:none;
  font-weight: 40000;
  font-size: large;
}
.main{
  display: flex;
  justify-content: center;
  justify-content: space-around;
  cursor: pointer;
.main .left nav{
  display: flex;
  justify-content: center;
  justify-content: space-around;
  margin-top: 61px;
  cursor: pointer; }
.log a {
  text-decoration: none;
}
a:hover{
  text-decoration: none;
.left nav .sign{
  width: 100px;
  height: 34px;
  background-color: black;
  border: none;
  color: white;
  cursor: pointer }
.sign a{
  color: #fff;
.sign a:hover{
  color: black;
  text-decoration: none;
}
.logn a{
  color: black;
.logn a:hover{
  color: black;
  text-decoration: none; ;
```

```
.sign a:hover{
  text-decoration: none;
.left nav .sign:hover{
  background-color: transparent;
  color: black;
  border: 2px solid black;
  font-weight: 600;
.left nav button{
  border: none;
  color: black;
  background-color: transparent;
  margin-left: 32px;
  font-size: 16px;
  margin-top: 11px;
.left .txt{
  margin-left: 56px;
  margin-top: 60px;
}
.left .txt h1{
  font-size: 39px;
.txt p{
  margin-top: 16px;
  font-size: 23px;
  color: rgb(43, 42, 42);
.txt .inp{
  display: flex;
  margin-top: 33px;
.txt .inp input{
  width: 400px;
  border: 1px solid rgb(247, 90, 33);
  border-right: none;
  padding: 11px;
  font-size: 17px;
.txt .inp button{
  width: 130px;
  height: 50px;
  background-color: rgb(250, 80, 18);
  color: white;
  border: none;
  font-size: 18px;
.left img{
  width: 32%;
```

```
.main .main-img{
  width: 530px;
.txt .pp{
  font-size: 18px;
  margin-top: 22px;
}
.txt .ct{
  font-size: 18px;
.cards{
  display: flex;
  justify-content: center;
  justify-content: space-around;
  text-align: center;
  background-color: rgb(31, 16, 5);
  padding: 44px;
  color: white;
.card .crd img{
  width: 30%;
.card .crd h2{
  margin-top: 15px;
.order{
  display: flex;
  justify-content: center;
  justify-content: space-around;
.order img{
  width: 33%;
.order .text{
  margin-top: 65px;
}
.order .text h1{
  font-size: 43px;
.order .text p{
  font-size: 18px;
@media(max-width: 700px){
  .main-img{
    display: none ;
  }
  .cards{
```

```
justify-content: center;
     display: block;
     text-align: center;
     background-color: rgb(31, 16, 5);
     padding: 44px;
    color: white;
  .card .crd img{
     width: 10%;
  .card .crd h2{
  }
  .left{
     width: 100%;
  .order{
     padding: 20px;;
  }}
.footer{
     background-color: #24262b;
  padding: 70px 0;
  overflow: hidden;
.footer-col{
 width: 25%;
 padding: 0 15px;
.footer-col h4{
     font-size: 18px;
     color: #ffffff;
     text-transform: capitalize;
     margin-bottom: 35px;
     font-weight: 500;
     position: relative;
}
.footer-col h4::before{
     content: ";
     position: absolute;
     left:0;
     bottom: -10px;
     background-color: #e91e63;
     height: 2px;
     box-sizing: border-box;
     width: 50px;
.footer-col ul li:not(:last-child){
     margin-bottom: 10px;
.footer-col ul li a{
     font-size: 16px;
     text-transform: capitalize;
```

```
color: #ffffff;
     text-decoration: none;
     font-weight: 300;
     color: #bbbbbb;
     display: block;
     transition: all 0.3s ease;
.footer-col ul li a:hover{
     color: #ffffff;
     padding-left: 8px;
.footer-col .social-links a{
     display: inline-block;
     height: 40px;
     width: 40px;
     background-color: rgba(255,255,255,0.2);
     margin:0 10px 10px 0;
     text-align: center;
     line-height: 40px;
     border-radius: 50%;
     color: #ffffff;
     transition: all 0.5s ease;
}
.footer-col .social-links a:hover{
     color: #24262b;
     background-color: #ffffff;
}
/*responsive*/
@media(max-width: 767px){
 .footer-col{
  width: 50%;
  margin-bottom: 30px;
  overflow: hidden;
.footer-col h4 {
 overflow: hidden;
.footer-col ul li{
overflow: hidden;
@media(max-width: 574px){
 .footer-col{
  width: 100%;
  overflow: hidden;
}
.footer-col h4 {
 overflow: hidden;
.footer-col ul li{
overflow: hidden;
.social-links .fa{
```

```
color: #fc8112;
     ======login css===========
  margin:0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
}
.header{
  background-color: #ffffff;
  width: 100%;
  background-position: center;
  position: relative;
  position: fixed;
}
.nav1{
  display: flex;
  padding: 2% 6%;
  justify-content: space-between;
  align-items: center;
}
.nav1 img{
    width: 150px;
}
.nav-links{
  flex: 1;
  text-align: right;
}
.nav-links ul li{
  list-style: none;
  display: inline-block;
  padding: 8px 12px;
  position: relative;
}
.nav-links ul li a{
  color: rgb(32, 2, 2);
  text-decoration: none;
  font-size: 15px;
.nav-links ul li::after{
```

```
content: ";
  width: 0%;
  height: 2px;
  background: #fc8112;
  display: block;
  margin: auto;
  transition: 0.5s;
.nav-links ul li:hover::after{
  width: 100%;
}
.text-box{
  width: 90%;
  color: #fff;
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%,-50%);
  text-align: center;
}
.text-box h1{
  font-size: 62px;
}
.text-box p{
  margin: 10px 0 40px;
  font-size: 14px;
  color: #fff;
}
.hero-btn{
  display: inline-block;
  text-decoration: none;
  color: #fff;
  border: 1px solid #fff;
  padding: 12px 34px;
  font-size: 13px;
  background: transparent;
  position: relative;
  cursor: pointer;
.hero-btn:hover{
  border: 1px solid #f44336;
  background: #f44336;
  transition: 1s;
}
.nav1 .fa{
```

```
display: none;
@media(max-width: 700px){
  .text-box h1{
  font-size: 20px;}
  .nav-links ul li{
    display: block;}
  .nav-links{
     position: absolute;
     background: #fc8112;
     height: 100vh;
     width: 200px;
     top: 0;
     right: -200px;
     text-align: left;
     z-index: 2;
     transition: 1s;
  }
  .nav1 .fa{
     display: block;
     color:#393333;
    margin: 10px;
    font-size: 22px;
     cursor: pointer;
  .nav-links ul{
     padding: 30px;
  }
}
.footer{
     background-color: #24262b;
  padding: 70px 0;
  overflow: hidden;
}
.footer-col{
 width: 25%;
 padding: 0 15px;
.footer-col h4{
     font-size: 18px;
     color: #ffffff;
     text-transform: capitalize;
     margin-bottom: 35px;
     font-weight: 500;
     position: relative;
.footer-col h4::before{
     content: ";
     position: absolute;
     left:0;
     bottom: -10px;
```

```
background-color: #e91e63;
     height: 2px;
     box-sizing: border-box;
     width: 50px;
}
.footer-col ul li:not(:last-child){
     margin-bottom: 10px;
}
.footer-col ul li a{
     font-size: 16px;
     text-transform: capitalize;
     color: #ffffff;
     text-decoration: none;
     font-weight: 300;
     color: #bbbbbb;
     display: block;
     transition: all 0.3s ease;
.footer-col ul li a:hover{
     color: #ffffff;
     padding-left: 8px;
.footer-col .social-links a{
     display: inline-block;
     height: 40px;
     width: 40px;
     background-color: rgba(255,255,255,0.2);
     margin:0 10px 10px 0;
     text-align: center;
     line-height: 40px;
     border-radius: 50%;
     color: #ffffff;
     transition: all 0.5s ease;
}
.footer-col .social-links a:hover{
     color: #24262b;
     background-color: #ffffff;
}
/*responsive*/
@media(max-width: 767px){
 .footer-col{
  width: 50%;
  margin-bottom: 30px;
  overflow: hidden;
.footer-col h4 {
 overflow: hidden;
.footer-col ul li{
overflow: hidden;
```

```
@media(max-width: 574px){
 .footer-col{
  width: 100%;
  overflow: hidden;
.footer-col h4 {
 overflow: hidden;
.footer-col ul li{
overflow: hidden;
}}
.social-links .fa{
 color: #fc8112;
.hrc{
 width: 100%
.container1{
 padding-top: 250px;
 text-align: center;
 padding-left: 30%;
 padding-right: 30%;
.wrapper1{
 width: 100%;
 background: #fff;
 border-radius: 5px;
 box-shadow: 0px 4px 10px 1px rgba(0,0,0,0.1);
.wrapper1 .title1{
 height: 90px;
 background: #fc8112;
 border-radius: 5px 5px 0 0;
 color: #fff;
 font-size: 30px;
 font-weight: 600;
 display: flex;
 align-items: center;
 justify-content: center;
.wrapper1 form{
 padding: 30px 25px 25px 25px;
.wrapper1 form .row1{
 height: 45px;
 margin-bottom: 15px;
 position: relative;
```

```
.wrapper1 form .row1 input{
 height: 100%;
 width: 100%;
 outline: none;
 padding-left: 60px;
 border-radius: 5px;
 border: 1px solid lightgrey;
 font-size: 16px;
 transition: all 0.3s ease;
form .row1 input:focus{
 border-color:#FC8112;
 box-shadow: inset 0px 0px 2px 2px rgba(26,188,156,0.25);
form .row1 input::placeholder{
 color: #999;
.wrapper1 form .row1 i{
 position: absolute;
 width: 47px;
 height: 100%;
 color: #fff;
 font-size: 18px;
 background: #fc8112;
 border: 1px solid #fc8112;
 border-radius: 5px 0 0 5px;
 display: flex;
 align-items: center;
justify-content: center;
.wrapper1 form .pass{
 margin: -8px 0 20px 0;
.wrapper1 form .pass a{
 color: #fc8112;
 font-size: 17px;
 text-decoration: none;
.wrapper1 form .pass a:hover{
 text-decoration: underline;
.wrapper1 form .button1 input{
 color: #fff;
 font-size: 20px;
 font-weight: 500;
 padding-left: 0px;
 background: #fc8112;
 border: 1px solid #fc8112;
 cursor: pointer;
form .button1 input:hover{
 background: #fc8112;
```

```
.wrapper1 form .signup-link{
 text-align: center;
 margin-top: 20px;
 font-size: 17px;
.wrapper1 form .signup-link a{
 color: #fc8112;
 text-decoration: none;
form .signup-link a:hover{
 text-decoration: underline;
@media(max-width: 767px){
 .container1{
 padding: 0;
 padding-top: 130px;
  text-align: center;
 } }
        =========Sign css =============
*{
 margin:0;
 padding: 0;
 font-family: 'Poppins', sans-serif;
.header{
 background-color: #ffffff;
 width: 100%;
 background-position: center;
 position: relative;
 position: fixed;
.nav1{
 display: flex;
 padding: 2% 6%;
 justify-content: space-between;
 align-items: center;
.nav1 img{
   width: 150px;
}
.nav-links{
 flex: 1;
 text-align: right;
.nav-links ul li{
 list-style: none;
 display: inline-block;
 padding: 8px 12px;
 position: relative;
```

```
.nav-links ul li a{
 color: rgb(32, 2, 2);
 text-decoration: none;
 font-size: 15px;
.nav-links ul li::after{
 content: ";
 width: 0%;
 height: 2px;
 background: #fc8112;
 display: block;
 margin: auto;
 transition: 0.5s;
.nav-links ul li:hover::after{
 width: 100%;
.text-box{
 width: 90%;
 color: #fff;
 position: absolute;
 top: 50%;
 left: 50%;
 transform: translate(-50%,-50%);
 text-align: center;
.text-box h1{
font-size: 62px;
.text-box p{
 margin: 10px 0 40px;
 font-size: 14px;
 color: #fff;
.hero-btn{
 display: inline-block;
 text-decoration: none;
 color: #fff;
 border: 1px solid #fff;
 padding: 12px 34px;
 font-size: 13px;
 background: transparent;
 position: relative;
 cursor: pointer;
```

```
.hero-btn:hover{
 border: 1px solid #f44336;
 background: #f44336;
 transition: 1s;
.nav1 .fa{
 display: none;
@media(max-width: 700px){
 .text-box h1{
 font-size: 20px;}
 .nav-links ul li{
   display: block;}
 .nav-links{
   position: absolute;
   background: #fc8112;
   height: 100vh;
   width: 200px;
   top: 0;
   right: -200px;
   text-align: left;
   z-index: 2;
   transition: 1s;
 .nav1 .fa{
   display: block;
   color:#393333;
   margin: 10px;
   font-size: 22px;
   cursor: pointer;
 .nav-links ul{
   padding: 30px;
}
.footer{
background-color: #24262b;
 padding: 70px 0;
 overflow: hidden;
.footer-col{
width: 25%;
padding: 0 15px;
.footer-col h4{
font-size: 18px;
color: #ffffff;
text-transform: capitalize;
margin-bottom: 35px;
```

```
font-weight: 500;
position: relative;
.footer-col h4::before{
content: ";
position: absolute;
left:0;
bottom: -10px;
background-color: #e91e63;
height: 2px;
box-sizing: border-box;
width: 50px;
.footer-col ul li:not(:last-child){
margin-bottom: 10px;
.footer-col ul li a{
font-size: 16px;
text-transform: capitalize;
color: #ffffff;
text-decoration: none;
font-weight: 300;
color: #bbbbbb;
display: block;
transition: all 0.3s ease;
}
.footer-col ul li a:hover{
color: #ffffff;
padding-left: 8px;
.footer-col .social-links a{
display: inline-block;
height: 40px;
width: 40px;
background-color: rgba(255,255,255,0.2);
margin:0 10px 10px 0;
text-align: center;
line-height: 40px;
border-radius: 50%;
color: #ffffff;
transition: all 0.5s ease;
.footer-col .social-links a:hover{
color: #24262b;
background-color: #ffffff;
/*responsive*/
@media(max-width: 767px){
.footer-col{
 width: 50%;
 margin-bottom: 30px;
 overflow: hidden;
```

```
}
.footer-col h4 {
overflow: hidden;
.footer-col ul li{
overflow: hidden;
@media(max-width: 574px){
.footer-col{
 width: 100%;
 overflow: hidden;
.footer-col h4 {
overflow: hidden;
.footer-col ul li{
overflow: hidden;
.social-links .fa{
color: #fc8112;
.hrc{
width: 100%
.container1{
padding-top: 250px;
text-align: center;
padding-left: 30%;
padding-right: 30%;
}
.wrapper1{
width: 100%;
background: #fff;
border-radius: 5px;
box-shadow: 0px 4px 10px 1px rgba(0,0,0,0.1);
.wrapper1 .title1{
height: 90px;
background: #fc8112;
border-radius: 5px 5px 0 0;
color: #fff;
font-size: 30px;
font-weight: 600;
display: flex;
align-items: center;
justify-content: center;
.wrapper1 form{
padding: 30px 25px 25px 25px;
```

```
}
.wrapper1 form .row1{
height: 45px;
margin-bottom: 15px;
position: relative;
}
.wrapper1 form .row1 input{
height: 100%;
width: 100%;
outline: none;
padding-left: 60px;
border-radius: 5px;
border: 1px solid lightgrey;
font-size: 16px;
transition: all 0.3s ease;
overflow: hidden;
form .row1 input:focus{
border-color:#FC8112;
box-shadow: inset 0px 0px 2px 2px rgba(26,188,156,0.25);
form .row1 input::placeholder{
color: #999;
overflow: hidden;
.wrapper1 form .row1 i{
position: absolute;
width: 47px;
height: 100%;
color: #fff;
font-size: 18px;
background: #fc8112;
border: 1px solid #fc8112;
border-radius: 5px 0 0 5px;
display: flex;
align-items: center;
justify-content: center;
.wrapper1 form .pass{
margin: -8px 0 20px 0;
.wrapper1 form .pass a{
color: #fc8112;
font-size: 17px;
text-decoration: none;
.wrapper1 form .pass a:hover{
text-decoration: underline;
.wrapper1 form .button1 input{
```

```
color: #fff;
font-size: 20px;
font-weight: 500;
padding-left: 0px;
background: #fc8112;
border: 1px solid #fc8112;
cursor: pointer;
form .button1 input:hover{
background: #fc8112;
.wrapper1 form .signup-link{
text-align: center;
margin-top: 20px;
font-size: 17px;
}
.wrapper1 form .signup-link a{
color: #fc8112;
text-decoration: none;
form .signup-link a:hover{
text-decoration: underline;
@media(max-width: 767px){
.container1{
padding: 0;
padding-top: 130px;
 text-align: center;
}}
   =======Bangalore page css=============
*{
  margin:0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
}
.header{
  background-color: #ffffff;
  width: 100%;
  background-position: center;
  position: relative;
  position: fixed;
}
```

.nav1{

```
display: flex;
  padding: 2% 6%;
  justify-content: space-between;
  align-items: center;
}
.nav1 img{
     width: 150px;
}
.nav-links{
  flex: 1;
  text-align: right;
}
.nav-links ul li{
  list-style: none;
  display: inline-block;
  padding: 8px 12px;
  position: relative;
}
.nav-links ul li a{
  color: rgb(32, 2, 2);
  text-decoration: none;
  font-size: 15px;
}
.nav-links ul li::after{
  content: ";
  width: 0%;
  height: 2px;
  background: #fc8112;
  display: block;
  margin: auto;
  transition: 0.5s;
.nav-links ul li:hover::after{
  width: 100%;
}
.text\text{-}box\{
  width: 90%;
  color: #fff;
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%,-50%);
  text-align: center;
}
```

```
.text-box h1{
  font-size: 62px;
}
.text-box p{
  margin: 10px 0 40px;
  font-size: 14px;
  color: #fff;
}
.hero-btn{
  display: inline-block;
  text-decoration: none;
  color: #fff;
  border: 1px solid #fff;
  padding: 12px 34px;
  font-size: 13px;
  background: transparent;
  position: relative;
  cursor: pointer;
.hero-btn:hover{
  border: 1px solid #f44336;
  background: #f44336;
  transition: 1s;
}
.nav1 .fa{
  display: none;
@media(max-width: 700px){
  .text-box h1{
  font-size: 20px;}
  .nav-links ul li{
     display: block;}
  .nav-links{
     position: absolute;
     background: #fc8112;
     height: 100vh;
     width: 200px;
     top: 0;
    right: -200px;
     text-align: left;
     z-index: 2;
     transition: 1s;
  }
  .nav1 .fa{
     display: block;
```

```
color:#393333;
     margin: 10px;
    font-size: 22px;
     cursor: pointer;
  .nav-links ul{
     padding: 30px;
  }
}
.wrapper {
  padding-top: 150px;;
  width: 100%;
  height: auto;
  overflow: hidden;
  background: linear-gradient(0deg, rgb(201, 188, 244) 0%, rgb(255, 255, 255) 95.83%);
 .left {
  text-align: center;
  width: 50%;
  height: 200px;
  float: left;
 }
 .right {
  width: 50%;
  height: 200px;
  float: right;
 }
 .left h1 {
  margin-top: 70px;;
 @media only screen and (max-width: 768px) {
  .left, .right {
   width: 100%;
   height: 20%;
   float: none;
   padding-top: 0;
  }
  .wrapper {
     width: 100%;
    height: auto;
    overflow: hidden;
     background: linear-gradient(0deg, rgb(201, 188, 244) 0%, rgb(255, 255, 255) 95.83%);
```

```
}}
/* design about item*/
 .grid-container {
  padding: 20px;;
  display: grid;
  grid-template-columns: repeat(8, 1fr);
  grid-template-rows: repeat(0, 1fr);
  grid-gap: 10px;
 .item {
  padding: 20px;
  text-align: center;
  font-size: 24px;
 @media (max-width: 768px) {
  .grid-container {
   grid-template-columns: repeat(2, 1fr);
   grid-template-rows: repeat(4, 1fr);
   padding: 0;
  .gridtext{
  letter-spacing: -0.4px;
  }
.gridtext{
  padding-left: 70px;
  padding-top: 100px;;
  font-family: "Basis Grotesque Pro";
  font-size: 35px;
  font-weight: 800;
  letter-spacing: -0.3px;
  color: rgba(2, 6, 12, 0.92);
/*cvsfsgs*/
.product-list {
 display: flex;
 flex-wrap: wrap;
 justify-content: space-between;
 padding: 80px;
 font-family: "Basis Grotesque Pro", Arial, sans-serif;
outline: none;
}
.product {
 padding-top: 10px;
 width: calc(25% - 10px);
 margin-bottom: 20px;
.product img {
 width: 300px;
 height: 150px;
 border-radius: 5%;
 object-fit: cover;
```

```
.product h3 {
 margin-top: 10px;
 font-size: 1.5rem;
 text-align:left;
 padding-left:10px;
 -webkit-font-smoothing: antialiased;
 font-family: "Basis Grotesque Pro";
 font-size: 18px;
 font-weight: 700;
 line-height: 24px;
 letter-spacing: -0.3px;
 color: rgba(2, 6, 12, 0.75);
 overflow: hidden;
 width: 100%;
 display: -webkit-box;
 overflow-wrap: break-word;
 -webkit-line-clamp: 1;
 -webkit-box-orient: vertical;
.product a{
 text-decoration: none;
 color: black:
.product a:hover {
 text-decoration: none;
 background-color: #f44336;
.product p {
 font-size: 0.8rem;
 padding-left:10px;
 margin: 0;
 font-family: Basis Grotesque Pro;
 font-size: 16px;
 font-weight: 200;
 line-height: 19px;
 letter-spacing: -0.3px;
 color: rgba(2, 6, 12, 0.6);
 overflow: hidden;
 width: 100%;
 display: -webkit-box;
 overflow-wrap: break-word;
 -webkit-line-clamp: 1;
 -moz-box-orient: vertical;
}
button {
 background-color: #007bff;
 color: #fff;
 border: none;
 border-radius: 3px;
```

```
padding: 10px;
 cursor: pointer;
 font-size: 1rem;
/* Media queries for responsive design */
@media (max-width: 767px) {
 .product {
  width: calc(50\% - 20px);
 .product img {
  width: 170px;
  height: 80px;
  border-radius: 5%;
  object-fit: cover;
 .product-list{
  padding: 25px;;
  padding-left: 50px;;
@media (max-width: 480px) {
 .product {
  width: 100%;
 .product img {
  width: 130px;
  height: 80px;
  border-radius: 5%;
  object-fit: cover;
}
.fa{
 color: green;
#more {display: none;}
.bold{
 margin-block-start: 1.33em;
 margin-block-end: 1.33em;
 margin-inline-start: 0px;
 margin-inline-end: 0px;
 font-weight: bold;
}
.area{
 margin: 50px;;
 border: 1px solid black;
 padding: 25px;;
 border-radius: 10px;
}
.area ul{
 padding-left: 25px;;
```

```
}
.area p{
 text-align: justify;
 font-family: "Basis Grotesque Pro", Arial, sans-serif;
 -webkit-tap-highlight-color: transparent;
#myBtn{
 background-color: #fc8112;
.footer{
     background-color: #24262b;
  padding: 70px 0;
  overflow: hidden;
.footer-col{
 width: 25%;
 padding: 0 15px;
.footer-col h4{
     font-size: 18px;
     color: #ffffff;
     text-transform: capitalize;
     margin-bottom: 35px;
     font-weight: 500;
     position: relative;
.footer-col h4::before{
     content: ";
     position: absolute;
     left:0;
     bottom: -10px;
     background-color: #e91e63;
     height: 2px;
     box-sizing: border-box;
     width: 50px;
}
.footer-col ul li:not(:last-child){
     margin-bottom: 10px;
}
.footer-col ul li a{
     font-size: 16px;
     text-transform: capitalize;
     color: #ffffff;
     text-decoration: none;
     font-weight: 300;
     color: #bbbbbb;
     display: block;
     transition: all 0.3s ease;
}
.footer-col ul li a:hover{
     color: #ffffff;
     padding-left: 8px;
}
```

```
.footer-col .social-links a{
     display: inline-block;
     height: 40px;
     width: 40px;
     background-color: rgba(255,255,255,0.2);
     margin:0 10px 10px 0;
     text-align: center;
     line-height: 40px;
     border-radius: 50%;
     color: #ffffff;
     transition: all 0.5s ease;
}
.footer-col .social-links a:hover{
     color: #24262b;
     background-color: #ffffff; }
/*responsive*/
@media(max-width: 767px){
 .footer-col{
  width: 50%;
  margin-bottom: 30px;
  overflow: hidden;
.footer-col h4 {
 overflow: hidden;
.footer-col ul li{
overflow: hidden;
@media(max-width: 574px){
 .footer-col{
  width: 100%;
  overflow: hidden;
.footer-col h4 {
 overflow: hidden;
.footer-col ul li{
overflow: hidden;
}}
.social-links .fa{
 color: #fc8112;
}
.hrc{
 width: 100%
```

SCREENSHOTS

Homepage:



Late Night at Office?

Order food from favourite restaurants near you.

Enter your Delivery Location

Popular Cities in India

Ahmedabad Bangalore Chennai Delhi Hyderabad Kolkata more






Login Sign Up


Restaurants in your pocket

Order from your favorite restaurants & track on the go, with the all-new Swiggy app.











Login page:



SEARCH HELP SIGN-IN CART ACCOUNT







Sign-in Page:



SEARCH HELP SIGN-IN CART ACCOUNT





Bangalore Page:



SEARCH HELP SIGN-IN CART ACCOUNT

Order Food Online in Bangalore



What's on your mind?















Biryani

burg

North Indian

Chinese

South Indian

Restaurants with online food delivery in Bangalore



KFC





Bakingo

★ 4.3 Bakery, Desserts, Beverages, Snacks Vasanth Nagar



McDonald's

★ 4.1 Burgers, Beverages, Cafe, Desserts Banashankari



Social

★ 4.5 Pizzas, Fast Food, Italian



Wendy's

American, Burgers, Fast Food, Beverages, Snacks Central Bangalore



Savoury Seashell Restaurant

★ 3.9 Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala Bannerghatta Main Road



Bakingo

Bakery, Desserts, Beverages, Snacks Vasanth Nagar



TEXAS BURGERS

▼ 3.9 Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala BTM Layout



Biryani, North Indian, Chinese BTM



Hot Burger Company

Bakery, Snacks Koramangala



Kitchens of Punjab

Punjabi, North Indian, Thalis, Desserts, Beverages Bannerghatta Main Road



Pipabu

Pizzas, Italian, American, Continental, Salads, Desserts





Dimond

Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala Bannerghatta Main Road



Biryani house

★ 3.9 Biryani, North Indian, Chinese Koramangala Main Road



Arabian, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala



kong kong Burger

Burgers, Beverages, Cafe, Desserts BTM



Cs Ice cream

Bakery, Desserts, Beverages, Snacks Ks city



Sharma house

Jayanagar

Rolls, Indian, Chinese, Tandoor, Biryani, Seafood, Kerala



Joshi Mess

★ 4.3 Indian Tavarekere



Natraj Chole Bhature

Indian, Chaat, Sweets Jayanagar

Reasons to Order Food Online in Bangalore via Swiggy

Bangalore, the IT hub of the country, is the city that is a home to millions of young techies staying far away from their homes. If you are also one of those, who does not have a proper functional kitchen, you can understand the pain of missing out on your favourite food. Imagine one day you are having a hectic day at work, and suddenly you find it's lunchtime. The rats have already started growling in your stomach as it's already Food O'clock, but you can't visit the food court due to your ongoing work. Bummer? But no worries, as Swiggy is...



© 2023 Addhyan Kumar

Get Help

Company

About

Swiggy One

Swiggy Instamart Swiggy Genie

Online Shop

CWe Deliver To:

Bangalore

Gurgaon

Delhi Mumbai

598 Cities


Follow Us







Foooter:



Tools and Technologies

Requirements:

1. Hardware Requirements:

Processor: Intel Pentium Dual Core.

RAM: 4GB or more.

Hard Disk: 512 GB.

Processor Speed: 2 GHz.

2. Software Requirements:

Front End: Google Chrome, FireFox, Opera browsers.

Operating System: Windows 7 or more.

3. Languages:

HTML5, CSS, Bootstrap, javaScript

Conclusion

Swiggy is a highly successful and popular food delivery app in India, offering users a convenient and efficient way to order food and other essentials. Its success can be attributed to its strong logistics network, user-friendly interface, and ability to adapt and innovate in response to changing market conditions.

Limitations of the project:

- Connection to the Internet is Needed.
- The user has to register for joining Swiggy.
- Internet is required to install and use the App.

Future Enhancement:

We will be able to implement UPI Transactions feature in the application in the future. We will also include the Drivers details page and the Reviews about the Drivers

Progressive enhancement for strong foundations so that its accessible to the wide range of browsing situations.

REFERENCES:

- 1. https://www.w3schools.com/
- 2. https://www.geeksforgeeks.org/
- 3. https://getbootstrap.com/
- 4. https://en.wikipedia.org/
- 5. https://swiggy.com
- 6. https://youtube.com
- 7. https://foneawosem.com